



JAINSON

SINCE 1971

NATIONAL PRICE LIST

05.01.2026



- CABLE TERMINAL ENDS
- CABLE GLANDS

Jainson

**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1	2.5	5.2	319-05	8.58	1000
2	4	6.5	319-06	12.11	1000
3	6	6.5	319-07	13.19	1000
4	10	6.5	319-08	16.65	1000
5	16	6.5	319-09	22.79	500
6	25	6.5	319-10	38.77	300
7	35	6.5	319-11	45.24	300
8	35	8.2	319-12	45.24	300
9	50	6.5	319-13	57.87	200
10	50	8.2	319-14	57.87	200
11	50	10.2	319-15	57.87	200
12	70	8.2	319-16	103.61	100
13	70	10.2	319-17	103.61	100
14	70	12.7	319-18	103.61	100
15	95	10.2	319-19	144.14	100
16	95	12.7	319-20	144.14	100
17	120	10.2	319-21	199.92	50
18	120	12.7	319-22	199.92	50
19	120	16.2	319-23	199.92	50
20	150	10.2	319-24	276.35	50
21	150	12.7	319-25	276.35	50
22	150	16.2	319-26	276.35	50
23	185	12.7	319-27	409.26	25
24	185	16.2	319-28	409.26	25
25	225	16.2	319-231	560.47	25
26	240	16.2	319-29	574.12	20
27	240	20.3	319-30	574.12	20
28	300	16.2	319-31	829.56	15
29	300	20.3	319-32	829.56	15
30	400	20.3	319-33	1153.86	10
31	500	20.3	319-34	1574.80	10
32	630	20.3	319-35	2178.41	5
33	800	-----	319-062	3599.10	4
34	1000	-----	319-076	6881.48	5

Jainson

**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
35	2.5	5.2	JEB-05	14.11	1000
36	4	6.5	JEB-06	19.16	1000
37	6	6.5	JEB-07	21.19	1000
38	10	6.5	JEB-08	26.42	1000
39	16	6.5	JEB-09	36.28	500
40	25	6.5	JEB-10	61.61	300

Jainson

**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
41	35	6.5	JEB-11	69.17	300
42	35	8.2	JEB-12	69.17	300
43	50	6.5	JEB-13	88.09	200
44	50	8.2	JEB-14	88.09	200
45	50	10.2	JEB-15	88.09	200
46	70	8.2	JEB-16	143.92	100
47	70	10.2	JEB-17	143.92	100
48	70	12.7	JEB-18	143.92	100
49	95	10.2	JEB-19	189.02	75
50	95	12.7	JEB-20	189.02	75
51	120	10.2	JEB-21	258.84	50
52	120	12.7	JEB-22	258.84	50
53	120	16.2	JEB-23	258.84	50
54	150	10.2	JEB-24	315.73	40
55	150	12.7	JEB-25	315.73	40
56	150	16.2	JEB-26	315.73	40
57	185	12.7	JEB-27	501.84	25
58	185	16.2	JEB-28	501.84	25
59	225	16.2	JEB-231	693.14	25
60	240	16.2	JEB-29	703.96	20
61	240	20.3	JEB-30	703.96	20
62	300	16.2	JEB-31	937.95	15
63	300	20.3	JEB-32	937.95	15
64	400	20.3	JEB-33	1387.11	10
65	500	20.3	JEB-34	1928.69	8
66	630	20.3	JEB-35	2700.16	5
67	800	-----	JEB-62	4235.39	5
68	1000	-----	JEB-76	7993.63	4

Jainson

**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS
(HEAVY DUTY)**



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
69	25	8.2	319-282	51.58	300
70	35	8.2	319-283	80.56	200
71	50	8.2	319-284	138.48	100
72	70	10.2	319-285	222.17	75
73	95	12.7	319-286	332.16	50
74	120	12.7	319-287	465.13	40
75	150	12.7	319-288	574.92	25
76	185	12.7	319-289	833.18	25
77	240	16.2	319-290	1200.55	15
78	300	16.2	319-291	1495.31	10
79	400	20.3	319-292	2185.79	8

Jainson

**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(I C F)**



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
80	11-17	319-106	53.00	300
81	11-17	319-145	53.00	300
82	11-17	319-146	53.00	300
83	11-17	319-109	55.74	300
84	17-23	319-107	89.12	200
85	17-23	319-147	89.12	200
86	17-23	319-148	89.12	200
87	17-23	319-108	98.32	200
88	23-29	319-110	130.17	150
89	23-29	319-149	128.11	150
90	23-29	319-150	128.11	150
91	23-29	319-151	130.36	150
92	23-29	319-111	123.22	150
93	29-45	319-116	174.09	150
94	29-45	319-152	180.79	150
95	29-45	319-153	180.79	150
96	29-45	319-154	180.79	150
97	29-45	319-113	174.09	150
98	45-57	319-112	291.25	75
99	45-57	319-155	291.25	75
100	45-57	319-156	291.25	75
101	45-57	319-157	291.25	75
102	57-75	319-114	370.04	75
103	57-75	319-158	378.11	75
104	57-75	319-159	378.11	75
105	57-75	319-160	378.11	75
106	75-90	319-137	417.94	50
107	75-90	319-161	418.32	50
108	75-90	319-162	418.32	50
109	75-90	319-163	418.32	50
110	90-110	319-115	512.00	40
111	90-110	319-164	512.00	40
112	90-110	319-165	512.00	40
113	90-110	319-166	512.00	40
114	110-146	319-138	750.91	25
115	110-146	319-167	750.91	25
116	110-146	319-168	750.91	25
117	110-146	319-169	750.91	25
118	146-183	319-128	1023.97	20
119	146-183	319-170	1023.97	20
120	146-183	319-171	1023.97	20
121	183-225	319-139	1168.85	15
122	183-225	319-172	1168.85	15
123	183-225	319-173	1168.85	15
124	183-225	319-174	1168.85	15
125	225-299	319-140	1651.64	10
126	225-299	319-175	1691.45	10
127	225-299	319-176	1668.70	10
128	299-366	319-141	2225.81	10

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS



(ICF)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
129	299-366	319-177	2351.34	10
130	299-366	319-178	2351.34	10
131	366-437	319-142	3045.37	5
132	366-437	319-179	3227.41	5
133	366-437	319-180	3227.41	5

Jainson
COPPER TUBULAR CRIMPING TERMINAL SOCKETS



(DLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
134	133	319-36	654.99	40
135	133	319-37	654.99	40
136	133	319-38	522.68	40
137	133	319-39	534.24	40
138	133	319-40	654.99	40
139	133	319-41	560.09	40
140	270	319-42	1243.95	15
141	270	319-43	1298.00	15
142	270	319-44	1350.08	15
143	400	319-45	1983.85	10
144	400	319-46	1983.85	10
145	133	319-47	609.46	40
146	270	319-48	1374.77	15
147	270	319-49	1431.48	15
148	400	319-50	2427.06	10
149	133	319-51	871.77	15

Jainson
COPPER TUBULAR CRIMPING TERMINAL SOCKETS



(CLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
150	150	319-54	877.56	40
151	120	319-55	676.97	50
152	25	319-56	73.30	200
153	3	319-65	16.88	500
154	3	319-66	16.88	500
155	3	319-67	16.88	500
156	10	319-68	59.01	200
157	10	319-69	59.01	200
158	120	319-70	670.80	50

Jainson
COPPER TUBULAR CRIMPING TERMINAL SOCKETS



(CLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
159	225	319-71	1127.90	20
160	270	319-72	1844.20	15
161	475	319-73	3116.76	8
162	475	319-74	3600.86	8
163	475	319-75	3109.04	8
164	50	319-87	189.02	150
165	35	319-187	127.21	200
166	3	319-209	16.33	500
167	3	319-210	16.33	500
168	3	319-211	42.04	500
169	25	319-212	76.58	200
170	225	319-213	1118.64	20
171	225	319-214	1342.74	10
172	270	319-215	1618.17	10
173	10	319-228	55.52	300
174	70	319-229	279.11	200
175	50	319-230	192.70	150

Jainson
COPPER TUBULAR CRIMPING TERMINAL SOCKETS HEAVY DUTY



(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
176	1.5	5.2	319-538	12.98	1000
177	1.5	6.5	319-539	12.98	1000
178	2.5	4.2	319-388	14.00	1000
179	2.5	5.2	319-540	14.00	1000
180	2.5	6.5	319-541	14.00	1000
181	4	5.2	319-389	15.93	1000
182	4	6.5	319-543	15.93	1000
183	6	5.2	319-390	20.48	1000
184	6	6.5	319-544	20.48	1000
185	6	8.4	319-545	20.48	1000
186	10	6.5	319-353	23.90	1000
187	10	8.4	319-547	23.90	1000
188	16	6.5	319-354	30.46	500
189	16	8.4	319-549	30.46	500
190	25	6.5	319-355	46.54	300
191	25	8.4	319-551	46.54	300
192	25	10.5	319-552	46.54	300
193	35	6.5	319-542	67.94	300
194	35	8.4	319-356	67.94	300
195	35	10.5	319-554	67.94	300
196	50	8.4	319-357	106.80	150
197	50	10.5	319-556	106.80	150

Jainson
COPPER TUBULAR CRIMPING TERMINAL SOCKETS (HEAVY DUTY)



(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
198	70	8.4	319-557	165.87	100
199	70	10.5	319-358	165.87	100
200	70	13	319-559	165.87	100
201	95	10.5	319-359	255.02	75
202	95	13	319-560	255.02	75
203	120	13	319-241	325.69	50
204	120	17	319-546	325.69	50
205	150	13	319-242	412.11	40
206	150	17	319-564	412.11	40
207	185	17	319-243	555.83	25
208	240	17	319-244	840.57	20
209	240	21	319-567	840.57	20
210	300	17	319-245	1203.64	15
211	300	21	319-569	1203.64	15
212	400	17	319-246	1936.87	10
213	400	21	319-571	1936.87	10
214	500	21	319-247	2450.70	8
215	550	21	319-573	2999.25	8
216	630	21	319-248	3468.88	4
217	800		319-599	5540.73	4
218	1000		319-590	8212.42	4

Jainson
COPPER TUBULAR CRIMPING TERMINAL SOCKETS EXTENDED PALM BLANKS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
219	50	319-466	178.41	100
220	70	319-467	270.99	100
221	95	319-468	386.90	50
222	120	319-469	508.60	40
223	150	319-470	664.44	40
224	185	319-471	850.54	25
225	240	319-472	1251.33	20
226	300	319-473	1825.69	15
227	400	319-474	2864.09	10
228	500	319-475	3773.88	5
229	625	319-476	5395.31	5



Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL H. D.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
230	2.5	4.2	JCXL-1	17.45	1000
231	4	4.2	JCXL-2	20.41	1000
232	6	4.2	JCXL-3	27.84	1000
233	10	6.4	JCXL-4	36.06	500
234	16	6.4	JCXL-5	42.61	500
235	25	6.4	JCXL-6	77.46	300
236	35	6.4	JCXL-7	100.60	300
237	50	7.8	JCXL-8	166.16	200
238	70	12.8	JCXL-9	237.97	100
239	95	12.8	JCXL-10	352.50	75
240	120	12.8	JCXL-11	416.31	50
241	150	13.0	JCXL-12	662.59	40
242	185	16.2	JCXL-13	786.31	25
243	240	16.2	JCXL-14	1027.56	20
244	300	16.2	JCXL-15	1499.94	15
245	400	16.2	JCXL-16	2152.41	10
246	500	21.0	JCXL-17	2639.34	5
247	630	21.0	JCXL-18	3536.91	5
248	800	-----	JCXL-19	5651.34	4
249	1000	-----	JCXL-20	8440.23	4

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(45° & 90° BEND TYPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
250	95	10.5	319-827	264.25	50
251	95	13.5	319-828	264.25	50
252	150	13.0	319-831	428.74	40
253	150	17.0	319-832	428.74	40
254	185	13.0	319-833	583.31	25
255	185	17.0	319-833A	583.31	25
256	240	17.0	319-834	857.36	20
257	240	21.0	319-835	857.36	20
258	300	17.0	319-836	1221.43	15
259	300	21.0	319-837	1221.43	15
260	400	17.0	319-838	1904.39	10

Jainson
COPPER TUBULAR TERMINAL
SOCKETS FOR XLPE CABLES
(DOUBLE HOLE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
261	95	11.0	319-847	579.60	50
262	95	13.0	319-847A	567.43	50
263	120	11.0	319-848	688.82	40
264	120	13.0	319-848A	676.64	40
265	150	11.0	319-849	845.06	40
266	150	13.0	319-849A	832.86	40
267	185	13.0	319-850	991.90	25
268	185	17.0	319-850A	976.21	25
269	240	13.0	319-851	1414.93	20
270	240	17.0	319-851A	1400.24	20
271	300	13.0	319-852	1455.19	15
272	300	17.0	319-852A	2047.02	15
273	400	13.0	319-853	3992.75	10
274	400	17.0	319-853A	3965.90	10
275	400	14.0	319-437	4234.37	10
276	50	11	319-466DH	292.09	100
277	70	13	319-467DH	444.25	100
278	95	13	319-468DH	635.58	50
279	120	13	319-469DH	834.62	50
280	150	13	319-470DH	1043.27	40
281	185	13	319-471DH	1309.96	25
282	240	13	319-472DH	2049.63	20
283	300	13	319-473DH	2921.39	15
284	400	13	319-474DH	3814.05	10
285	500	21	319-475DH	5031.20	5
286	400	14	134/RODH	3153.31	8
287	400	14	13213DH	2190.99	10
288	400	18	13374DH	2172.00	10
289	240	12	29271DH	1379.63	15
290	300	12	29313DH	1565.02	15

Jainson
COPPER CRIMPING
CABLE SOCKETS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
291	400	33	13326	1699.40	10
292	120	6.5	319-469SP	618.58	50

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS LONG
BARREL (XLPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
293	35	6.5	319-542EB	92.36	300
294	35	8.4	319-356EB	90.05	300
295	35	10.5	319-554EB	94.67	300
296	50	8.4	319-357EB	163.48	150
297	50	10.2	319-556EB	154.24	150
298	95	10.5	319-359EB	281.70	75
299	95	13.0	319-560EB	269.46	75
300	120	13.0	319-241EB	554.17	50
301	150	13.0	319-242EB	588.80	40
302	185	12.0	319-243EB	750.43	25

Jainson
COPPER TUBULAR CRIMPING
TERMINAL SOCKETS (XLPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
303	70	17.0	319-559SP	271.91	75
304	400	13.0	319-436	2234.09	10
305	630	-----	319-438	6567.55	4

Jainson
SOLDERING TYPE COPPER
TUBULAR SOCKETS



ITEM NO.	AREA AMP	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
306	15	3.2	423-201	9.72	1000
307	30	5.1	423-202	14.11	1000
308	60	6.4	423-203	35.56	300
309	100	9.5	423-204	70.77	150
310	150	9.5	423-205	119.28	100
311	200	12.7	423-206	188.53	50
312	300	12.7	423-207	358.11	25
313	400	15.9	423-208	430.84	20
314	500	19.0	423-209	582.78	15
315	600	19.0	423-210	897.93	10
316	800	23.8	423-211	1637.40	8
317	1000	23.8	423-212	2422.63	4
318	1000	-----	423-295	4267.78	4



jainson
SOLDERING TYPE COPPER
TUBULAR SOCKETS



HEAVY DUTY

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
319	15	5.1	219-6	17.16	1000
320	30	7.1	219-7	30.69	500
321	60	10.3	219-8	59.57	200
322	100	11.9	219-9	102.36	100
323	150	13.5	219-10	184.91	75
324	200	13.5	219-11	314.97	50
325	300	16.7	219-12	437.45	25
326	400	16.7	219-13	692.36	15
327	500	19.8	219-14	1109.44	10

(AS PER TABLE 2-OF BS-91-1973)

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
328	6	5.5	219-15	19.88	1000
329	16	6.6	219-16	39.78	500
330	25	9.0	219-17	68.14	200
331	35	9.0	219-18	91.67	200
332	70	11	219-23	268.61	75
333	95	14	219-24	378.45	50
334	120	14	219-25	645.90	25
335	185	14	219-26	1077.39	20
336	240	18	219-27	1301.64	20
337	300	18	219-28	1805.11	15
338	500	22	219-29	2643.84	10
339	625	26	219-30	3678.19	10

jainson
COPPER TUBULAR
TERMINAL ENDS
(OVAL DOUBLE HOLE)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
340	42	319-81	434.73	200
341	100	319-82	763.85	25
342	133	319-83	827.80	25



jainson
COPPER TUBULAR
CRIMPING
IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
343	1.5	58-450	5.91	1000
344	1.5	58-453	6.05	1000
345	2.5	58-451	6.44	1000
346	2.5	58-454	6.59	1000
347	4-6	58-452	9.09	1000
348	4-6	58-455	9.54	1000
349	10	58-456	13.30	1000
350	10	58-460	15.89	1000
351	16	58-461	34.67	400
352	25	58-484	46.40	300
353	25	58-486	100.92	300
354	35	58-485	66.33	200
355	35	58-487	135.72	200
356	50	58-480	201.64	100
357	70	58-478	149.30	75
358	70	58-481	298.57	75
359	95	58-482	422.65	50
360	2.5	58-466	6.25	1000
361	1.5	58-463 (I)	8.56	1000
362	2.5	58-464 (I)	10.20	1000
363	4-6	58-465 (I)	15.29	500
364	4-6	58-475 (I)	22.84	500
365	2.5	32-23	6.90	1000
366	4	32-3	9.20	1000
367	6	32-4	9.54	1000
368	16	32-6	15.27	500
369	25	32-7	36.73	400
370	35	32-8	52.00	300
371	50	32-9	80.10	200
372	70	32-10	121.42	100
373	95	32-11	164.14	100
374	120	32-12	228.68	50
375	150	32-13	294.45	50
376	185	32-14	368.99	40
377	225	32-20	507.14	25
378	240	32-15	534.04	25
379	300	32-16	798.31	20
380	400	32-17	1214.91	15
381	500	32-18	1740.15	10
382	625	32-19	2376.55	5
383	800	32-21	3698.78	4
384	1000	32-22	5374.99	4
385	25	32-24	40.85	300
386	35	32-25	61.08	200
387	50	32-26	92.59	150
388	70	32-27	165.53	100
389	95	32-28	243.41	75
390	120	32-29	292.30	50
391	150	32-30	421.05	25
392	300	32-33	1248.92	10

jainson
COPPER TUBULAR
CRIMPING
IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
393	1.5	32-41	9.49	1000
394	800	32-42	4799.84	4
395	1000	32-43	7152.79	4
396	20	32-47	25.13	1000
397	70	32-51	148.72	100
398	95	32-52	220.95	75
399	120	32-53	264.27	50
400	150	32-54	374.44	40
401	185	32-55	505.97	25
402	240	32-56	774.23	20
403	300	32-57	1112.28	15
404	400	32-58	1500.78	10
405	500	32-59	2157.95	5
406	550	32-60	2344.43	5
407	630	32-61	2964.33	4
408	185	32-31	603.45	25
409	240	32-32	921.80	25
410	400	32-34	1800.28	10
411	500	32-35	2645.24	10

jainson
COPPER TUBULAR IN-LINE
CONNECTORS



(LONG BARREL)

ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
412	1.5	JBL-453	10.99	1000
413	2.5	JBL-23	14.27	1000
414	4.0	JBL-3	19.68	1000
415	6.0	JBL-4	19.89	1000
416	10	JBL-460	33.11	500
417	16	JBL-6	29.86	500
418	25	JBL-7	71.76	300
419	35	JBL-8	94.02	200
420	50	JBL-9	142.62	150
421	70	JBL-10	210.86	100
422	95	JBL-11	290.93	75
423	120	JBL-12	408.19	50
424	150	JBL-13	521.83	50
425	185	JBL-14	632.70	25
426	225	JBL-20	892.54	25
427	240	JBL-15	931.42	20
428	300	JBL-16	1406.60	15
429	400	JBL-17	2140.52	10
430	500	JBL-18	2779.06	8
431	630	JBL-19	3818.32	5
432	800	JBL-21	6113.18	4

jainson
COPPER TUBULAR IN-LINE
CONNECTORS (LONG BARREL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
433	1000	JBL-22	8909.01	4
434	625	32-36	3168.38	5

jainson
COPPER CRIMPING INLINE
CONNECTORS

(HEAVY DUTY)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
435	1.5	JC-1.5	8.38	1000
436	2.5	JC-2.5	10.76	1000
437	4	JC-4	13.72	1000
438	6	JC-6	15.10	1000
439	10	JC-10	24.11	1000
440	16	JC-16	37.52	400
441	20	JC-20	53.22	200
442	25	JC-25	56.66	200
443	35	JC-35	73.74	150
444	50	JC-50	107.30	100
445	70	JC-70	154.82	75
446	95	JC-95	198.70	50
447	120	JC-120	340.94	40
448	150	JC-150	394.86	25
449	185	JC-185	543.08	25
450	240	JC-240	813.98	20
451	300	JC-300	1227.00	10
452	400	JC-400	1649.44	8
453	500	JC-500	2329.00	5
454	550	JC-550	2476.99	4
455	630	JC-630	2631.67	4
456	800	JC-800	4427.19	4
457	1000	JC-1000	6291.71	4

jainson
COPPER CRIMPING TYPE
IN-LINE CONNECTORS

(LONG BARREL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
458	2.5	JCXL-21	10.14	1000
459	4	JCXL-22	12.49	1000
460	6	JCXL-23	14.98	1000
461	10	JCXL-24	22.81	1000
462	16	JCXL-25	41.92	400

jainson
COPPER CRIMPING TYPE
IN-LINE CONNECTORS

(LONG BARREL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
463	25	JCXL-26	82.66	300
464	35	JCXL-27	105.75	200
465	50	JCXL-28	164.05	150
466	70	JCXL-29	208.64	100
467	95	JCXL-30	290.90	75
468	120	JCXL-31	414.71	50
469	150	JCXL-32	576.67	40
470	185	JCXL-33	773.44	25
471	240	JCXL-34	1018.95	20
472	300	JCXL-35	1498.64	15
473	400	JCXL-36	2105.09	10
474	500	JCXL-37	2746.59	5
475	630	JCXL-38	3806.28	5
476	800	JCXL-39	6354.42	4
477	1000	JCXL-40	8456.63	4

jainson
COPPER CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
478	35	32-25 J40	65.56	300
479	16	461-J32	45.70	400
480	25	32-24-J23	35.78	300
481	35	32-25-J25	39.32	300
482	150	JTC-150	997.60	40
483	2.5	58-001	6.06	1000
484	2.5	58-002	8.05	1000
485	6.0	58-003	9.84	1000
486	16.0	58-004	11.82	500
487	50.0	58-005	84.67	200

jainson
COPPER CONNECTOR

(T TYPE)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
488	150	JTC-150T	3080.90	25



Keeping Electricity Firmly in its Place
CABLE TERMINAL ENDS

jainson
COPPER TUBULAR CRIMPING
END SEALING FERRULES



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
489	0.5	58-508	1.25	5000
490	0.75	58-509	1.25	5000
491	1.0	58-510	1.25	5000
492	1.0	58-511	1.70	5000
493	1.5	58-512	1.70	3000
494	1.5	58-513	2.04	3000
495	2.5	58-514	1.70	2000
496	2.5	58-515	1.98	2000
497	4	58-516	1.70	1000
498	4	58-517	1.98	1000
499	6	58-518	1.98	1000
500	6	58-519	1.98	1000
501	6	58-520	2.23	1000
502	10	58-521	2.23	1000
503	10	58-522	2.44	1000
504	10	58-523	2.89	1000
505	16	58-524	2.61	1000
506	16	58-525	3.06	1000
507	16	58-526	3.51	1000

jainson
COPPER TUBULAR CRIMPING
IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
508	1.5	58-459	6.58	1000
509	4	58-495	5.73	1000
510	6	58-568	8.89	1000
511	10	58-569	10.71	1000
512	16	58-570	13.46	1000
513	25	58-571	16.93	500
514	35	58-500	18.22	400
515	50	58-572	25.35	300
516	70	58-497	26.51	150
517	95	58-573	34.01	150
518	120	58-574	42.09	100
519	150	58-575	45.93	100
520	185	58-496	104.44	50
521	240	58-578	364.71	25
522	16	58-457	19.40	1000
523	50	58-477	94.55	200
524	95	58-479	181.49	150
525	0.5	58-651	6.79	1000

S J METAL INDUSTRIES
AN ISO 9001-2015 CO.

jainson
COPPER TUBULAR END
SEALING FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
526	0.5	58-467	1.90	1000
527	0.75	58-468	1.90	1000
528	1.0	58-469	1.90	1000
529	1.0	58-470	2.61	1000
530	1.5	58-471	2.61	1000
531	1.5	58-472	2.99	1000
532	2.5	58-499	2.61	1000
533	2.5	58-502	2.97	1000
534	4	58-503	2.61	1000
535	4	58-504	2.97	1000
536	6	58-505	2.97	1000
537	6	58-506	2.97	1000
538	6	58-507	3.30	1000
539	10	58-549	3.30	500
540	10	58-550	3.30	500
541	10	58-551	3.87	500
542	16	58-552	3.87	500
543	16	58-553	3.87	500
544	16	58-554	3.87	500

jainson
COPPER OPEN CLOSE TYPE
SOLDERING CABLE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
545	1.5	153-371	3.68	1000
546	1.5	153-345	2.97	1000
547	2.5	153-372	4.34	1000
548	2.5	153-344	3.92	1000
549	4	153-373	7.60	1000
550	6	153-374	9.50	1000
551	10	153-375	12.32	1000
552	16	153-376	21.15	500
553	25	153-377	39.90	300
554	35	153-378	49.71	200
555	50	153-379	87.54	150
556	70	153-380	136.33	75
557	95	153-381	245.54	50
558	120	153-382	315.12	50
559	150	153-383	421.72	40
560	185	153-384	630.54	25
561	225	153-385	772.78	20
562	240	153-386	935.60	15
563	300	153-387	1194.31	10
564	400	153-388	1745.10	5
565	500	153-389	2049.25	5
566	625	153-390	2432.52	4

jainson
COPPER RING TONGUE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
567	1.5	3.7	170489	3.80	1000
568	1.5	4.2	170499	3.80	1000
569	1.5	2.6	170009	4.54	1000
570	1.5	3.2	170019	4.36	1000
571	1.5	3.7	170029	4.36	1000
572	1.5	4.2	170039	3.80	1000
573	1.5	4.2	171549	4.36	1000
574	1.5	4.2	170049	3.91	1000
575	1.5	5.2	170059	3.91	1000
576	1.5	5.2	170069	4.90	1000
577	1.5	6.4	170079	4.72	1000
578	1.5	6.4	171069	5.51	1000
579	2.5	3.2	171079	4.56	1000
580	2.5	3.7	170089	4.36	1000
581	2.5	3.7	171089	4.56	1000
582	2.5	4.2	170099	3.91	1000
583	2.5	5.2	170109	3.91	1000
584	2.5	5.2	171099	4.80	1000
585	2.5	6.4	170119	4.32	1000
586	2.5	5.2	171109	6.81	1000
587	2.5	6.4	170129	6.24	1000
588	2.5	8.2	170139	6.38	1000
589	2.5	8.2	170149	8.20	1000
590	2.5	10.2	171519	9.84	1000
591	4-6	4.2	171559	7.19	1000
592	4-6	5.2	170509	7.19	1000
593	4-6	5.2	171579	18.43	1000
594	4-6	5.2	170169	8.81	1000
595	4-6	6.4	170179	8.31	1000
596	4-6	8.2	170189	8.81	1000
597	4-6	6.4	170199	10.16	1000
598	4-6	6.4	171159	11.80	1000
599	4-6	8.2	170209	11.64	1000
600	4-6	8.2	171169	14.38	1000
601	4-6	10.2	170239	13.71	1000
602	4-6	12.7	170249	13.06	1000
603	10	5.2	170259	10.61	1000
604	10	4.2	171199	12.43	1000
605	10	5.2	170269	9.78	1000
606	10	6.4	171209	11.51	1000
607	10	8.2	171219	15.35	500
608	10	10.2	171239	23.48	500
609	10	12.7	170289	21.30	500
610	16	5.2	171249	17.42	500
611	16	6.4	170299	19.26	500
612	16	8.2	170309	23.03	500
613	16	10.2	171289	30.90	500
614	16	12.7	170339	30.56	500
615	25	6.4	171569	44.56	300

jainson
COPPER RING TONGUE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
616	25	8.2	170349	44.09	300
617	25	10.2	171319	58.07	300
618	25	10.2	171329	64.65	200
619	25	12.7	170379	65.77	200
620	35	6.4	171339	55.07	300
621	35	8.2	170389	51.61	300
622	35	8.2	171349	78.25	200
623	35	10.2	170399	72.22	200
624	35	10.2	171359	71.75	200
625	35	12.7	170409	69.81	200
626	50	8.2	171369	89.17	150
627	50	10.2	171379	99.01	150
628	50	12.7	170429	101.16	150
629	50	16.2	171399	116.67	100
630	70	10.2	171409	125.98	100
631	70	12.7	171419	123.96	100
632	70	16.2	171429	138.53	100
633	95	10.2	171449	171.58	75
634	95	12.7	170449	172.26	75
635	95	16.2	171459	196.07	75
636	120	12.7	171469	220.45	50
637	120	16.2	171479	244.62	50
638	120	20.3	171489	328.36	50
639	150	12.7	171499	479.50	25
640	150	16.2	170459	453.82	25
641	150	20.3	170469	486.03	25

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
642	1.5	2.6	170539	7.62	1000
643	1.5	3.2	170549	5.91	1000
644	1.5	3.7	170559	5.91	1000
645	1.5	4.2	170569	5.51	1000
646	1.5	3.7	170589	5.51	1000
647	1.5	4.2	170599	5.51	1000
648	1.5	4.2	170619	5.93	1000
649	1.5	5.2	170629	5.93	1000
650	1.5	4.2	170639	6.04	1000
651	1.5	5.2	170659	6.61	1000
652	1.5	6.4	170669	6.36	1000
653	1.5	6.4	170679	6.97	1000
654	2.5	3.2	170689	5.96	1000
655	2.5	3.7	170699	5.96	1000

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
656	2.5	3.7	170709	6.52	1000
657	2.5	4.2	170719	5.91	1000
658	2.5	5.2	170729	5.91	1000
659	2.5	5.2	170739	6.74	1000
660	2.5	6.4	170749	6.43	1000
661	2.5	5.2	170759	8.56	1000
662	2.5	6.4	170769	8.12	1000
663	0.75	4.2	175919	9.22	1000
664	2.5	8.2	170779	7.71	1000
665	2.5	8.2	170799	9.12	1000
666	2.5	10.2	170819	10.63	1000
667	4-6	4.2	170839	9.16	500
668	4-6	5.2	170849	8.94	500
669	4-6	5.2	170869	10.43	500
670	4-6	5.2	170879	20.88	500
671	4-6	6.4	170899	10.72	500
672	4-6	8.2	170909	11.03	500
673	4-6	6.4	170929	12.40	500
674	4-6	6.4	170939	13.98	500
675	4-6	8.2	170949	13.60	500
676	4-6	8.2	170969	16.18	500
677	4-6	10.2	170999	15.78	500
678	4-6	12.7	171009	15.12	500

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
679	10	4.2	173899	21.06	500
680	10	5.2	173909	21.06	500
681	10	4.2	173919	19.94	500
682	10	5.2	173929	19.94	500
683	10	6.4	173939	22.74	500
684	10	8.2	173949	25.92	500
685	10	8.2	173959	37.27	500
686	10	10.2	173969	37.27	300
687	10	10.2	173979	33.30	300
688	10	12.7	173989	33.30	300
689	16	5.2	173999	31.90	300
690	16	5.2	174009	35.08	300
691	16	6.4	174019	35.08	300
692	16	6.4	174029	35.08	300
693	16	8.2	174039	35.08	300
694	16	9.7	174049	35.08	300
695	16	8.2	174059	50.85	200

jainson
COPPER RING TONGUE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
696	16	10.2	174069	50.85	200
697	16	10.2	174079	44.46	200
698	16	12.7	174089	44.46	200
699	25	6.4	174099	61.01	100
700	25	8.2	174109	61.01	100
701	25	6.4	174119	62.19	100
702	25	8.2	174129	62.19	100
703	25	10.2	174139	62.19	100
704	25	6.4	174149	82.94	100
705	25	8.2	174159	82.94	100
706	25	10.2	174169	89.92	100
707	25	10.2	174179	94.95	100
708	25	12.7	174189	89.32	100
709	35	6.4	174199	77.15	100
710	35	8.2	174209	77.76	100
711	35	8.2	174219	112.47	100
712	35	10.2	174229	112.47	100
713	35	10.2	174239	113.25	100
714	35	12.7	174249	113.25	100
715	50	8.2	174259	111.69	75
716	50	10.2	174269	111.69	75
717	50	10.2	174279	114.84	75
718	50	10.2	174289	130.79	75
719	50	12.7	174299	130.79	75
720	50	16.2	174309	156.72	75
721	70	10.2	174319	163.51	50
722	70	12.7	174329	167.90	50
723	70	12.7	174339	159.52	50
724	70	16.2	174349	159.52	50

jainson
COPPER RING TONGUE
TERMINAL ENDS
(M. R.)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
725	1.5	2.6	174369	9.96	1000
726	1.5	3.2	174379	6.88	1000
727	1.5	3.7	174389	6.88	1000
728	1.5	4.2	174399	6.88	1000
729	1.5	3.7	174419	6.88	1000
730	1.5	4.2	174429	6.88	1000
731	1.5	4.2	174449	7.14	1000
732	1.5	5.2	174459	7.14	1000
733	1.5	4.2	174469	7.25	1000
734	1.5	5.2	174489	8.12	1000
735	1.5	6.4	174499	8.23	1000

jainson
COPPER RING TONGUE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
736	1.5	6.4	174509	8.46	1000
737	2.5	3.2	174519	8.12	1000
738	2.5	3.7	174529	7.75	1000
739	2.5	3.7	174539	8.40	1000
740	2.5	4.2	174549	7.42	1000
741	2.5	5.2	174559	7.42	1000
742	2.5	5.2	174569	7.99	1000
743	2.5	6.4	174579	7.79	1000
744	2.5	5.2	174589	10.30	1000
745	2.5	6.4	174599	10.15	1000
746	2.5	8.2	174609	10.30	1000
747	2.5	8.2	174629	10.07	1000
748	2.5	10.2	174649	12.73	1000
749	4-6	4.2	174669	12.69	500
750	4-6	5.2	174679	11.58	500
751	4-6	5.2	174699	12.84	500
752	4-6	5.2	174709	23.83	500
753	4-6	6.4	174729	12.73	500
754	4-6	8.2	174739	12.86	500
755	4-6	6.4	174759	14.70	500
756	4-6	6.4	174769	16.08	500
757	4-6	8.2	174779	16.08	500
758	4-6	8.2	174799	18.27	500
759	4-6	10.2	174829	18.77	500
760	4-6	12.7	174839	18.77	500
761	10	4.2	174849	25.98	300
762	10	5.2	174859	25.98	300
763	10	4.2	174869	24.76	300
764	10	5.2	174879	24.76	300
765	10	6.4	174889	27.88	300
766	10	8.2	174899	30.48	300
767	10	8.2	174909	41.91	300
768	10	10.2	174919	41.91	300
769	10	10.2	174929	37.95	300
770	10	12.7	174939	37.95	300
771	16	5.2	174949	37.95	200
772	16	5.2	174959	39.83	200
773	16	6.4	174969	39.83	200
774	16	6.4	174979	39.83	200
775	16	8.2	174989	39.83	200
776	16	9.7	174999	39.83	200
777	16	8.2	175009	55.76	200
778	16	10.2	175019	55.76	200
779	16	10.2	175029	49.20	200
780	16	12.7	175039	49.20	200

Jainson
COPPER RING TONGUE
TERMINAL ENDS



(NON- STANDARD ITEMS)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
781	1.5	3.2	171539	4.85	1000
782	1.5	2.2	171039	4.92	1000
783	1.5	3.2	171049	5.75	1000
784	1.5	4.2	171059	6.31	1000
785	2.5	6.4	171119	10.47	1000
786	2.5	10.2	170159	9.95	1000
787	2.5	12.7	170479	11.33	1000
788	4-6	4.2	171129	10.36	1000
789	4-6	5.2	171139	10.20	1000
790	4-6	5.2	171149	12.11	1000
791	4-6	9.7	170219	13.78	1000
792	4-6	10.2	170229	16.16	1000
793	4-6	8.2	171179	15.12	1000
794	10	4.2	171189	12.11	1000
795	10	8.2	171229	24.52	500
796	10	10.2	170279	24.25	500
797	16	5.2	171259	21.93	500
798	16	6.4	171269	23.55	500
799	16	9.7	170319	24.25	500
800	16	8.2	171279	33.01	500
801	16	10.2	170329	31.98	500
802	25	8.2	170519	38.43	300
803	25	6.4	171299	43.21	300
804	25	10.2	170359	40.56	300
805	25	6.2	171309	53.37	300
806	25	8.2	170369	51.93	300
807	50	10.2	170419	93.26	150
808	50	10.2	171389	106.93	150
809	70	12.7	170439	130.94	100
810	95	10.2	171439	166.04	75
811	150	16.2	171509	544.08	25

PRODUCT RANGE OF Jainson GROUP

- CABLE TERMINAL ENDS
- CRIMPING TOOLS
- CABLE GLANDS
- PLUG & SOCKET
- MAIN SWITCHES
- ROTARY SWITCHES
- CLIP ON TYPE TERMINALS
- BAKELITE STRIP CONNECTORS
- REVERSE FORWARD SWITCHES
- L.T. CONTROL SWITCHES
- LED LIGHTS
- WIRE STRIPPER WITH CUTTER
- BAKELITE FUSE FITTING
- ANTI-CORROSIVE COMPOUNDS
- LIMIT SWITCHES
- CAM SWITCHES

Jainson
COPPER RING TONGUE
TERMINAL ENDS
INSULATED



(NON- STANDARD ITEMS)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
812	1.5	2.2	170529	7.19	1000
813	1.5	3.2	170579	7.19	1000
814	1.5	3.2	170609	8.27	1000
815	1.5	4.2	170649	8.43	1000
816	2.5	6.4	170789	12.61	1000
817	2.5	10.2	170809	12.61	1000
818	2.5	12.7	170829	14.13	1000
819	4-6	4.2	170859	14.13	500
820	4-6	5.2	170889	15.82	500
821	4-6	5.2	170919	15.48	500
822	4-6	9.7	170959	19.95	500
823	4-6	10.2	170979	23.89	500
824	4-6	8.2	170989	22.13	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS (M.R)
(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
825	1.5	2.2	174359	10.15	1000
826	1.5	3.2	174409	10.15	1000
827	1.5	3.2	174439	8.94	1000
828	1.5	4.2	174479	9.61	1000
829	2.5	6.4	174619	14.07	1000
830	2.5	10.2	174639	14.07	1000
831	2.5	12.7	174659	15.78	1000
832	4-6	4.2	174689	16.62	500
833	4-6	5.2	174719	18.62	500
834	4-6	5.2	174749	18.57	500
835	4-6	9.7	174789	19.92	500
836	4-6	10.2	174809	22.95	500
837	4-6	8.2	174819	24.98	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS (M.R)



(NON-STANDARD ITEMS)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
838	4	8.3	180379	17.80	500
839	4	9.9	180389	17.80	500
840	2.5	4.0	180399	8.90	1000
841	4	8.3	180409	17.80	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS (M.R)



(NON-STANDARD ITEMS)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
842	4	5.2	180419	14.82	500
843	4	6.7	180429	16.36	500
844	4	13.1	180439	21.68	500
845	2.5	8.3	180449	10.46	1000
846	4	4.4	180459	16.11	500
847	2.5	5.2	180469	9.90	1000
848	2.5	6.7	180479	10.70	1000
849	2.5	9.9	180489	10.44	1000
850	2.5	4.4	180499	9.46	1000
851	4-6	5.2	180509	16.16	500
852	4-6	5.2	180519	21.59	500
853	4-6	6.7	180529	19.14	500

Jainson
COPPER RING TONGUE
TERMINAL ENDS
(BEND TYPE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
854	1	5.0	JAB-1	13.69	1000
855	2.5	5.0	JAB-2.5	14.02	1000

Jainson
COPPER RING TONGUE
TERMINAL ENDS
(60° & 90° BEND)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
856	1.5	3.2	173559	14.55	1000
857	10	6.4	173889	32.24	500
858	10	8.4	171739	94.95	500
859	10	10.5	180219	116.79	500
860	16	8.2	180229	143.33	300



jainson
COPPER RING TONGUE
SLOTTED LOCK HOLE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
861	25	19	JRL-504A	123.25	150
862	50	23	JRL-504B	221.78	100

jainson
COPPER RING TONGUE
TERMINAL ENDS
(DOUBLE HOLE)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
863	4-6	5.2	7157-DH	21.63	1000

jainson
COPPER RING TONGUE
FORK TERMINAL ENDS
(“U” CUT)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
864	1.5	3.1	172359	5.62	1000
865	1.5	4.1	172369	6.17	1000
866	1.5	4.1	172379	6.17	1000
867	1.5	5.1	172389	6.73	1000
868	1.5	3.6	172409	5.62	1000
869	1.5	3.1	172419	5.62	1000
870	1.5	3.6	172449	5.62	1000
871	1.5	6.1	178619	6.73	1000
872	2.5	3.1	178629	6.17	1000
873	2.5	3.6	178639	6.17	1000
874	2.5	6.1	178649	6.62	1000
875	2.5	4.1	172399	6.75	1000
876	2.5	5.1	172429	6.75	1000
877	4-6	4.1	172439	10.28	1000
878	4-6	4.1	172459	12.00	1000
879	4-6	5.1	172469	12.00	1000
880	4-6	5.1	172479	13.89	1000
881	4-6	6.1	172489	13.89	1000
882	10	4.1	178659	13.89	1000
883	10	5.1	178669	13.87	1000
884	10	6.1	178679	15.39	1000
885	10	8.1	178689	17.99	1000
886	16	5.1	178699	21.85	500
887	16	6.1	178709	24.39	500
888	16	8.1	178719	24.39	500
889	16	8.1	178729	30.41	500

jainson
COPPER RING TONGUE
TERMINAL ENDS
(“U” CUT INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
890	1.5	3.1	178739	7.48	1000
891	1.5	3.6	178749	7.48	1000
892	1.5	3.1	178759	7.37	1000
893	1.5	3.6	178769	7.64	1000
894	1.5	4.1	178779	8.40	1000
895	1.5	4.1	178789	8.40	1000
896	1.5	5.1	178799	9.08	1000
897	1.5	6.1	178809	9.08	1000
898	2.5	3.1	178819	8.74	1000
899	2.5	3.6	178829	8.63	1000
900	2.5	4.1	178839	9.12	1000
901	2.5	5.1	178849	9.28	1000
902	2.5	6.1	178859	9.28	1000
903	4-6	4.1	178869	14.00	500
904	4-6	4.1	178879	16.94	500
905	4-6	5.1	178889	16.94	500
906	4-6	5.1	178899	18.38	500
907	4-6	6.1	178909	18.38	500
908	10	4.1	178919	20.02	500
909	10	5.1	178929	20.02	500
910	10	6.1	178939	21.60	500
911	10	8.1	178949	24.47	500
912	16	5.1	178959	28.74	300
913	16	6.1	178969	30.07	300
914	16	8.1	178979	30.07	300
915	16	8.1	178989	44.74	300

jainson
COPPER RING TONGUE
FORK TERMINAL ENDS
(“U” CUT M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
916	1.5	3.1	178999	9.98	1000
917	1.5	3.6	179009	9.98	1000
918	1.5	3.1	179019	9.98	1000
919	1.5	3.6	179029	9.98	1000
920	1.5	4.1	179039	11.24	1000
921	1.5	4.1	179049	11.24	1000
922	1.5	5.1	179059	11.24	1000
923	1.5	6.1	179069	12.16	1000
924	2.5	3.1	179079	12.16	1000
925	2.5	3.6	179089	12.16	1000
926	2.5	4.1	179099	12.36	1000
927	2.5	5.1	179109	12.36	1000
928	2.5	6.1	179119	12.36	1000
929	4-6	4.1	179129	18.27	500

jainson
COPPER RING TONGUE
FORK TERMINAL ENDS
(“U” CUT M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
930	4-6	4.1	179139	20.79	500
931	4-6	5.1	179149	20.79	500
932	4-6	5.1	179159	22.65	500
933	4-6	6.1	179169	22.65	500
934	10	4.1	179179	26.49	300
935	10	5.1	179189	26.49	300
936	10	6.1	179199	27.75	300
937	10	8.1	179209	31.44	300
938	16	5.1	179219	37.93	200
939	16	6.1	179229	66.38	200
940	16	8.1	179239	68.11	200
941	16	8.1	179249	71.35	200

jainson
COPPER FORK TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
942	1.0	3.5	FT-SPL	4.40	1000
943	1.5	3.0	180559	5.62	1000
944	1.5	5.1	172149	8.22	1000
945	1.5	3.5	172499	3.22	1000
946	1.5	3.1	172509	4.85	1000
947	2.5	3.5	172519	3.65	1000
948	2.5	5.1	172809	9.42	1000
949	4-6	3.1	172529	6.31	1000
950	4-6	3.5	172539	6.18	1000
951	10	6.5	172549	18.11	500
952	10	8.5	172559	17.73	500
953	16	4.4	101319	22.22	500
954	1.5	2.8	JFT-900	4.43	1000
955	2.5	4.1	185159	9.46	1000



jainson
COPPER FORK TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
956	1.0	3.5	FT-SPL(I)	5.96	1000
957	1.5	5.1	179259	9.80	1000
958	1.5	3.5	179269	4.38	1000
959	1.5	3.1	179279	6.52	1000
960	2.5	3.5	179289	5.15	1000
961	2.5	5.1	179299	10.47	1000
962	4-6	3.1	179309	8.61	500
963	4-6	3.5	179319	8.43	500
964	10	6.5	179329	21.53	300
965	10	8.2	179339	21.24	300

jainson
COPPER FORK TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
966	1.0	3.5	FT-SPL(R)	7.03	1000
967	1.5	5.1	179349	11.93	1000
968	1.5	3.5	179359	6.11	1000
969	1.5	3.1	179369	7.82	1000
970	2.5	3.5	179379	6.56	1000
971	2.5	5.0	179389	11.60	1000
972	4-6	3.1	179399	10.90	500
973	4-6	3.5	179409	10.81	500
974	10	6.5	179419	28.79	200
975	10	8.2	179429	28.63	200

jainson
COPPER FORK TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
976	1.5	3.2	JFT-911	5.08	1000
977	1.5	3.7	JFT-912	4.89	1000
978	2.5	3.7	JFT-922	5.71	1000
979	4-6	5.2	JFT-940	9.47	1000
980	10	4.2	JFT-958	15.06	1000
981	1.0	4.2	JFT-908	8.09	1000
982	1.5	5.2	JFT-919	7.12	1000
983	4-6	6.4	JFT-943	13.04	1000
984	1.5	2.2	JFT-909	7.14	1000
985	1.5	5.2	JFT-918	5.10	1000

jainson
COPPER FORK TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
986	2.5	4.2	JFT-925	8.37	1000
987	2.5	5.2	JFT-926	8.37	1000
988	2.5	6.4	JFT-928	11.45	1000
989	2.5	12.7	JFT-938	14.23	1000
990	4-6	4.2	JFT-939	9.90	1000
991	4-6	8.2	JFT-948	14.27	1000
992	10	4.2	JFT-957	15.40	1000
993	10	5.2	JFT-959	14.87	1000
994	10	6.4	JFT-960	13.94	1000

jainson
COPPER FORK TYPE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
995	1.5	2.2	JFT-1009	6.82	1000
996	1.5	3.2	JFT-1011	6.42	1000
997	1.5	3.7	JFT-1012	6.42	1000
998	1.5	5.2	JFT-1018	7.24	1000
999	1.5	5.2	JFT-1019	8.37	1000
1000	2.5	3.7	JFT-1022	8.37	1000
1001	2.5	4.2	JFT-1025	10.20	1000
1002	2.5	5.2	JFT-1026	10.20	1000
1003	2.5	6.4	JFT-1028	12.96	1000
1004	2.5	12.7	JFT-1038	17.16	1000
1005	4-6	4.2	JFT-1039	13.81	500
1006	4-6	5.2	JFT-1040	13.81	500
1007	4-6	6.4	JFT-1043	16.57	500
1008	4-6	8.2	JFT-1048	18.37	500
1009	10	4.2	JFT-1057	22.30	500
1010	10	4.2	JFT-1058	23.37	500
1011	10	5.2	JFT-1059	22.94	500
1012	10	6.4	JFT-1060	22.94	500

jainson
COPPER FORK TYPE
TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1013	1.5	2.2	JFT-1109	8.54	1000
1014	1.5	3.2	JFT-1111	8.39	1000
1015	1.5	3.7	JFT-1112	9.43	1000

jainson
COPPER FORK TYPE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1016	1.5	5.2	JFT-1118	10.45	1000
1017	1.5	5.2	JFT-1119	11.68	1000
1018	2.5	3.7	JFT-1122	9.67	1000
1019	2.5	4.2	JFT-1125	12.38	1000
1020	2.5	5.2	JFT-1126	14.61	1000
1021	2.5	6.4	JFT-1128	14.61	1000
1022	2.5	12.7	JFT-1138	19.69	1000
1023	4-6	4.2	JFT-1139	19.69	500
1024	4-6	5.2	JFT-1140	19.69	500
1025	4-6	6.4	JFT-1143	19.69	500
1026	4-6	8.2	JFT-1148	21.75	500
1027	10	4.2	JFT-1157	32.22	400
1028	10	4.2	JFT-1158	32.22	400
1029	10	5.2	JFT-1159	32.22	400
1030	10	6.4	JFT-1160	32.22	400

jainson
COPPER FORK HOOK
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1031	0.75	172799	8.45	1000
1032	1.5	172789	7.12	1000
1033	1.5	172659	7.12	1000
1034	1.5	172669	8.07	1000
1035	1.5	172569	8.07	1000
1036	1.5	172579	8.62	1000
1037	1.5	172709	10.01	1000
1038	1.5	172719	10.01	1000
1039	2.5	172589	10.01	1000
1040	2.5	172599	8.60	1000
1041	2.5	172609	8.69	1000
1042	2.5	172729	11.71	1000
1043	2.5	172739	11.71	1000
1044	4	172749	19.16	1000
1045	4	172759	19.16	1000
1046	4	172769	19.16	1000
1047	4	172779	19.16	1000
1048	4-6	172619	15.68	1000
1049	4-6	172629	15.68	1000
1050	4-6	172639	15.68	1000
1051	4-6	172689	13.36	1000
1052	4-6	172699	12.99	1000
1053	6	172649	15.68	1000
1054	6	172679	17.09	1000

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1055	0.75	179439	9.84	1000
1056	1.5	179449	10.85	1000
1057	1.5	179459	9.42	1000
1058	1.5	179469	9.42	1000
1059	1.5	179479	9.42	1000
1060	1.5	179489	8.99	1000
1061	1.5	179499	11.53	1000
1062	1.5	179509	11.24	1000
1063	2.5	179519	11.80	1000
1064	2.5	179529	10.47	1000
1065	2.5	179539	10.47	1000
1066	2.5	179549	13.62	1000
1067	2.5	179559	13.62	1000
1068	4	179569	21.60	1000
1069	4-6	179609	17.82	500
1070	4-6	179639	17.51	500
1071	4-6	179649	15.39	500

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1072	4	5.1	179579	22.20	500
1073	4	8.1	179599	20.85	500
1074	4-6	5.1	179619	17.93	500
1075	4-6	5.1	179629	17.93	500
1076	6	4.1	179659	19.33	500
1077	6	4.1	179669	20.11	500

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1078	0.75	179679	12.81	1000
1079	1.5	179689	11.89	1000
1080	1.5	179699	11.89	1000
1081	1.5	179709	12.72	1000
1082	1.5	179719	12.72	1000
1083	1.5	179729	12.72	1000
1084	1.5	179739	14.61	1000

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1085	1.5	179749	14.61	1000
1086	2.5	179759	15.46	1000
1087	2.5	179769	14.27	1000
1088	2.5	179779	14.27	1000
1089	2.5	179789	17.42	1000
1090	2.5	179799	17.42	1000
1091	4	179809	28.04	500
1092	4-6	179849	22.99	500
1093	4-6	179859	22.99	500
1094	4-6	179879	19.66	500
1095	6	179889	19.66	500

Jainson
COPPER FORK HOOK
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1096	4	5.1	179819	27.39	500
1097	4	8.1	179829	27.39	500
1098	4	8.1	179839	25.24	500
1099	4-6	5.1	179869	21.91	500
1100	6	4.1	179899	26.07	500
1101	6	4.1	179909	26.47	500

Jainson
COPPER PIN TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1102	1.0	316-0	4.38	1000
1103	1.5	316-9	3.46	1000
1104	1.5	316-35	3.93	1000
1105	1.5	316-38	9.51	1000
1106	2.5	316-1	3.69	1000
1107	2.5	316-2	3.58	1000
1108	4	316-3	7.71	1000
1109	4	316-4	12.67	1000
1110	6	316-5	8.00	1000
1111	6	316-6	13.01	1000
1112	10	316-7	12.72	1000
1113	16	316-8	22.75	500
1114	2.5	316-10	6.16	1000

Jainson
COPPER PIN TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1115	2.5	316-11	6.16	1000
1116	4	316-12	11.50	1000
1117	4	316-13	12.07	1000
1118	6	316-14	12.96	1000
1119	6	316-15	12.96	1000
1120	10	316-16	18.91	1000
1121	25	316-125	56.47	300
1122	35	316-135	74.41	300
1123	50	316-150	99.03	150
1124	70	316-170	136.40	100
1125	95	316-195	191.55	100
1126	0.75	316-54	5.01	1000

Jainson
COPPER PIN TYPE
TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1127	1.0	316-0 (I)	5.87	1000
1128	1.0	316-45 (I)	12.34	1000
1129	1.5	316-17	4.61	1000
1130	1.5	316-40	5.96	1000
1131	1.5	316-38 (I)	11.15	1000
1132	1.5	316-42 (I)	12.34	1000
1133	1.5	316-51 (I)	8.47	1000
1134	2.5	316-18	4.94	1000
1135	2.5	316-19	5.26	1000
1136	4	316-20	10.09	500
1137	4	316-21	20.29	500
1138	6	316-22	20.20	500
1139	6	316-23	20.29	500
1140	10	316-24	32.56	500
1141	16	316-25	43.51	400



jainson
COPPER PIN TYPE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1142	1.0	316-0 R	7.39	1000
1143	1.5	316-26	6.34	1000
1144	2.5	316-27	6.72	1000
1145	2.5	316-28	6.49	1000
1146	4	316-29	12.56	500
1147	4	316-30	27.39	500
1148	6	316-31	28.09	500
1149	6	316-32	28.09	500
1150	0.75	316-54R	6.74	1000
1151	2.5	316-52	16.70	1000
1152	10	316-33	38.63	400
1153	16	316-34	53.91	300
1154	1.5	316-35R	8.09	1000

jainson
COPPER PIN TYPE
TERMINAL ENDS




ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1155	2.5	316-101	15.05	1000
1156	2.5	316-102	18.21	1000
1157	6	316-103	30.81	1000
1158	6	316-104	25.64	1000

jainson
COPPER PIN TYPE
TERMINAL ENDS
(SPECIAL)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1159	16	316-105	42.68	500
1160	2.5	316-106	16.38	1000
1161	2.5	316- 2P2	13.03	1000
1162	2.5	T TYPE	13.65	1000
1163	4-6	T TYPE	16.63	1000



jainson
COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1164	0.75	JSP-01	4.06	1000
1165	0.75	JSF-02	3.85	1000
1166	0.75	JSR-03	3.94	1000
1167	0.75	JSP-04	4.37	1000
1168	1	JSP-05	4.68	1000
1169	1.5	JSP-06	5.08	1000
1170	1	JSR-07	4.87	1000
1171	1	JSR-08	4.87	1000
1172	1	JSR-09	4.98	1000
1173	1	JSR-10	4.68	1000
1174	1	JSR-11	5.13	1000
1175	1	JSR-12	4.98	1000
1176	1	JSR-13	5.46	1000
1177	1	JSR-14	5.46	1000
1178	1	JSR-15	5.86	1000

jainson
COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1179	0.75	JSP-01 (I)	6.62	1000
1180	0.75	JSF-02 (I)	6.43	1000
1181	0.75	JSR-03 (I)	6.43	1000
1182	0.75	JSP-04 (I)	6.62	1000
1183	1	JSP-05 (I)	7.43	1000
1184	1.5	JSP-06 (I)	7.60	1000
1185	1	JSR-07 (I)	7.43	1000
1186	1	JSR-08 (I)	7.43	1000
1187	1	JSR-09 (I)	7.43	1000
1188	1	JSR-10 (I)	6.81	1000
1189	1	JSR-11 (I)	7.60	1000
1190	1	JSR-12 (I)	7.43	1000
1191	1	JSR-13 (I)	8.19	1000
1192	1	JSR-14 (I)	8.09	1000
1193	1	JSR-15 (I)	8.74	1000



jainson
COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1194	0.75	JSP-01 (R)	7.43	1000
1195	0.75	JSF-02 (R)	7.19	1000
1196	0.75	JSR-03 (R)	7.43	1000
1197	0.75	JSP-04 (R)	8.57	1000
1198	1	JSP-05 (R)	8.97	1000
1199	1.5	JSP-06 (R)	9.35	1000
1200	1	JSR-07 (R)	9.35	1000
1201	1	JSR-08 (R)	9.35	1000
1202	1	JSR-09 (R)	9.45	1000
1203	1	JSR-10 (R)	9.35	1000
1204	1	JSR-11 (R)	9.54	1000
1205	1	JSR-12 (R)	9.45	1000
1206	1	JSR-13 (R)	10.11	1000
1207	1	JSR-14 (R)	10.06	1000
1208	1	JSR-15 (R)	10.71	1000

jainson
COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1209	2.5	RPC-1	25.18	1000
1210	2.5	RPC-7	22.86	1000
1211	4	RPC-15	25.18	1000
1212	4	RPC-16	22.86	1000
1213	6	RPC-17	26.80	1000
1214	6	RPC-18	23.55	1000
1215	10	RPC-19	30.85	1000
1216	10	RPC-20	28.68	1000
1217	10	RPC-21	35.85	1000
1218	10	RPC-22	33.01	1000
1219	16	RPC-23	61.43	500
1220	16	RPC-24	61.43	500
1221	16	RPC-2	43.29	500
1222	25	RPC-25	70.95	400
1223	25	RPC-3	96.94	300
1224	35	RPC-4	94.45	300
1225	50	RPC-26	107.93	200
1226	50	RPC-5	235.07	100
1227	70	RPC-27	173.16	150
1228	70	RPC-6	217.27	100
1229	70	RPC-28	265.80	100
1230	95	RPC-29	252.72	75
1231	95	RPC-8	353.97	75
1232	95	RPC-31	235.76	100
1233	95	RPC-32	373.18	50

jainson
COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1234	120	RPC-33	320.12	75
1235	120	RPC-34	317.65	50
1236	120	RPC-35	370.95	50
1237	120	RPC-36	496.53	50
1238	150	RPC-10	587.08	50
1239	150	RPC-37	455.65	50
1240	185	RPC-30	730.80	40
1241	185	RPC-38	607.54	50
1242	225	RPC-39	949.27	25
1243	225	RPC-46	1188.50	25
1244	225	RPC-42	1165.71	25
1245	240	RPC-44	1215.07	25
1246	240	RPC-43	930.00	25
1247	300	RPC-45	1169.50	20
1248	300	RPC-47	1233.19	20

jainson
COPPER REDUCER TYPE
TERMINAL ENDS
(SPECIAL ITEMS)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1249	4	RPC-51	42.46	1000
1250	10	RPC-52	56.51	500
1251	16	RPC-53	84.27	500
1252	25	RPC-54	113.75	300
1253	35	RPC-55	147.78	200
1254	50	RPC-56	159.39	150
1255	2.5	RPC-57	25.13	1000
1256	10	RPC-58	39.83	600
1257	25	RPC-59	106.25	400
1258	35	RPC-60	94.20	400
1259	50	RPC-61	110.12	200
1260	400	RPC-101	2223.26	10

jainson
ALUMINIUM CABLE SOCKETS

(CENTRAL PALM)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1261	70	JADC-25	34.55	100
1262	70	JADC-33	57.35	100
1263	120	JADC-26	66.89	50

jainson
COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1264	1.5	JP-36	38.88	1000
1265	2.5	JP-37	36.27	1000
1266	4	JP-38	36.27	1000
1267	6	JP-39	38.48	1000
1268	10	JP-40	54.69	500
1269	10	JP-41	75.34	500
1270	16	JP-42	94.78	500
1271	25	JP-43	106.32	300
1272	35	JP-44	120.52	300
1273	50	JP-45	170.34	200
1274	70	JP-46	230.45	100

jainson
REDUCER TYPE SOLDERING
TERMINAL ENDS

(Brass)



ITEM NO.	AREA Amps./mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1275	15	JE-40	36.83	1000
1276	30	JE-41	72.14	500
1277	60	JE-42	182.25	500
1278	100	JE-43	290.88	100
1279	150	JE-44	447.87	40
1280	200	JE-45	586.64	25
1281	300	JE-46	726.68	20
1282	50	JE-47	171.98	200
1283	70	JE-48	209.20	200
1284	150	JE-49	447.87	50
1285	50	JE-50	488.59	200
1286	300	JE-51	677.84	20
1287	300	JE-52	814.28	20
1288	300	JE-53	677.84	20
1289	400	JE-54	890.84	15

jainson
ALUMINIUM REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1290	2.5	RPA-1	12.75	1000
1291	2.5	RPA-7	11.91	1000
1292	4	RPA-15	12.75	1000
1293	4	RPA-16	11.91	1000

jainson
ALUMINIUM REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1294	6	RPA-17	14.47	1000
1295	6	RPA-18	11.97	1000
1296	10	RPA-19	15.71	1000
1297	10	RPA-20	14.47	1000
1298	10	RPA-21	17.67	1000
1299	10	RPA-22	17.11	1000
1300	16	RPA-23	33.11	500
1301	16	RPA-24	33.11	400
1302	16	RPA-2	22.12	500
1303	25	RPA-25	34.78	300
1304	25	RPA-3	45.75	300
1305	35	RPA-4	45.75	200
1306	50	RPA-26	52.72	150
1307	50	RPA-5	90.69	100
1308	70	RPA-27	79.67	100
1309	70	RPA-6	98.70	75
1310	70	RPA-28	122.04	75
1311	95	RPA-29	118.24	75
1312	95	RPA-8	158.67	75
1313	95	RPA-31	104.48	75
1314	95	RPA-32	172.34	75
1315	120	RPA-33	145.56	50
1316	120	RPA-34	145.56	50
1317	120	RPA-35	163.01	50
1318	120	RPA-36	223.94	50
1319	150	RPA-10	264.00	40
1320	150	RPA-37	211.41	50
1321	185	RPA-30	329.65	50
1322	185	RPA-38	267.05	40
1323	225	RPA-39	439.52	20
1324	225	RPA-46	623.80	20
1325	225	RPA-42	579.72	20
1326	240	RPA-44	566.66	20
1327	240	RPA-43	413.10	25
1328	300	RPA-45	528.53	15
1329	300	RPA-47	595.30	15

jainson
ALUMINIUM REDUCER TYPE
TERMINAL ENDS

(SPECIAL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1330	6	RPA-51	20.25	1000
1331	10	RPA-52	21.05	1000
1332	25	RPA-53	28.13	300
1333	50	RPA-54	89.08	200

jainson

COPPER INSULATED FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1334	○ 0.5	58 - 508 L6 (I)	2.00	1000
1335	○ 0.5	58 - 508 L8 (I)	2.36	1000
1336	○ 0.5	58 - 508 L10 (I)	2.51	1000
1337	● 0.75	58 - 509 L6 (I)	2.36	1000
1338	● 0.75	58 - 509 L8 (I)	2.43	1000
1339	● 0.75	58 - 509 L10 (I)	2.74	1000
1340	● 0.75	58 - 509 L12 (I)	2.87	1000
1341	● 1.0	58 - 510 L6 (I)	2.51	1000
1342	● 1.0	58 - 510 L8 (I)	2.56	1000
1343	● 1.0	58 - 511 L10 (I)	2.74	1000
1344	● 1.0	58 - 511 L12 (I)	3.14	1000
1345	● 1.5	58 - 512 L8 (I)	2.56	1000
1346	● 1.5	58 - 513 L10 (I)	2.65	1000
1347	● 1.5	58 - 513 L18 (I)	4.58	1000
1348	● 2.5	58 - 514 L8 (I)	3.09	1000
1349	● 2.5	58 - 515 L12 (I)	3.47	1000
1350	● 2.5	58 - 515 L18 (I)	4.58	1000
1351	● 4	58 - 516 L10 (I)	3.47	1000
1352	● 4	58 - 517 L12 (I)	4.03	1000
1353	● 4	58 - 517 L18 (I)	5.36	1000
1354	● 6	58 - 518 L10 (I)	3.89	1000
1355	● 6	58 - 519 L12 (I)	4.45	1000
1356	● 6	58 - 520 L15 (I)	5.30	1000
1357	● 6	58 - 520 L18 (I)	5.70	1000
1358	● 10	58 - 521 L12 (I)	6.54	500
1359	● 10	58 - 522 L15 (I)	7.10	500
1360	● 10	58 - 523 L18 (I)	8.90	500
1361	○ 16	58 - 524 L12 (I)	8.35	500
1362	○ 16	58 - 525 L15 (I)	8.90	500
1363	○ 16	58 - 526 L18 (I)	9.59	500
1364	● 25	58 - 527 L12 (I)	17.47	200
1365	● 25	58 - 527 L16 (I)	19.47	200
1366	● 25	58 - 527 L22 (I)	23.39	200
1367	● 35	58 - 528 L16 (I)	23.48	200
1368	● 35	58 - 528 L22 (I)	26.33	200
1369	● 35	58 - 528 L25 (I)	29.55	200
1370	● 50	58 - 529 L12 (I)	33.27	100
1371	● 50	58 - 529 L20 (I)	38.79	100
1372	● 50	58 - 529 L25 (I)	41.73	100
1373	● 70	58 - 530 L20 (I)	46.96	100
1374	● 70	58 - 530 L25 (I)	50.43	100
1375	● 95	58 - 531 L20 (I)	55.64	50
1376	● 95	58 - 531 L25 (I)	60.00	50



jainson

COPPER TWIN INSULATED FERRULES



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1377	○ 0.5	TW-508L8	6.10	1000
1378	○ 0.75	TW-509L8	6.56	1000
1379	○ 0.75	TW-509L10	7.03	1000
1380	● 1.0	TW-510L8	9.30	1000
1381	● 1.0	TW-511L10	9.59	1000
1382	● 1.5	TW-512L8	10.70	1000
1383	● 1.5	TW-513L12	11.13	1000
1384	● 2.5	TW-514L10	13.91	1000
1385	● 2.5	TW-515L12	14.42	1000
1386	○ 4.0	TW-517L12	18.56	1000
1387	○ 6.0	TW-520L14	20.65	500
1388	● 10.0	TW-522L14	22.72	500
1389	● 16.0	TW-525L14	25.59	500

jainson

SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1390	1.0	183689	6.33	1000
1391	183699	6.33	1000
1392	183709	6.33	1000
1393	1.5	183609	10.05	1000
1394	1.5	183619	12.60	1000
1395	1.5	183519	7.50	1000
1396	1.5	183519(I)	9.56	1000
1397	1.5	183529	10.52	1000
1398	1.5	183589	6.33	1000
1399	1.5	183599	8.60	1000
1400	1.5	183249	5.86	1000
1401	1.5	183259	7.82	1000
1402	1.5	183549	6.33	1000
1403	1.5	183559	7.97	1000
1404	1.5	181979	7.12	1000
1405	1.5	183369	6.18	1000
1406	1.5	183539	9.03	1000
1407	1.5	183569	6.33	1000
1408	1.5	183579	7.97	1000
1409	1.5	183629	8.45	1000
1410	1.5	183649	5.59	1000
1411	1.5	183679	20.88	1000
1412	1.5	186619	10.37	1000
1413	2.5	181789	11.47	1000
1414	1.5	182459	9.86	1000
1415	1.5	183319	10.62	1000
1416	2.5	183479	7.94	1000

jainson

SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1417	2.5	183479(I)	10.20	1000
1418	2.5	183489	11.43	1000
1419	2.5	183499	7.94	1000
1420	2.5	183509	11.43	1000
1421	2.5	183639	9.56	1000
1422	2.5	183659	13.38	1000
1423	2.5	183669	13.38	1000
1424	2.5	184739	15.15	1000
1425	2.5	184749	18.80	500
1426	2.5	184759	18.80	500
1427	2.5	184779	24.71	500
1428	182149	12.11	1000
1429	183469	13.55	1000
1430	1.2	186939	5.74	1000
1431	1.2	186949	4.46	1000
1432	1.2	186959	4.04	1000
1433	1.2	186979	2.72	1000
1434	4	184769(R)	14.98	500
1435	4	184769 I	12.34	500
1436	4	184769 PLAIN	10.60	1000

jainson

SNAP-ON TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG	
1437	2.5	189609	8.50	1000	
1438	2.5	189619	10.45	1000	
1439	4	189629	22.21	1000	
1440	1-2.5	6.3 X 0.8	119609	6.25	1000
1441	4-6	6.3 X 0.8	110119	8.68	1000
1442	0.5-1.25	6.3 X 0.8	119619	5.05	1000
1443	0.5-2	4.8 X 0.5	119659	3.85	1000
1444	0.5-2	4.8 X 0.5	119689	4.83	1000
1445	0.5-1.0	4.8 X 0.5	118609	4.83	1000
1446	0.5-1.5	6.3 X 0.8	119679	6.00	1000
1447	2.6	6.3 X 0.8	110129	7.32	1000
1448	0.5-2	4.8 X 0.5	119759	3.58	1000
1449	0.5-2	4.8 X 0.8	119789	4.26	1000
1450	0.25	2.8 X 0.5	118069	3.58	1000
1451	1-0	2.8 X 0.5	116969	6.30	1000
1452	1-0	2.8 X 0.8	116989	8.00	1000

jainson

SNAP ON TABS



ITEM NO.	TAB SIZE	Jainson CAT. No.	PRICE EACH	STD PKG
1453	6.3	T- TOP I	11.47	1000
1454	C- CLIP II	11.64	1000

jainson SNAP ON TYPE TABS

TYPE



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1455	1.5	150849 (VI)	10.83	1000
1456	2.5	150859 (VI)	11.08	1000
1457	6	150249 (VI)	12.98	1000
1458	...	150449 (IV)	7.25	1000
1459	...	150459 (IV)	8.16	1000
1460	1.2	150689 (I)	9.63	1000
1461	1.2	150729 (I)	9.63	1000
1462	1.5	150659 (VI)	10.38	1000
1463	2.0	150669 (VI)	10.38	1000
1464	2.0	150739 (I)	10.56	1000
1465	2.0	150769 (I)	13.48	1000
1466	150479 (IV)	8.45	1000
1467	150499 (II)	9.63	1000
1468	150509 (IV)	7.68	1000
1469	150799 (IV)	8.45	1000
1470	150819 (V)	6.64	1000
1471	2.5	151219 (I)	12.98	1000
1472	6	151059 (I)	14.80	1000
1473	1.2	150679 (I)	12.92	1000
1474	100019 (VI)	4.71	1000
1475	100029 (III)	4.71	1000
1476	100039 (VII)	5.78	1000
1477	100049 (V)	8.68	1000
1478	100059 (VI)	9.38	1000
1479	100069	9.63	1000
1480	150239	12.42	1000
1481	151019	15.29	1000
1482	150619	5.76	1000
1483	150519	7.68	1000
1484	150229	13.23	1000
1485	150349	11.33	1000
1486	6.3 X 0.8	100079	12.53	1000
1487	6.3 X 0.8	100089 IV	5.85	1000
1488	6.3 X 0.8	100099 IV	6.46	1000
1489	6.3 X 0.8	100109 IV	6.46	1000
1490	6.3 X 0.8	100119 II	8.16	1000
1491	6.3 X 0.8	110129 V	7.32	1000



SNAP ON TYPE TABS

jainson BI-METAL CABLE LUGS
SUITABLE FOR 1.1 KV &
ABOVE FOR R. CORE
XLPE ALUMINIUM
LT /HT CABLE



ITEM NO.	AL-CABLE SIZE Sq.mm-φE stud size	jainson CAT. No.	PRICE EACH	STD PKG
1492	16Sq mm-M8	JBI-16M 8	398.90	200
	16Sq mm-M10	JBI-16M 10		
1493	25Sq mm-M8	JBI-25M 8	421.48	200
	25Sq mm-M10	JBI-25M 10		
1494	35Sq mm-M8	JBI-35M 8	421.48	200
	35Sq mm-M10	JBI-35M 10		
1495	50Sq mm-M8	JBI-50M 8	469.65	100
	50Sq mm-M10	JBI-50M 10		
	50Sq mm-M12	JBI-50M 12		
1496	70Sq mm-M8	JBI-70M 8	474.16	100
	70Sq mm-M10	JBI-70M 10		
	70Sq mm-M12	JBI-70M 12		
1497	95Sq mm-M8	JBI-95M 8	474.16	75
	95Sq mm-M10	JBI-95M 10		
	95Sq mm-M12	JBI-95M 12		
1498	120Sq mm-M10	JBI-120M 10	782.75	50
	120Sq mm-M12	JBI-120M 12		
1499	150Sq mm-M10	JBI-150M 10	790.27	50
	150Sq mm-M12	JBI-150M 12		
1500	185Sq mm-M10	JBI-185M 10	1166.59	25
	185Sq mm-M12	JBI-185M 12		
	185Sq mm-M16	JBI-185M 16		
1501	240Sq mm-M10	JBI-240M 10	1189.17	25
	240Sq mm-M12	JBI-240M 12		
	240Sq mm-M16	JBI-240M 16		
1502	300Sq mm-M10	JBI-300M 10	1204.22	25
	300Sq mm-M12	JBI-300M 12		
	300Sq mm-M16	JBI-300M 16		
1503	400Sq mm-M12	JBI-400M 12	1445.07	20
	400Sq mm-M14	JBI-400M 14		
	400Sq mm-M16	JBI-400M 16		
1504	500Sq mm-M12	JBI-500M 12	5546.96	15
	500Sq mm-M16	JBI-500M 16		
	500Sq mm-M20	JBI-500M 20		
1505	630Sq mm-M12	JBI-630M 12	5742.64	15
	630Sq mm-M16	JBI-630M 16		
	630Sq mm-M20	JBI-630M 20		

jainson CABLE TERMINAL ENDS
Product Range 0.5mm² To 1000mm²



Jainson
COMPRESSION TYPE
ALUMINIUM TUBULAR
TERMINAL FOR
ALUMINIUM
CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1506	2.5	3.2	119-151	3.72	2000
1507	2.5	3.7	119-309	3.72	2000
1508	4	4.2	119-155	3.72	2000
1509	4	5.2	119-317	3.96	2000
1510	6	5.2	119-158	3.96	2000
1511	6	6.5	119-313	3.96	2000
1512	10	4.2	119-159	4.62	1000
1513	10	6.4	119-214	5.40	1000
1514	10	8.2	119-215	5.40	1000
1515	16	6.4	119-252	6.00	1000
1516	16	8.2	119-216	6.00	1000
1517	16	10.2	119-217	6.00	1000
1518	25	6.4	119-253	8.03	500
1519	25	8.2	119-218	8.03	500
1520	25	10.2	119-219	8.03	500
1521	25	12.7	119-220	8.03	500
1522	35	6.4	119-254	10.55	500
1523	35	8.2	119-221	10.55	500
1524	35	10.2	119-222	10.55	500
1525	50	8.2	119-255	15.83	250
1526	50	10.2	119-312	15.83	250
1527	50	12.7	119-224	15.83	250
1528	70	8.2	119-256	25.06	200
1529	70	10.2	119-225	25.06	200
1530	70	12.7	119-226	25.06	200
1531	95	10.2	119-227	28.36	150
1532	95	12.7	119-228	28.36	150
1533	95	16.2	119-229	28.36	150
1534	120	10.2	119-257	39.81	100
1535	120	12.7	119-230	39.81	100
1536	120	16.2	119-231	39.81	100
1537	150	10.2	119-258	52.76	80
1538	150	12.7	119-232	52.76	80
1539	150	16.2	119-233	52.76	80
1540	185	10.2	119-311	67.92	75
1541	185	12.7	119-234	67.92	75
1542	185	16.2	119-235	67.92	75
1543	225	12.7	119-320	89.69	40
1544	240	12.7	119-236	113.43	40
1545	240	16.2	119-237	113.43	40
1546	300	16.2	119-300	151.67	30
1547	300	20.3	119-259	151.67	30
1548	400	20.3	119-260	237.40	20
1549	500	20.3	119-296	323.73	15
1550	630	20.3	119-261	422.05	10
1551	800	W/E	119-318	659.45	4
1552	1000	W/E	119-319	1187.01	4

Jainson
ALUMINIUM TUBULAR
TERMINAL ENDS WITH
LONG BARREL FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1553	2.5	3.2	119-551	4.62	2000
1554	2.5	3.7	119-509	4.62	2000
1555	4	4.2	119-555	4.62	2000
1556	4	5.1	119-517	5.28	2000
1557	6	5.2	119-558	5.28	2000
1558	6	6.4	119-513	5.28	2000
1559	10	4.2	119-514	6.59	800
1560	10	6.4	119-515	6.59	800
1561	16	6.4	119-552	7.91	800
1562	16	8.2	119-516	7.91	800
1563	16	10.2	119-617	7.91	800
1564	25	8.2	119-518	9.23	500
1565	25	10.2	119-519	9.23	500
1566	25	12.7	119-520	9.23	500
1567	35	8.2	119-521	13.19	400
1568	35	10.2	119-522	13.19	400
1569	50	8.2	119-655	20.38	200
1570	50	10.2	119-512	20.38	200
1571	50	12.7	119-524	20.38	200
1572	70	8.2	119-556	32.97	125
1573	70	10.2	119-525	32.97	125
1574	70	12.7	119-526	32.97	125
1575	95	10.2	119-527	36.27	100
1576	95	12.7	119-528	36.27	100
1577	95	16.2	119-529	36.27	100
1578	120	10.2	119-557	49.16	80
1579	120	12.7	119-530	49.16	80
1580	120	16.2	119-531	49.16	80
1581	150	10.2	119-658	67.14	60
1582	150	12.7	119-532	67.14	60
1583	150	16.2	119-533	67.14	60
1584	185	10.2	119-511	87.05	50
1585	185	12.7	119-534	87.05	50
1586	185	16.2	119-535	87.05	50
1587	225	12.7	119-620	125.90	30
1588	240	12.7	119-536	141.12	30
1589	240	16.2	119-537	141.12	30
1590	300	16.2	119-500	185.85	25
1591	300	20.3	119-559	185.85	25
1592	400	20.3	119-560	291.36	12
1593	500	20.3	119-596	422.05	10
1594	630	20.3	119-561	553.94	8
1595	800	119-618	865.68	4
1596	1000	119-619	1609.06	4

G. J METAL INDUSTRIES
Mumbai - 400064 | Mob. : 9820534847
December - 2025

Jainson
COMPRESSION TYPE
ALUMINIUM TUBULAR
IN-LINE CONNECTORS FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1597	2.5	119-145	2.76	2000
1598	2.5	119-6	2.76	2000
1599	4	119-5	2.76	2000
1600	6	119-13	2.76	2000
1601	10	119-146	3.18	1000
1602	10	119-14	3.60	1000
1603	16	119-4	4.80	1000
1604	25	119-3	6.83	500
1605	35	119-2	8.87	500
1606	50	119-12	12.59	250
1607	70	119-1	23.74	200
1608	95	119-15	25.78	150
1609	120	119-9	34.29	100
1610	150	119-10	41.55	80
1611	185	119-11	56.71	75
1612	225	119-147	95.92	40
1613	240	119-16	94.72	40
1614	300	119-17	137.17	30
1615	400	119-18	211.02	20
1616	500	119-19	282.96	15
1617	625	119-20	365.70	10
1618	800	119-148	761.37	4
1619	1000	119-149	983.18	4

Jainson
ALUMINIUM TERMINALS
FOR ALUMINIUM XLPE
CONDUCTORS.



ITEM NO.	AREA mm ² - E	Jainson CAT. No.	PRICE EACH
1620	25 - 8	JAXL-17	13.85
1621	35 - 8	JAXL-18	18.88
1622	50 - 10	JAXL-19	30.21
1623	70 - 10	JAXL-20	40.23
1624	95 - 12	JAXL-21	62.47
1625	120 - 12	JAXL-22	79.79
1626	150 - 12	JAXL-23	115.52
1627	185 - 12	JAXL-24	152.99
1628	225 - 12	JAXL-25	189.92
1629	240 - 12	JAXL-26	211.02
1630	300 - 20	JAXL-27	275.77
1631	400 - 20	JAXL-28	438.83
1632	500 - 20	JAXL-29	610.29
1633	630 - 20	JAXL-30	872.87
1634	800 - 20	JAXL-31	1179.82
1635	1000 - 20	JAXL-32	2511.91

PRICE-LIST
05.01.2026



jainson
CABLE GLANDS

jainson
SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND



ITEM NO.	Core Size sq. mm	mm	Inch	Jainson CAT. No.	PRICE EACH	STD PKG
1	1.5 X 2	10	3/8"	JC-3/8"	65.69	200
2	1.5 X 3	12	1/2"	JC-1/2"L	62.93	150
3	1.5 X 3	12	1/2"	JC-1/2"M	74.82	150
4	1.5 X 3	12	1/2"	JC-1/2"H	88.55	100
5	2.5 X 3	16	5/8"	JC-5/8"L	62.82	150
6	1.5 X 4			JC-5/8"M	83.12	150
7				JC-5/8"H	102.08	100
8	1.5 X 5,6,7			JC-3/4"L	76.66	100
9	2.5 X 4	19	3/4"	JC-3/4"M	94.80	100
10				JC-3/4"H	130.26	100
11	4 X 6			JC-7/8"L	96.13	100
12	6 X 4	22	7/8"	JC-7/8"M	110.89	100
13				JC-7/8"H	140.20	100
14	2.5 X 7,10,12			JC-1"L	119.29	50
15	10 X 4	25	1"	JC-1"M	138.87	50
16				JC-1"H	186.63	50
17				JC-1"SP	198.93	40
18	16 X 3,4	28	1.1/8"	JC-1.1/8"	262.94	50
19				JC-1.1/8"L	202.50	50
20	25 X 3.5,4			JC-1.1/4"	313.83	30
21	35 X 3.5,4	32	1.1/4"	JC-1.1/4"L	255.54	30
22	50 X 3.5,4	35	1.3/8"	JC-1.3/8"	397.51	35
23				JC-1.3/8"L	319.08	40
24	70 X 3,3.5			JC-1.1/2"	444.23	25
25	95 X 3	38	1.1/2"	JC-1.1/2"L	370.94	25
26	95 X 3.5			JC-1 3/4"	559.19	16
27	120 X 3.5	45	1.3/4"	JC-1 3/4"L	430.08	20
28	150 X 3.5			JC-2"	717.45	12
29	185 X 3	50	2"	JC-2"L	655.94	14
30	185 X 3.5	57	2.1/4"	JC-2 1/4"	827.91	12
31				JC-2 1/4"L	691.95	12
32	240 X 3,3.5	63	2.1/2"	JC-2 1/2"	993.45	7
33				JC-2 1/2"L	757.52	8
34	300 X 3,3.5	70	2.3/4"	JC-2 3/4"	1140.46	6
35				JC-2 3/4"L	985.95	7
36	400 X 3	75	3"	JC-3"	1384.43	6
37				JC-3"L	1163.39	6
38	400 X 3.5	82	3.1/4"	JC-3 1/4"	1533.68	5
39				JC-3.1/4"L	1290.57	5
40	500 X 3.5	88	3.1/2"	JC-3.1/2"	2391.27	3
41				JC-3.1/2L	2025.69	3
42	625 X 3.5	100	4"	JC-4"	2932.36	1
43	625 X 3.5	115	4.1/2"	JC-4.1/2"	4455.86	1

jainson
SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND SIBG
(HEAVY DUTY)



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
44	9.0	12.0	1/2"	1612	119.04	150
45	9.0	16.0	5/8"	1616	166.61	100
46	10.0	16.0	3/4"	1619	181.40	100
47	14.0	20.0	3/4"	2119	216.01	60
48	14.0	20.0	1"	2125	233.26	40
49	20.0	26.0	1"	2925	340.72	30
50	24.0	29.0	1-1/4"	2932	393.33	30
51	24.0	29.0	1-1/2"	2938	393.33	20
52	31.0	37.0	1-1/2"	3638	611.27	12
53	42.0	45.0	2"	4251	950.27	12
54	44.0	50.0	2"	5451	1080.46	8
55	44.0	50.0	2-1/2"	5463	1110.88	8
56	54.0	60.0	2-1/2"	6063	1466.61	8
57	60.0	66.0	3"	6675	1668.36	4
58	70.0	77.0	3-1/4"	7882	2211.38	4
59	79.0	84.0	3-1/2"	8490	3190.79	2

jainson
SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND
(LONG NIPPLE)



ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
60	1.5 X 3	12	JC-1/2"L.N.	100.50	150
61	2.5 X 3	1.5X4 16	JC-5/8"L.N.	103.93	150
62	1.5 X 5,6,7	2.5X4 16	JC-3/4"L.N.	140.36	100
63	4.0 X 6	6X4 22	JC-7/8"L.N.	150.86	100
64	2.5 X 7,10,12		JC-1"L.N.	200.15	50
65	10 X 4	25	JC-1"SP L.N.	225.65	75
66	16 X 3,4	28	JC-1.1/8"L.N.	287.58	50
67	25-35 X 3.5,4	32	JC-1.1/4"L.N.	352.94	30
68	50 X 3.5,4	35	JC-1.3/8"L.N.	451.30	30
69	70 X 3,3.5	38	JC-1.1/2"L.N.	558.01	25
70	95 X 3.5	120 X 3.5 45	JC-1.3/4"L.N.	590.37	16
71	150 X 3.5	50	JC-2"L.N.	738.55	12



YASH TRADING CO. MUMBAI-67
This Price-List cancels all our previous Price Lists.

jainson

DOUBLE COMPRESSION FLAME PROOF TYPE BRASS CABLE GLAND (LIGHT DUTY)



ITEM NO.	Core Size sq. mm	mm	jainson CAT. No.	PRICE EACH	STD PKG
72	1.5 X 2	10	JPFL-3/8"	269.03	50
73	1.5 X 3	12	JPFL-1/2"	269.03	50
74	2.5 X 2 1.5 X 4	16	JPFL-5/8"	284.09	40
75	1.5 X 5,6,7 2.5 X 4	19	JPFL-3/4"	316.77	40
76	4 X 6 1.5 X 10	22	JPFL-7/8"	403.64	30
77	2.5 X 10,12 10 X 4	25	JPFL-1"	508.12	20
78	25 X 3.5 1.5 X 24	28	JPFL-1.1/8"	632.17	12
79	50-35 X 3.5	32	JPFL-1.1/4"	811.78	12
80	50 X 3.5,4	35	JPFL-1.3/8"	956.37	12
81	70-95 X 3	38	JPFL-1.1/2"	1185.49	9
82	95-120 X 3.5	45	JPFL-1.3/4"	1386.82	7
83	150 X 3.5 185 X 3	50	JPFL-2"	1767.57	7
84	185 X 3.5	57	JPFL-2.1/4"	1972.61	6
85	240 X 3.5	63	JPFL-2.1/2"	2733.72	2
86	300 X 3.5	70	JPFL-2.3/4"	3098.82	2
87	400 X 3,3.5	75	JPFL-3"	4016.25	2
88			JPFL-3.1/4"	5604.59	2
89	500 X 3.5	88	JPFL-3.1/2"	7250.46	2
90	625 X 3.5	100	JPFL-4"	10137.58	1

jainson

DOUBLE COMPRESSION FLAME PROOF BRASS CABLE GLAND



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
91	10.5	15.0	3/4"	JPF-01S	443.05	30
92	13.5	18.5	3/4"	JPF-01	494.19	25
93	13.5	18.5	1"	JPF-01A	562.65	25
94	14.0	20.0	1"	JPF-02	632.45	20
95	14.0	20.0	3/4"	JPF-02A	693.12	20
96	17.0	23.0	1"	JPF-03	700.40	20
97	20.0	26.0	1"	JPF-04	878.01	12
98	20.0	26.0	1.1/4"	JPF-04A	1004.07	12
99	24.0	30.0	1.1/4"	JPF-05	1085.64	12
100	24.0	30.0	1.1/2"	JPF-05A	1232.92	12
101	27.0	33.0	1.1/2"	JPF-06	1516.09	12
102	27.0	33.0	1.1/4"	JPF-06A	1667.87	12
103	30.0	37.0	1.1/2"	JPF-07	1752.02	10
104	35.0	41.0	2"	JPF-08	2167.50	7
105	40.0	46.0	2"	JPF-09	2465.84	7
106	46.0	52.0	2"	JPF-010	2836.84	6
107	46.0	52.0	2.1/2"	JPF-010A	3262.47	5
108	54.0	60.0	2.1/2"	JPF-011	3905.78	2
109	60.0	67.0	3"	JPF-012	4887.61	2
110	72.0	78.0	3.1/4"	JPF-013	6159.78	2
111	66.0	72.0	3"	JPF-013A	7083.70	2
112	78.0	84.0	3.1/2"	JPF-014	7273.09	2
113	88.0	94.0	4"	JPF-015	10678.74	1
114	98.0	105.0	4.1/2"	JPF-016	12134.05	1

jainson

DOUBLE COMPRESSION WEATHER PROOF BRASS CABLE GLAND (HEAVY DUTY)



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
115	8.0	14.0	3/4"	JPW-001	286.04	50
116	10.5	15.0	3/4"	JPW-01S	390.27	30
117	13.5	18.5	3/4"	JPW-01	420.61	30
118	13.5	18.5	1"	JPW-01A	465.70	25
119	14.0	20.0	1"	JPW-02	558.55	20
120	14.0	20.0	3/4"	JPW-02A	570.65	20
121	17.0	23.0	1"	JPW-03	599.75	20
122	20.0	26.0	1"	JPW-04	766.19	12
123	20.0	26.0	1.1/4"	JPW-04A	881.39	12
124	24.0	30.0	1.1/4"	JPW-05	1004.99	12
125	24.0	30.0	1.1/2"	JPW-05A	1126.13	12
126	27.0	33.0	1.1/2"	JPW-06	1323.93	12
127	27.0	33.0	1.1/4"	JPW-06A	1389.01	12
128	30.0	37.0	1.1/2"	JPW-07	1578.71	10
129	35.0	41.0	2"	JPW-08	1850.81	7
130	40.0	46.0	2"	JPW-09	2060.60	7
131	46.0	52.0	2"	JPW-010	2466.86	6
132	46.0	52.0	2.1/2"	JPW-010A	2960.64	5
133	54.0	60.0	2.1/2"	JPW-011	3548.30	2
134	60.0	67.0	3"	JPW-012	4284.57	2
135	72.0	78.0	3.1/4"	JPW-013	5496.17	2
136	66.0	72.0	3"	JPW-013A	5754.24	2
137	78.0	84.0	3.1/2"	JPW-014	6118.06	2
138	88.0	94.0	4"	JPW-015	8931.13	1
139	98.0	105.0	4.1/2"	JPW-016	10786.96	1
140	88.0	105.0	4"	JPW-017	11163.29	1

jainson

FLANGE TYPE BRASS CABLE GLAND



ITEM NO.	Core Size sq. mm	mm	jainson CAT. No.	PRICE EACH	STD PKG	
141	1.5 X 2,3,4	2.5 X 2,3	16	JF 5	182.36	75
142	2.5 X 4	4-6 X 2,3,4	19	JF 4	250.51	50
143	10 X 2,3	6 X 4	22	JF 3	290.15	50
144	16 X 2,3,4	10 X 4	25	JF 2	394.51	40
145	25 X 2,3,3.5		28	JF 1SP	553.30	35
146	35 X 2,3,3.5		32	JF 1	519.98	35
147	50 X 3,3.5		35	JF 11	594.01	20
148	70 X 3.5	95 X 3	38	JF 0	604.94	20
149	70 X 3.5		38	JF 00	623.80	20
150	95 X 3.5	120 X 3	45	JF 38	761.16	16
151	150 X 3,3.5	120 X 3.5	45	JF 001	941.81	12
152	185 X 3,3.5		50	JF 002	1011.13	12
153	225 X 3,3.5		57	JF 003	1239.89	8
154	300 X 3,3.5	240 X 3.5	63	JF 0033	1450.96	6
155	400 X 3.5		75	JF 004	2007.91	6
156	500 X 3.5		100	JF 005	3014.22	2

Jainson CABLE GLAND SELECTION CHART



CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYY (ARMoured & UNARMoured SINGLE CORE POWER CABLES) 650/1100V

	Armoured	Unarmoured	Armoured	Unarmoured	Armoured Unarmoured	Armoured Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured		
1 x 4	12.3	9.5	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-1/2"	JC-1/2"	1616	1616	1613	1609
1 x 6	12.8	10.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-5/8"	JC-1/2"	1616	1616	1613	1611
1 x 10	13.5	11.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619,1619		1613	1611
1 x 16	15.5	12.5	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619	1619	1615	1613
1 x 25	16.5	14.0	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2116	1613
1 x 35	17.0	15.0	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2118	1615
1 x 50	18.5	16.5	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-3/4"	JF-4	JC-1"	JC-3/4"	2125	1619	2118	1615
1 x 70	21.0	19.0	JPW-02	JPW-01	JPF-02	JPF-01	JPFL-7/8"	JF-3	JC-1"	JC-1"	2125	2125	2120	2118
1 x 95	23.0	21.0	JPW-03	JPW-02	JPF-03	JPF-02	JPFL-1"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932	2125	2923	2120
1 x 120	25.0	23.0	JPW-04	JPW-03	JPF-04	JPF-03	JPFL-1.1/8"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932	2925	2925	2923
1 x 150	26.0	24.5	JPW-04	JPW-04	JPF-04	JPF-04	JPFL-1.1/8"	JF-1	JC-1.1/8"	JC-1.1/4"	2925,2932	2925,2932	2925	2925
1 x 185	29.0	27.0	JPW-05	JPW-04	JPF-05	JPF-04	JPFL-1.1/4"	JF-1	JC-1.1/4"	JC-1.1/4"	2932	2925,2932	2929	2927
1 x 225	31.5	29.5	JPW-06	JPW-05	JPF-06	JPF-05	JPFL-1.1/4"	JF-11	JC-1.3/8"	JC-1.3/8"	3638	2932,2938	3631	2929
1 x 240	33.5	32.0	JPW-06	JPW-06	JPF-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	JC-1.1/2"	3638	3638	3633	3633
1 x 300	36.0	39.0	JPW-07	JPW-07	JPF-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	JC-1.3/4"	3638	3638	3637	3637
1 x 400	41.0	39.0	JPW-08	JPW-08	JPF-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	JC-2"	4251	4251	4240	4240
1 x 500	43.0	42.0	JPW-09	JPW-09	JPF-09	JPF-09	JPFL-1.3/4"	JF-001	JC-2"	JC-2"	4251	4251	4242	4242
1 x 625	49.0	47.0	JPW-010	JPW-09	JPF-010	JPF-09	JPFL-2"	JF-002	JC-2.1/4"	JC-2"	5451	5451,5463	5448	5448
1 x 800	54.0	52.0	JPW-011	JPW-010	JPF-011	JPF-010	JPFL-2.1/4"	JF-003	JC-2.1/4"	JC-2.1/4"	6063	5463	6055	5450
1 x 1000	59.0	57.0	JPW-011	JPW-011	JPF-011	JPF-011	JPFL-2.1/2"	JF-003	JC-2.1/2"	JC-2.1/2"	6063	6063	6060	6060

AYWY (ARMoured TWIN CORE POWER CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001		JPF-01S		JPFL-1/2"	JF-5	JC-1/2"		1616		1615	
2 x 2.5	16.0	9.0	JPW-01S		JPF-01S		JPFL-1/2"	JF-5	JC-5/8"		1616,1619		1615	
2 x 4	17.5	10.5	JPW-01		JPF-01		JPFL-5/8"	JF-4	JC-3/4"		1616,1619,		1615	
2 x 6	18.5	11.5	JPW-01		JPF-01		JPFL-3/4"	JF-4	JC-7/8"		2119,2125		2118	
2 x 10	20.5	14.0	JPW-02		JPF-02		JPFL-7/8"	JF-3	JC-1"		2119,2125		2120	
2 x 16	22.5	16.5	JPW-03		JPF-03		JPFL-1"	JF-2	JC-1"		2125		2120	
2 x 25	25.0	19.0	JPW-04		JPF-04		JPFL-1"	JF-1	JC-1.1/8"		2925,2932		2925	
2 x 35	27.5	22.0	JPW-05		JPF-05		JPFL-1.1/8"	JF-1	JC-1.1/4"		2932,2938		2927	
2 x 50	29.0	23.5	JPW-05		JPF-05		JPFL-1.1/4"	JF-11	JC-1.1/4"		2932,2938		2927	
2 x 70	31.0	25.0	JPW-06		JPF-06		JPFL-1.1/4"	JF-11	JC-1.1/4"		2938		2929	
2 x 95	33.0	27.0	JPW-06		JPF-06		JPFL-1.3/8"	JF-11	JC-1.3/8"		2938		2929	
2 x 120	34.0	28.0	JPW-07		JPF-07		JPFL-1.3/8"	JF-11	JC-1.3/8"		3638		3633	
2 x 150	38.0	32.0	JPW-08		JPF-08		JPFL-1.1/2"	JF-00	JC-1.1/2"		3638		3637	
2 x 185	41.0	35.0	JPW-08		JPF-08		JPFL-1.3/4"	JF-001	JC-1.3/4"		4251		4242	
2 x 240	46.0	40.0	JPW-09		JPF-09		JPFL-1.3/4"	JF-002	JC-2"		5451		5446	
2 x 300	51.0	43.0	JPW-010		JPF-010		JPFL-2"	JF-003	JC-2.1/4"		5463		5450	
2 x 400	57.0	50.0	JPW-011		JPF-011		JPFL-2.1/4"	JF-003	JC-2.1/2"		6063		6060	

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMoured THREE CORE POWER CABLES) 650/1100V

3 X 1.5	15.5	8.5	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 X 2.5	17.0	10.5	JPW-01S	JPF-01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
3 X 4	18.0	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2116
3 X 6	19.5	12.5	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
3 X 10	20.5	14.5	JPW-03	JPF-03	JPFL-1"	JF-3	JC-1"	2119, 2125	2120
3 X 16	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2925, 2932	2923
3 X 25	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2932, 2938	2923
3 X 35	25.5	20.0	JPW-04	JPF-04	JPFL-1-1/4"	JF-1	JC-1-1/8"	2932, 2938	2925
3 X 50	29.0	23.0	JPW-05	JPF-05	JPFL-1-3/8"	JF-1	JC-1-1/4"	2932, 2938	2929
3 X 70	33.0	27.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-0	JC-1-3/8"	3638	3633
3 X 95	37.0	31.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
3 X 120	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3 X 150	44.0	38.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3 X 185	49.0	42.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5448
3 X 225	54.0	47.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	6063	6053
3 X 240	56.0	49.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/2"	6063	6055
3 X 300	62.0	54.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-3/4"	6063	6060
3 X 400	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-3"	7882	7868
3 X 500	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

AYFY (ARMoured MULTI CORE POWER CABLES) 650/1100V

3.5 X 25/16	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2925, 2932	2925
3.5 X 35/16	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
3.5 X 50/25	32.0	26.0	JPW-06	JPF-06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
3.5 X 70/35	35.0	29.0	JPW-07	JPF-07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3635
3.5 X 95/50	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3.5 X 120/70	43.0	37.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3.5 X 150/70	48.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3.5 X 185/95	52.0	45.0	JPW-010	JPF-010	JPFL-2-1/4"	JF-002	JC-2-1/4"	5463	5450
3.5 X 225/120	58.0	50.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-003	JC-2-1/2"	6063	6058
3.5 X 240/120	61.0	53.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
3.5 X 300/150	66.0	58.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-0033	JC-2-3/4"	6675	6664
3.5 X 400/185	74.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874
3.5 X 500/240	82.0	72.0	JPW-014	JPF-014	JPFL-3-1/2"	JF-005	JC-3-1/2"	8490	8482

AYWY & AYFY (ARMoured FOUR CORE POWER CABLES) 650/1100V

4 X 1.5	16.5	10.0	JPW-01S	JPF-01S	JPFL-5/8"	JF-5	JC-3/4"	1616, 1619	1615
4 X 2.5	17.5	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
4 X 4	19.5	13.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
4 X 6	20.0	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2125	2120
4 X 10	21.5	16.0	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
4 X 16	25.5	20.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1-1/8"	2925, 2932	2925
4 X 25	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
4 X 35	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/8"	JF-1	JC-1-3/8"	2938	2927
4 X 50	33.0	26.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-11	JC-1-3/8"	2938	2929

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 70	37.0	30.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
4 X 95	42.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4242
4 X 120	45.0	36.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	5451	5446
4 X 150	50.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5463	5450
4 X 185	55.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2-1/4"	5463	5450
4 X 240	62.0	54.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2-1/2"	6063	6060
4 X 300	68.0	60.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-004	JC-2-3/4"	6675	6664
4 X 400	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF -01S	JPFL-3/8"	JF-5	JC-1/2"	1616	1613
3 x 1.5	15.5	8.5	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-1/2"	1616, 1619	1615
4 x 1.5	16.5	9.5	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
5 x 1.5	17.0	10.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
6 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
7 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
10 x 1.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
12 x 1.5	20.5	14.0	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
14 x 1.5	21.0	15.0	JPW-03	JPF -03	JPFL-7/8"	JF-2	JC-1"	2125	2120
16 X 1.5	21.5	15.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
19 x 1.5	22.5	16.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
24 x 1.5	25.5	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
27 x 1.5	26.0	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
30 x 1.5	27.0	21.5	JPW-05	JPF -05	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
37 x 1.5	29.0	23.0	JPW-05	JPF -05	JPFL-1.1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
44 x 1.5	33.0	26.0	JPW-06	JPF -06	JPFL-1.3/8"	JF-11	JC-1-3/8"	3638	3631
52 x 1.5	34.0	27.0	JPW-07	JPF -07	JPFL-1.3/8"	JF-0	JC-1-1/2"	3638	3633
61 x 1.5	36.0	29.0	JPW-07	JPF -07	JPFL-1.1/2"	JF-00	JC-1-1/2"	3638	3635

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 2.5	16.0	10.0	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 x 2.5	17.0	11.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
4 x 2.5	17.5	11.5	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
5 x 2.5	19.0	12.5	JPW-02	JPF -02	JPFL-7/8"	JF-4	JC-7/8"	2119, 2125	2118
6 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
7 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
10 x 2.5	22.0	16.5	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
12 x 2.5	22.5	17.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
14 x 2.5	23.5	17.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925	2923
16 X 2.5	24.5	18.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925, 2932	2923
19 x 2.5	25.5	19.0	JPW-04	JPF -04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
24 x 2.5	29.5	22.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
27 x 2.5	30.0	23.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2929
30 x 2.5	32.0	25.0	JPW-06	JPF -06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
37 x 2.5	34.0	28.0	JPW-07	JPF -07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3633
44 x 2.5	38.0	31.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
52 x 2.5	39.0	32.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-38	JC-1-3/4"	4251	4238
61 x 2.5	42.0	35.0	JPW-09	JPF -09	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMOURED THREE CORE POWER CABLES) 1900 /3300V

3 X 25	29.0	21.0	JPW-05	JPF-05	JPFL-1.1/4"	JF-1	JC-1.1/4"	2932, 2938	2927
3 X 35	31.0	24.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.3/8"	2932, 2938	2929
3 X 50	34.0	26.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.1/2"	3638	3633
3 X 70	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 95	41.0	33.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4238
3 X 120	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 150	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 185	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 225	55.0	46.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 240	56.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6055
3 X 300	62.0	52.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6063	6060
3 X 400	69.0	59.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-3"	7882	7868
3 X 500	77.0	66.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMOURED THREE CORE POWER CABLES) 3800/6600V

3 X 25	35.0	27.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-0	JC-1.1/2"	3638	3635
3 X 35	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 50	40.0	32.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4240
3 X 70	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 95	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 120	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 150	54.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 185	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 225	61.0	51.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6060
3 X 240	63.0	53.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 300	67.0	57.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	7882	7870
3 X 400	73.0	63.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	79.0	68.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMOURED THREE CORE POWER CABLES) 6600V(UE GRADE)

3 X 25	38.0	30.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
3 X 35	40.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-38	JC-1.3/4"	4251	4240
3 X 50	43.0	34.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4240
3 X 70	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 95	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 120	52.0	43.0	JPW-010	JPF-010	JPFL-2.1/4"	JF-002	JC-2.1/4"	6063	6053
3 X 150	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 185	60.0	50.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6058
3 X 225	64.0	54.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 240	66.0	56.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	6675	6664
3 X 300	71.0	61.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-2.3/4"	7882	7870
3 X 400	76.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	83.0	71.0	JPW-014	JPF-014	JPFL-3.1/2"	JF-005	JC-3.1/2"	8490	8482

PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

NOTE : For selection of Cable Glands please ask for our glands Dimensional catalogue. Entire range of PVC shrouds, earth tag & reducer available. WE MAKE SPECIAL TYPE OF GLANDS AS PER SAMPLE OR DRAWING.

PRODUCT RANGE OF **Jainson** GROUP



S. J. METAL INDUSTRIES
Cable Terminal Ends



YASH TRADING COMPANY
Cable Glands

Plot no 58/C, Kandivali Co-op. Indl. Estate Ltd, Kandivali West, Mumbai 400067.

Mobiles : +91 99875 86779 | +91 93222 29523

E-mail: jainsongroup@hotmail.com | info@jainsongroup.co.in

web: www.jainsongroup.co.in