



jainson

SINCE 1971

NATIONAL PRICE LIST

01.08.2026



- CABLE TERMINAL ENDS
- CABLE GLANDS

jainson**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS**

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
1	2.5	5.2	319-05	9.44	1000
2	4	6.5	319-06	13.32	1000
3	6	6.5	319-07	14.51	1000
4	10	6.5	319-08	18.31	1000
5	16	6.5	319-09	25.07	500
6	25	6.5	319-10	42.65	300
7	35	6.5	319-11	49.77	300
8	35	8.2	319-12	49.77	300
9	50	6.5	319-13	63.66	200
10	50	8.2	319-14	63.66	200
11	50	10.2	319-15	63.66	200
12	70	8.2	319-16	113.98	100
13	70	10.2	319-17	113.98	100
14	70	12.7	319-18	113.98	100
15	95	10.2	319-19	158.55	100
16	95	12.7	319-20	158.55	100
17	120	10.2	319-21	219.91	50
18	120	12.7	319-22	219.91	50
19	120	16.2	319-23	219.91	50
20	150	10.2	319-24	303.99	50
21	150	12.7	319-25	303.99	50
22	150	16.2	319-26	303.99	50
23	185	12.7	319-27	450.19	25
24	185	16.2	319-28	450.19	25
25	225	16.2	319-231	616.52	25
26	240	16.2	319-29	631.53	20
27	240	20.3	319-30	631.53	20
28	300	16.2	319-31	912.52	15
29	300	20.3	319-32	912.52	15
30	400	20.3	319-33	1269.25	10
31	500	20.3	319-34	1732.28	10
32	630	20.3	319-35	2396.25	5
33	800	-----	319-062	3959.01	4
34	1000	-----	319-076	7569.63	5

jainson**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)**

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
35	2.5	5.2	JEB-05	15.52	1000
36	4	6.5	JEB-06	21.08	1000
37	6	6.5	JEB-07	23.31	1000
38	10	6.5	JEB-08	29.06	1000
39	16	6.5	JEB-09	39.90	500
40	25	6.5	JEB-10	67.77	300

jainson**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL)**

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
41	35	6.5	JEB-11	76.09	300
42	35	8.2	JEB-12	76.09	300
43	50	6.5	JEB-13	96.90	200
44	50	8.2	JEB-14	96.90	200
45	50	10.2	JEB-15	96.90	200
46	70	8.2	JEB-16	158.31	100
47	70	10.2	JEB-17	158.31	100
48	70	12.7	JEB-18	158.31	100
49	95	10.2	JEB-19	207.93	75
50	95	12.7	JEB-20	207.93	75
51	120	10.2	JEB-21	284.72	50
52	120	12.7	JEB-22	284.72	50
53	120	16.2	JEB-23	284.72	50
54	150	10.2	JEB-24	347.31	40
55	150	12.7	JEB-25	347.31	40
56	150	16.2	JEB-26	347.31	40
57	185	12.7	JEB-27	552.02	25
58	185	16.2	JEB-28	552.02	25
59	225	16.2	JEB-231	762.45	25
60	240	16.2	JEB-29	774.36	20
61	240	20.3	JEB-30	774.36	20
62	300	16.2	JEB-31	1031.74	15
63	300	20.3	JEB-32	1031.74	15
64	400	20.3	JEB-33	1525.82	10
65	500	20.3	JEB-34	2121.55	8
66	630	20.3	JEB-35	2970.18	5
67	800	-----	JEB-62	4658.93	5
68	1000	-----	JEB-76	8793.00	4

jainson**COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS
(HEAVY DUTY)**

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
69	25	8.2	319-282	56.74	300
70	35	8.2	319-283	88.62	200
71	50	8.2	319-284	152.33	100
72	70	10.2	319-285	244.38	75
73	95	12.7	319-286	365.37	50
74	120	12.7	319-287	511.64	40
75	150	12.7	319-288	632.41	25
76	185	12.7	319-289	916.50	25
77	240	16.2	319-290	1320.61	15
78	300	16.2	319-291	1644.84	10
79	400	20.3	319-292	2404.37	8

jainson**COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(I C F)**

ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
80	11-17	319-106	58.30	300
81	11-17	319-145	58.30	300
82	11-17	319-146	58.30	300
83	11-17	319-109	61.31	300
84	17-23	319-107	98.03	200
85	17-23	319-147	98.03	200
86	17-23	319-148	98.03	200
87	17-23	319-108	108.15	200
88	23-29	319-110	143.19	150
89	23-29	319-149	140.92	150
90	23-29	319-150	140.92	150
91	23-29	319-151	143.39	150
92	23-29	319-111	135.54	150
93	29-45	319-116	191.50	150
94	29-45	319-152	198.87	150
95	29-45	319-153	198.87	150
96	29-45	319-154	198.87	150
97	29-45	319-113	191.50	150
98	45-57	319-112	320.38	75
99	45-57	319-155	320.38	75
100	45-57	319-156	320.38	75
101	45-57	319-157	320.38	75
102	57-75	319-114	407.04	75
103	57-75	319-158	415.92	75
104	57-75	319-159	415.92	75
105	57-75	319-160	415.92	75
106	75-90	319-137	459.73	50
107	75-90	319-161	460.16	50
108	75-90	319-162	460.16	50
109	75-90	319-163	460.16	50
110	90-110	319-115	563.20	40
111	90-110	319-164	563.20	40
112	90-110	319-165	563.20	40
113	90-110	319-166	563.20	40
114	110-146	319-138	826.00	25
115	110-146	319-167	826.00	25
116	110-146	319-168	826.00	25
117	110-146	319-169	826.00	25
118	146-183	319-128	1126.37	20
119	146-183	319-170	1126.37	20
120	146-183	319-171	1126.37	20
121	183-225	319-139	1285.73	15
122	183-225	319-172	1285.73	15
123	183-225	319-173	1285.73	15
124	183-225	319-174	1285.73	15
125	225-299	319-140	1816.80	10
126	225-299	319-175	1860.59	10
127	225-299	319-176	1835.57	10
128	299-366	319-141	2448.39	10

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS

(ICF)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
129	299-366	319-177	2586.47	10
130	299-366	319-178	2586.47	10
131	366-437	319-142	3349.91	5
132	366-437	319-179	3550.15	5
133	366-437	319-180	3550.15	5

Jainson

COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS

(DLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
134	133	319-36	720.49	40
135	133	319-37	720.49	40
136	133	319-38	574.95	40
137	133	319-39	587.66	40
138	133	319-40	720.49	40
139	133	319-41	616.10	40
140	270	319-42	1368.34	15
141	270	319-43	1427.80	15
142	270	319-44	1485.09	15
143	400	319-45	2182.24	10
144	400	319-46	2182.24	10
145	133	319-47	670.41	40
146	270	319-48	1512.24	15
147	270	319-49	1574.62	15
148	400	319-50	2669.76	10
149	133	319-51	958.94	15

Jainson

COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS

(CLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
150	150	319-54	965.31	40
151	120	319-55	744.67	50
152	25	319-56	80.63	200
153	3	319-65	18.57	500
154	3	319-66	18.57	500
155	3	319-67	18.57	500
156	10	319-68	64.91	200
157	10	319-69	64.91	200
158	120	319-70	737.88	50

Jainson

COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS

(CLW)

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
159	225	319-71	1240.68	20
160	270	319-72	2028.62	15
161	475	319-73	3428.43	8
162	475	319-74	3960.95	8
163	475	319-75	3419.94	8
164	50	319-87	207.93	150
165	35	319-187	139.93	200
166	3	319-209	17.96	500
167	3	319-210	17.96	500
168	3	319-211	46.24	500
169	25	319-212	84.24	200
170	225	319-213	1230.50	20
171	225	319-214	1477.02	10
172	270	319-215	1779.99	10
173	10	319-228	61.07	300
174	70	319-229	307.02	200
175	50	319-230	211.97	150

Jainson

COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS HEAVY DUTY

(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
176	1.5	5.2	319-538	14.28	1000
177	1.5	6.5	319-539	14.28	1000
178	2.5	4.2	319-388	15.40	1000
179	2.5	5.2	319-540	15.40	1000
180	2.5	6.5	319-541	15.40	1000
181	4	5.2	319-389	17.53	1000
182	4	6.5	319-543	17.53	1000
183	6	5.2	319-390	22.53	1000
184	6	6.5	319-544	22.53	1000
185	6	8.4	319-545	22.53	1000
186	10	6.5	319-353	26.29	1000
187	10	8.4	319-547	26.29	1000
188	16	6.5	319-354	33.51	500
189	16	8.4	319-549	33.51	500
190	25	6.5	319-355	51.20	300
191	25	8.4	319-551	51.20	300
192	25	10.5	319-552	51.20	300
193	35	6.5	319-542	74.74	300
194	35	8.4	319-356	74.74	300
195	35	10.5	319-554	74.74	300
196	50	8.4	319-357	117.48	150
197	50	10.5	319-556	117.48	150

Jainson

COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS (HEAVY DUTY)


(XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
198	70	8.4	319-557	182.46	100
199	70	10.5	319-358	182.46	100
200	70	13	319-559	182.46	100
201	95	10.5	319-359	280.52	75
202	95	13	319-560	280.52	75
203	120	13	319-241	358.26	50
204	120	17	319-546	358.26	50
205	150	13	319-242	453.32	40
206	150	17	319-564	453.32	40
207	185	17	319-243	611.41	25
208	240	17	319-244	924.63	20
209	240	21	319-567	924.63	20
210	300	17	319-245	1324.01	15
211	300	21	319-569	1324.01	15
212	400	17	319-246	2130.56	10
213	400	21	319-571	2130.56	10
214	500	21	319-247	2695.77	8
215	550	21	319-573	3299.18	8
216	630	21	319-248	3815.77	4
217	800		319-599	6094.80	4
218	1000		319-590	9033.67	4

Jainson

COPPER TUBULAR
CRIMPING TERMINAL
SOCKETS EXTENDED
PALM BLANKS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
219	50	319-466	196.25	100
220	70	319-467	298.09	100
221	95	319-468	425.59	50
222	120	319-469	559.46	40
223	150	319-470	730.89	40
224	185	319-471	935.60	25
225	240	319-472	1376.46	20
226	300	319-473	2008.26	15
227	400	319-474	3150.50	10
228	500	319-475	4151.27	5
229	625	319-476	5934.84	5



Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(LONG BARREL H. D.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
230	2.5	4.2	JCXL-1	19.19	1000
231	4	4.2	JCXL-2	22.46	1000
232	6	4.2	JCXL-3	30.63	1000
233	10	6.4	JCXL-4	39.66	500
234	16	6.4	JCXL-5	46.87	500
235	25	6.4	JCXL-6	85.20	300
236	35	6.4	JCXL-7	110.66	300
237	50	7.8	JCXL-8	182.78	200
238	70	12.8	JCXL-9	261.77	100
239	95	12.8	JCXL-10	387.75	75
240	120	12.8	JCXL-11	457.94	50
241	150	13.0	JCXL-12	728.85	40
242	185	16.2	JCXL-13	864.94	25
243	240	16.2	JCXL-14	1130.31	20
244	300	16.2	JCXL-15	1649.93	15
245	400	16.2	JCXL-16	2367.65	10
246	500	21.0	JCXL-17	2903.28	5
247	630	21.0	JCXL-18	3890.60	5
248	800	-----	JCXL-19	6216.48	4
249	1000	-----	JCXL-20	9284.26	4

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS
(45° & 90° BEND TYPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
250	95	10.5	319-827	290.67	50
251	95	13.5	319-828	290.67	50
252	150	13.0	319-831	471.61	40
253	150	17.0	319-832	471.61	40
254	185	13.0	319-833	641.64	25
255	185	17.0	319-833A	641.64	25
256	240	17.0	319-834	943.10	20
257	240	21.0	319-835	943.10	20
258	300	17.0	319-836	1343.57	15
259	300	21.0	319-837	1343.57	15
260	400	17.0	319-838	2094.83	10



Jainson

COPPER TUBULAR TERMINAL
SOCKETS FOR XLPE CABLES
(DOUBLE HOLE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
261	95	11.0	319-847	637.56	50
262	95	13.0	319-847A	624.17	50
263	120	11.0	319-848	757.70	40
264	120	13.0	319-848A	744.31	40
265	150	11.0	319-849	929.57	40
266	150	13.0	319-849A	916.15	40
267	185	13.0	319-850	1091.09	25
268	185	17.0	319-850A	1073.83	25
269	240	13.0	319-851	1556.42	20
270	240	17.0	319-851A	1540.26	20
271	300	13.0	319-852	1600.71	15
272	300	17.0	319-852A	2251.72	15
273	400	13.0	319-853	4392.02	10
274	400	17.0	319-853A	4362.49	10
275	400	14.0	319-437	4657.81	10
276	50	11	319-466DH	321.30	100
277	70	13	319-467DH	488.68	100
278	95	13	319-468DH	699.13	50
279	120	13	319-469DH	918.08	50
280	150	13	319-470DH	1147.60	40
281	185	13	319-471DH	1440.96	25
282	240	13	319-472DH	2254.59	20
283	300	13	319-473DH	3213.53	15
284	400	13	319-474DH	4195.45	10
285	500	21	319-475DH	5534.32	5
286	400	14	134/RODH	3468.64	8
287	400	14	13213DH	2410.08	10
288	400	18	13374DH	2389.20	10
289	240	12	29271DH	1517.60	15
290	300	12	29313DH	1721.53	15

Jainson

COPPER CRIMPING
CABLE SOCKETS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
291	400	33	13326	1869.34	10
292	120	6.5	319-469SP	680.44	50



Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS LONG
BARREL (XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
293	35	6.5	319-542EB	101.60	300
294	35	8.4	319-356EB	99.06	300
295	35	10.5	319-554EB	104.14	300
296	50	8.4	319-357EB	179.83	150
297	50	10.2	319-556EB	169.67	150
298	95	10.5	319-359EB	309.87	75
299	95	13.0	319-560EB	296.41	75
300	120	13.0	319-241EB	609.58	50
301	150	13.0	319-242EB	647.68	40
302	185	12.0	319-243EB	825.48	25

Jainson

COPPER TUBULAR CRIMPING
TERMINAL SOCKETS (XLPE)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
303	70	17.0	319-559SP	299.11	75
304	400	13.0	319-436	2457.50	10
305	630	-----	319-438	7224.30	4

Jainson

SOLDERING TYPE COPPER
TUBULAR SOCKETS

ITEM NO.	AREA AMP	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
306	15	3.2	423-201	10.69	1000
307	30	5.1	423-202	15.52	1000
308	60	6.4	423-203	39.11	300
309	100	9.5	423-204	77.85	150
310	150	9.5	423-205	131.21	100
311	200	12.7	423-206	207.39	50
312	300	12.7	423-207	393.92	25
313	400	15.9	423-208	473.93	20
314	500	19.0	423-209	641.05	15
315	600	19.0	423-210	987.73	10
316	800	23.8	423-211	1801.14	8
317	1000	23.8	423-212	2664.89	4
318	1000	-----	423-295	4694.55	4



jainson SOLDERING TYPE COPPER TUBULAR SOCKETS



HEAVY DUTY

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
319	15	5.1	219-6	18.87	1000
320	30	7.1	219-7	33.76	500
321	60	10.3	219-8	65.53	200
322	100	11.9	219-9	112.60	100
323	150	13.5	219-10	203.40	75
324	200	13.5	219-11	346.47	50
325	300	16.7	219-12	481.19	25
326	400	16.7	219-13	761.60	15
327	500	19.8	219-14	1220.39	10

(AS PER TABLE 2-OF BS-91-1973)

ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
328	6	5.5	219-15	21.87	1000
329	16	6.6	219-16	43.76	500
330	25	9.0	219-17	74.95	200
331	35	9.0	219-18	100.84	200
332	70	11	219-23	295.47	75
333	95	14	219-24	416.29	50
334	120	14	219-25	710.49	25
335	185	14	219-26	1185.13	20
336	240	18	219-27	1431.81	20
337	300	18	219-28	1985.62	15
338	500	22	219-29	2908.22	10
339	625	26	219-30	4046.01	10

jainson COPPER TUBULAR TERMINAL ENDS (OVAL DOUBLE HOLE)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
340	42	319-81	478.20	200
341	100	319-82	840.24	25
342	133	319-83	910.58	25



jainson COPPER TUBULAR CRIMPING IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
343	1.5	58-450	6.50	1000
344	1.5	58-453	6.66	1000
345	2.5	58-451	7.08	1000
346	2.5	58-454	7.24	1000
347	4-6	58-452	10.00	1000
348	4-6	58-455	10.49	1000
349	10	58-456	14.63	1000
350	10	58-460	17.48	1000
351	16	58-461	38.13	400
352	25	58-484	51.05	300
353	25	58-486	111.01	300
354	35	58-485	72.97	200
355	35	58-487	149.29	200
356	50	58-480	221.80	100
357	70	58-478	164.23	75
358	70	58-481	328.43	75
359	95	58-482	464.92	50
360	2.5	58-466	6.87	1000
361	1.5	58-463 (I)	9.42	1000
362	2.5	58-464 (I)	11.22	1000
363	4-6	58-465 (I)	16.82	500
364	4-6	58-475 (I)	25.12	500
365	2.5	32-23	7.59	1000
366	4	32-3	10.12	1000
367	6	32-4	10.49	1000
368	16	32-6	16.80	500
369	25	32-7	40.40	400
370	35	32-8	57.20	300
371	50	32-9	88.11	200
372	70	32-10	133.57	100
373	95	32-11	180.55	100
374	120	32-12	251.55	50
375	150	32-13	323.89	50
376	185	32-14	405.89	40
377	225	32-20	557.86	25
378	240	32-15	587.44	25
379	300	32-16	878.14	20
380	400	32-17	1336.40	15
381	500	32-18	1914.16	10
382	625	32-19	2614.20	5
383	800	32-21	4068.65	4
384	1000	32-22	5912.49	4
385	25	32-24	44.93	300
386	35	32-25	67.19	200
387	50	32-26	101.85	150
388	70	32-27	182.08	100
389	95	32-28	267.75	75
390	120	32-29	321.53	50
391	150	32-30	463.16	25
392	300	32-33	1373.81	10

jainson COPPER TUBULAR CRIMPING IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
393	1.5	32-41	10.44	1000
394	800	32-42	5279.83	4
395	1000	32-43	7868.07	4
396	20	32-47	27.65	1000
397	70	32-51	163.59	100
398	95	32-52	243.05	75
399	120	32-53	290.69	50
400	150	32-54	411.89	40
401	185	32-55	556.56	25
402	240	32-56	851.65	20
403	300	32-57	1223.51	15
404	400	32-58	1650.86	10
405	500	32-59	2373.75	5
406	550	32-60	2578.87	5
407	630	32-61	3260.76	4
408	185	32-31	663.79	25
409	240	32-32	1013.98	25
410	400	32-34	1980.30	10
411	500	32-35	2909.77	10

jainson COPPER TUBULAR IN-LINE CONNECTORS

(LONG BARREL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
412	1.5	JBL-453	12.09	1000
413	2.5	JBL-23	15.69	1000
414	4.0	JBL-3	21.65	1000
415	6.0	JBL-4	21.88	1000
416	10	JBL-460	36.43	500
417	16	JBL-6	32.85	500
418	25	JBL-7	78.93	300
419	35	JBL-8	103.43	200
420	50	JBL-9	156.88	150
421	70	JBL-10	231.95	100
422	95	JBL-11	320.02	75
423	120	JBL-12	449.01	50
424	150	JBL-13	574.01	50
425	185	JBL-14	695.97	25
426	225	JBL-20	981.79	25
427	240	JBL-15	1024.56	20
428	300	JBL-16	1547.26	15
429	400	JBL-17	2354.57	10
430	500	JBL-18	3056.97	8
431	630	JBL-19	4200.15	5
432	800	JBL-21	6724.50	4

jainson

COPPER TUBULAR IN-LINE CONNECTORS (LONG BARREL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
433	1000	JBL-22	9799.91	4
434	625	32-36	3485.22	5

jainson

COPPER CRIMPING INLINE CONNECTORS

(HEAVY DUTY)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
435	1.5	JC-1.5	9.22	1000
436	2.5	JC-2.5	11.84	1000
437	4	JC-4	15.09	1000
438	6	JC-6	16.61	1000
439	10	JC-10	26.52	1000
440	16	JC-16	41.27	400
441	20	JC-20	58.55	200
442	25	JC-25	62.33	200
443	35	JC-35	81.12	150
444	50	JC-50	118.03	100
445	70	JC-70	170.31	75
446	95	JC-95	218.57	50
447	120	JC-120	375.03	40
448	150	JC-150	434.35	25
449	185	JC-185	597.39	25
450	240	JC-240	895.37	20
451	300	JC-300	1349.71	10
452	400	JC-400	1814.38	8
453	500	JC-500	2561.90	5
454	550	JC-550	2724.69	4
455	630	JC-630	2894.83	4
456	800	JC-800	4869.90	4
457	1000	JC-1000	6920.88	4

jainson

COPPER CRIMPING TYPE IN-LINE CONNECTORS

(LONG BARREL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
458	2.5	JCXL-21	11.16	1000
459	4	JCXL-22	13.73	1000
460	6	JCXL-23	16.48	1000
461	10	JCXL-24	25.09	1000
462	16	JCXL-25	46.11	400

jainson

COPPER CRIMPING TYPE IN-LINE CONNECTORS

(LONG BARREL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
463	25	JCXL-26	90.93	300
464	35	JCXL-27	116.32	200
465	50	JCXL-28	180.45	150
466	70	JCXL-29	229.51	100
467	95	JCXL-30	319.98	75
468	120	JCXL-31	456.18	50
469	150	JCXL-32	634.34	40
470	185	JCXL-33	850.78	25
471	240	JCXL-34	1120.84	20
472	300	JCXL-35	1648.50	15
473	400	JCXL-36	2315.60	10
474	500	JCXL-37	3021.25	5
475	630	JCXL-38	4186.91	5
476	800	JCXL-39	6989.86	4
477	1000	JCXL-40	9302.30	4

jainson

COPPER CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
478	35	32-25 J40	72.12	300
479	16	461-J32	50.27	400
480	25	32-24-J23	39.35	300
481	35	32-25-J25	43.25	300
482	150	JTC-150	1097.36	40
483	2.5	58-001	6.67	1000
484	2.5	58-002	8.86	1000
485	6.0	58-003	10.82	1000
486	16.0	58-004	13.01	500
487	50.0	58-005	93.14	200

jainson

COPPER CONNECTOR

(T TYPE)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
488	150	JTC-150T	3388.99	25

jainson

Keeping Electricity Firmly in its Place
CABLE TERMINAL ENDS

jainson

COPPER TUBULAR CRIMPING END SEALING FERRULES



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
489	0.5	58-508	1.38	5000
490	0.75	58-509	1.38	5000
491	1.0	58-510	1.38	5000
492	1.0	58-511	1.87	5000
493	1.5	58-512	1.87	3000
494	1.5	58-513	2.24	3000
495	2.5	58-514	1.87	2000
496	2.5	58-515	2.17	2000
497	4	58-516	1.87	1000
498	4	58-517	2.17	1000
499	6	58-518	2.17	1000
500	6	58-519	2.17	1000
501	6	58-520	2.45	1000
502	10	58-521	2.45	1000
503	10	58-522	2.69	1000
504	10	58-523	3.18	1000
505	16	58-524	2.87	1000
506	16	58-525	3.36	1000
507	16	58-526	3.86	1000

jainson

COPPER TUBULAR CRIMPING IN-LINE CONNECTORS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
508	1.5	58-459	7.24	1000
509	4	58-495	6.30	1000
510	6	58-568	9.78	1000
511	10	58-569	11.79	1000
512	16	58-570	14.81	1000
513	25	58-571	18.62	500
514	35	58-500	20.04	400
515	50	58-572	27.89	300
516	70	58-497	29.16	150
517	95	58-573	37.41	150
518	120	58-574	46.30	100
519	150	58-575	50.52	100
520	185	58-496	114.88	50
521	240	58-578	401.18	25
522	16	58-457	21.34	1000
523	50	58-477	104.01	200
524	95	58-479	199.64	150
525	0.5	58-651	7.47	1000

S J METAL INDUSTRIES
AN ISO 9001-2015 CO.

jainson

COPPER TUBULAR END SEALING FERRULES



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
526	0.5	58-467	2.09	1000
527	0.75	58-468	2.09	1000
528	1.0	58-469	2.09	1000
529	1.0	58-470	2.87	1000
530	1.5	58-471	2.87	1000
531	1.5	58-472	3.29	1000
532	2.5	58-499	2.87	1000
533	2.5	58-502	3.26	1000
534	4	58-503	2.87	1000
535	4	58-504	3.26	1000
536	6	58-505	3.26	1000
537	6	58-506	3.26	1000
538	6	58-507	3.63	1000
539	10	58-549	3.63	500
540	10	58-550	3.63	500
541	10	58-551	4.26	500
542	16	58-552	4.26	500
543	16	58-553	4.26	500
544	16	58-554	4.26	500

jainson

COPPER OPEN CLOSE TYPE SOLDERING CABLE TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
545	1.5	153-371	4.05	1000
546	1.5	153-345	3.26	1000
547	2.5	153-372	4.78	1000
548	2.5	153-344	4.31	1000
549	4	153-373	8.36	1000
550	6	153-374	10.44	1000
551	10	153-375	13.55	1000
552	16	153-376	23.27	500
553	25	153-377	43.89	300
554	35	153-378	54.68	200
555	50	153-379	96.30	150
556	70	153-380	149.96	75
557	95	153-381	270.10	50
558	120	153-382	346.63	50
559	150	153-383	463.90	40
560	185	153-384	693.60	25
561	225	153-385	850.06	20
562	240	153-386	1029.16	15
563	300	153-387	1313.74	10
564	400	153-388	1919.61	5
565	500	153-389	2254.17	5
566	625	153-390	2675.77	4

jainson

COPPER RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
567	1.5	3.7	170489	4.18	1000
568	1.5	4.2	170499	4.18	1000
569	1.5	2.6	170009	4.99	1000
570	1.5	3.2	170019	4.80	1000
571	1.5	3.7	170029	4.80	1000
572	1.5	4.2	170039	4.18	1000
573	1.5	4.2	171549	4.80	1000
574	1.5	4.2	170049	4.30	1000
575	1.5	5.2	170059	4.30	1000
576	1.5	5.2	170069	5.39	1000
577	1.5	6.4	170079	5.19	1000
578	1.5	6.4	171069	6.06	1000
579	2.5	3.2	171079	5.02	1000
580	2.5	3.7	170089	4.80	1000
581	2.5	3.7	171089	5.02	1000
582	2.5	4.2	170099	4.30	1000
583	2.5	5.2	170109	4.30	1000
584	2.5	5.2	171099	5.28	1000
585	2.5	6.4	170119	4.75	1000
586	2.5	5.2	171109	7.49	1000
587	2.5	6.4	170129	6.86	1000
588	2.5	8.2	170139	7.02	1000
589	2.5	8.2	170149	9.02	1000
590	2.5	10.2	171519	10.82	1000
591	4-6	4.2	171559	7.91	1000
592	4-6	5.2	170509	7.91	1000
593	4-6	5.2	171579	20.27	1000
594	4-6	5.2	170169	9.69	1000
595	4-6	6.4	170179	9.15	1000
596	4-6	8.2	170189	9.69	1000
597	4-6	6.4	170199	11.17	1000
598	4-6	6.4	171159	12.98	1000
599	4-6	8.2	170209	12.80	1000
600	4-6	8.2	171169	15.82	1000
601	4-6	10.2	170239	15.08	1000
602	4-6	12.7	170249	14.36	1000
603	10	5.2	170259	11.67	1000
604	10	4.2	171199	13.67	1000
605	10	5.2	170269	10.75	1000
606	10	6.4	171209	12.66	1000
607	10	8.2	171219	16.88	500
608	10	10.2	171239	25.83	500
609	10	12.7	170289	23.43	500
610	16	5.2	171249	19.16	500
611	16	6.4	170299	21.18	500
612	16	8.2	170309	25.34	500
613	16	10.2	171289	33.99	500
614	16	12.7	170339	33.62	500
615	25	6.4	171569	49.02	300

jainson

COPPER RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
616	25	8.2	170349	48.50	300
617	25	10.2	171319	63.87	300
618	25	10.2	171329	71.12	200
619	25	12.7	170379	72.35	200
620	35	6.4	171339	60.58	300
621	35	8.2	170389	56.77	300
622	35	8.2	171349	86.07	200
623	35	10.2	170399	79.44	200
624	35	10.2	171359	78.93	200
625	35	12.7	170409	76.80	200
626	50	8.2	171369	98.09	150
627	50	10.2	171379	108.92	150
628	50	12.7	170429	111.28	150
629	50	16.2	171399	128.34	100
630	70	10.2	171409	138.57	100
631	70	12.7	171419	136.35	100
632	70	16.2	171429	152.39	100
633	95	10.2	171449	188.73	75
634	95	12.7	170449	189.49	75
635	95	16.2	171459	215.68	75
636	120	12.7	171469	242.50	50
637	120	16.2	171479	269.08	50
638	120	20.3	171489	361.20	50
639	150	12.7	171499	527.45	25
640	150	16.2	170459	499.20	25
641	150	20.3	170469	534.63	25

jainson

COPPER RING TONGUE TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
642	1.5	2.6	170539	8.38	1000
643	1.5	3.2	170549	6.50	1000
644	1.5	3.7	170559	6.50	1000
645	1.5	4.2	170569	6.06	1000
646	1.5	3.7	170589	6.06	1000
647	1.5	4.2	170599	6.06	1000
648	1.5	4.2	170619	6.53	1000
649	1.5	5.2	170629	6.53	1000
650	1.5	4.2	170639	6.65	1000
651	1.5	5.2	170659	7.27	1000
652	1.5	6.4	170669	7.00	1000
653	1.5	6.4	170679	7.66	1000
654	2.5	3.2	170689	6.55	1000
655	2.5	3.7	170699	6.55	1000

jainson

COPPER RING TONGUE TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
656	2.5	3.7	170709	7.17	1000
657	2.5	4.2	170719	6.50	1000
658	2.5	5.2	170729	6.50	1000
659	2.5	5.2	170739	7.42	1000
660	2.5	6.4	170749	7.07	1000
661	2.5	5.2	170759	9.42	1000
662	2.5	6.4	170769	8.93	1000
663	0.75	4.2	175919	10.14	1000
664	2.5	8.2	170779	8.48	1000
665	2.5	8.2	170799	10.03	1000
666	2.5	10.2	170819	11.69	1000
667	4-6	4.2	170839	10.08	500
668	4-6	5.2	170849	9.83	500
669	4-6	5.2	170869	11.47	500
670	4-6	5.2	170879	22.96	500
671	4-6	6.4	170899	11.79	500
672	4-6	8.2	170909	12.14	500
673	4-6	6.4	170929	13.64	500
674	4-6	6.4	170939	15.38	500
675	4-6	8.2	170949	14.95	500
676	4-6	8.2	170969	17.80	500
677	4-6	10.2	170999	17.35	500
678	4-6	12.7	171009	16.64	500

jainson

COPPER RING TONGUE TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
679	10	4.2	173899	23.16	500
680	10	5.2	173909	23.16	500
681	10	4.2	173919	21.93	500
682	10	5.2	173929	21.93	500
683	10	6.4	173939	25.01	500
684	10	8.2	173949	28.51	500
685	10	8.2	173959	40.99	500
686	10	10.2	173969	40.99	300
687	10	10.2	173979	36.63	300
688	10	12.7	173989	36.63	300
689	16	5.2	173999	35.09	300
690	16	5.2	174009	38.59	300
691	16	6.4	174019	38.59	300
692	16	6.4	174029	38.59	300
693	16	8.2	174039	38.59	300
694	16	9.7	174049	38.59	300
695	16	8.2	174059	55.93	200

jainson

COPPER RING TONGUE TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
696	16	10.2	174069	55.93	200
697	16	10.2	174079	48.91	200
698	16	12.7	174089	48.91	200
699	25	6.4	174099	67.11	100
700	25	8.2	174109	67.11	100
701	25	6.4	174119	68.41	100
702	25	8.2	174129	68.41	100
703	25	10.2	174139	68.41	100
704	25	6.4	174149	91.23	100
705	25	8.2	174159	91.23	100
706	25	10.2	174169	98.91	100
707	25	10.2	174179	104.45	100
708	25	12.7	174189	98.26	100
709	35	6.4	174199	84.86	100
710	35	8.2	174209	85.54	100
711	35	8.2	174219	123.72	100
712	35	10.2	174229	123.72	100
713	35	10.2	174239	124.58	100
714	35	12.7	174249	124.58	100
715	50	8.2	174259	122.85	75
716	50	10.2	174269	122.85	75
717	50	10.2	174279	126.33	75
718	50	10.2	174289	143.87	75
719	50	12.7	174299	143.87	75
720	50	16.2	174309	172.39	75
721	70	10.2	174319	179.86	50
722	70	12.7	174329	184.69	50
723	70	12.7	174339	175.47	50
724	70	16.2	174349	175.47	50

jainson

COPPER RING TONGUE TERMINAL ENDS (M. R.)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
725	1.5	2.6	174369	10.95	1000
726	1.5	3.2	174379	7.57	1000
727	1.5	3.7	174389	7.57	1000
728	1.5	4.2	174399	7.57	1000
729	1.5	3.7	174419	7.57	1000
730	1.5	4.2	174429	7.57	1000
731	1.5	4.2	174449	7.86	1000
732	1.5	5.2	174459	7.86	1000
733	1.5	4.2	174469	7.98	1000
734	1.5	5.2	174489	8.93	1000
735	1.5	6.4	174499	9.05	1000

jainson

COPPER RING TONGUE TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
736	1.5	6.4	174509	9.31	1000
737	2.5	3.2	174519	8.93	1000
738	2.5	3.7	174529	8.52	1000
739	2.5	3.7	174539	9.24	1000
740	2.5	4.2	174549	8.17	1000
741	2.5	5.2	174559	8.17	1000
742	2.5	5.2	174569	8.79	1000
743	2.5	6.4	174579	8.57	1000
744	2.5	5.2	174589	11.33	1000
745	2.5	6.4	174599	11.17	1000
746	2.5	8.2	174609	11.33	1000
747	2.5	8.2	174629	11.07	1000
748	2.5	10.2	174649	14.00	1000
749	4-6	4.2	174669	13.95	500
750	4-6	5.2	174679	12.74	500
751	4-6	5.2	174699	14.12	500
752	4-6	5.2	174709	26.22	500
753	4-6	6.4	174729	14.00	500
754	4-6	8.2	174739	14.14	500
755	4-6	6.4	174759	16.17	500
756	4-6	6.4	174769	17.69	500
757	4-6	8.2	174779	17.69	500
758	4-6	8.2	174799	20.10	500
759	4-6	10.2	174829	20.64	500
760	4-6	12.7	174839	20.64	500
761	10	4.2	174849	28.57	300
762	10	5.2	174859	28.57	300
763	10	4.2	174869	27.24	300
764	10	5.2	174879	27.24	300
765	10	6.4	174889	30.67	300
766	10	8.2	174899	33.53	300
767	10	8.2	174909	46.10	300
768	10	10.2	174919	46.10	300
769	10	10.2	174929	41.74	300
770	10	12.7	174939	41.74	300
771	16	5.2	174949	41.74	200
772	16	5.2	174959	43.81	200
773	16	6.4	174969	43.81	200
774	16	6.4	174979	43.81	200
775	16	8.2	174989	43.81	200
776	16	9.7	174999	43.81	200
777	16	8.2	175009	61.34	200
778	16	10.2	175019	61.34	200
779	16	10.2	175029	54.12	200
780	16	12.7	175039	54.12	200

jainson

jainson COPPER RING TONGUE TERMINAL ENDS

(NON- STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
781	1.5	3.2	171539	5.34	1000
782	1.5	2.2	171039	5.41	1000
783	1.5	3.2	171049	6.33	1000
784	1.5	4.2	171059	6.95	1000
785	2.5	6.4	171119	11.52	1000
786	2.5	10.2	170159	10.95	1000
787	2.5	12.7	170479	12.46	1000
788	4-6	4.2	171129	11.40	1000
789	4-6	5.2	171139	11.22	1000
790	4-6	5.2	171149	13.32	1000
791	4-6	9.7	170219	15.15	1000
792	4-6	10.2	170229	17.77	1000
793	4-6	8.2	171179	16.64	1000
794	10	4.2	171189	13.32	1000
795	10	8.2	171229	26.97	500
796	10	10.2	170279	26.67	500
797	16	5.2	171259	24.13	500
798	16	6.4	171269	25.91	500
799	16	9.7	170319	26.67	500
800	16	8.2	171279	36.31	500
801	16	10.2	170329	35.18	500
802	25	8.2	170519	42.27	300
803	25	6.4	171299	47.53	300
804	25	10.2	170359	44.62	300
805	25	6.2	171309	58.71	300
806	25	8.2	170369	57.13	300
807	50	10.2	170419	102.59	150
808	50	10.2	171389	117.62	150
809	70	12.7	170439	144.04	100
810	95	10.2	171439	182.65	75
811	150	16.2	171509	598.48	25

PRODUCT RANGE OF jainson GROUP

CABLE TERMINAL ENDS
 CRIMPING TOOLS
 CABLE GLANDS
 PLUG & SOCKET
 MAIN SWITCHES
 ROTARY SWITCHES
 CLIP ON TYPE TERMINALS
 BAKELITE STRIP CONNECTORS
 REVERSE FORWARD SWITCHES
 L.T. CONTROL SWITCHES
 LED LIGHTS
 WIRE STRIPPER WITH CUTTER
 BAKELITE FUSE FITTING
 ANTI-CORROSIVE COMPOUNDS
 LIMIT SWITCHES
 CAM SWITCHES

jainson COPPER RING TONGUE TERMINAL ENDS INSULATED

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
812	1.5	2.2	170529	7.91	1000
813	1.5	3.2	170579	7.91	1000
814	1.5	3.2	170609	9.10	1000
815	1.5	4.2	170649	9.27	1000
816	2.5	6.4	170789	13.87	1000
817	2.5	10.2	170809	13.87	1000
818	2.5	12.7	170829	15.55	1000
819	4-6	4.2	170859	15.55	500
820	4-6	5.2	170889	17.40	500
821	4-6	5.2	170919	17.03	500
822	4-6	9.7	170959	21.95	500
823	4-6	10.2	170979	26.28	500
824	4-6	8.2	170989	24.35	500

jainson COPPER RING TONGUE TERMINAL ENDS (M.R) (NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
825	1.5	2.2	174359	11.17	1000
826	1.5	3.2	174409	11.17	1000
827	1.5	3.2	174439	9.83	1000
828	1.5	4.2	174479	10.57	1000
829	2.5	6.4	174619	15.48	1000
830	2.5	10.2	174639	15.48	1000
831	2.5	12.7	174659	17.36	1000
832	4-6	4.2	174689	18.29	500
833	4-6	5.2	174719	20.48	500
834	4-6	5.2	174749	20.43	500
835	4-6	9.7	174789	21.91	500
836	4-6	10.2	174809	25.24	500
837	4-6	8.2	174819	27.48	500

jainson COPPER RING TONGUE TERMINAL ENDS (M.R)

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
838	4	8.3	180379	19.58	500
839	4	9.9	180389	19.58	500
840	2.5	4.0	180399	9.79	1000
841	4	8.3	180409	19.58	500

jainson COPPER RING TONGUE TERMINAL ENDS (M.R)

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
842	4	5.2	180419	16.30	500
843	4	6.7	180429	17.99	500
844	4	13.1	180439	23.84	500
845	2.5	8.3	180449	11.51	1000
846	4	4.4	180459	17.72	500
847	2.5	5.2	180469	10.89	1000
848	2.5	6.7	180479	11.77	1000
849	2.5	9.9	180489	11.48	1000
850	2.5	4.4	180499	10.40	1000
851	4-6	5.2	180509	17.77	500
852	4-6	5.2	180519	23.75	500
853	4-6	6.7	180529	21.05	500

jainson COPPER RING TONGUE TERMINAL ENDS (BEND TYPE)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
854	1	5.0	JAB-1	15.05	1000
855	2.5	5.0	JAB-2.5	15.42	1000

jainson COPPER RING TONGUE TERMINAL ENDS (60° & 90° BEND)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
856	1.5	3.2	173559	16.01	1000
857	10	6.4	173889	35.46	500
858	10	8.4	171739	104.45	500
859	10	10.5	180219	128.47	500
860	16	8.2	180229	157.66	300



jainson

COPPER RING TONGUE SLOTTED LOCK HOLE TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
861	25	19	JRL-504A	135.57	150
862	50	23	JRL-504B	243.96	100

jainson

COPPER RING TONGUE TERMINAL ENDS (DOUBLE HOLE)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
863	4-6	5.2	7157-DH	23.79	1000

jainson

COPPER RING TONGUE FORK TERMINAL ENDS (“U” CUT)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
864	1.5	3.1	172359	6.19	1000
865	1.5	4.1	172369	6.79	1000
866	1.5	4.1	172379	6.79	1000
867	1.5	5.1	172389	7.40	1000
868	1.5	3.6	172409	6.19	1000
869	1.5	3.1	172419	6.19	1000
870	1.5	3.6	172449	6.19	1000
871	1.5	6.1	178619	7.40	1000
872	2.5	3.1	178629	6.79	1000
873	2.5	3.6	178639	6.79	1000
874	2.5	6.1	178649	7.28	1000
875	2.5	4.1	172399	7.42	1000
876	2.5	5.1	172429	7.42	1000
877	4-6	4.1	172439	11.30	1000
878	4-6	4.1	172459	13.20	1000
879	4-6	5.1	172469	13.20	1000
880	4-6	5.1	172479	15.28	1000
881	4-6	6.1	172489	15.28	1000
882	10	4.1	178659	15.28	1000
883	10	5.1	178669	15.26	1000
884	10	6.1	178679	16.93	1000
885	10	8.1	178689	19.79	1000
886	16	5.1	178699	24.04	500
887	16	6.1	178709	26.83	500
888	16	8.1	178719	26.83	500
889	16	8.1	178729	33.45	500

jainson

COPPER RING TONGUE FORK TERMINAL ENDS (“U” CUT INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
890	1.5	3.1	178739	8.23	1000
891	1.5	3.6	178749	8.23	1000
892	1.5	3.1	178759	8.11	1000
893	1.5	3.6	178769	8.40	1000
894	1.5	4.1	178779	9.24	1000
895	1.5	4.1	178789	9.24	1000
896	1.5	5.1	178799	9.99	1000
897	1.5	6.1	178809	9.99	1000
898	2.5	3.1	178819	9.62	1000
899	2.5	3.6	178829	9.49	1000
900	2.5	4.1	178839	10.04	1000
901	2.5	5.1	178849	10.21	1000
902	2.5	6.1	178859	10.21	1000
903	4-6	4.1	178869	15.40	500
904	4-6	4.1	178879	18.64	500
905	4-6	5.1	178889	18.64	500
906	4-6	5.1	178899	20.22	500
907	4-6	6.1	178909	20.22	500
908	10	4.1	178919	22.02	500
909	10	5.1	178929	22.02	500
910	10	6.1	178939	23.75	500
911	10	8.1	178949	26.92	500
912	16	5.1	178959	31.62	300
913	16	6.1	178969	33.07	300
914	16	8.1	178979	33.07	300
915	16	8.1	178989	49.22	300

jainson

COPPER RING TONGUE FORK TERMINAL ENDS (“U” CUT M.R.)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
916	1.5	3.1	178999	10.98	1000
917	1.5	3.6	179009	10.98	1000
918	1.5	3.1	179019	10.98	1000
919	1.5	3.6	179029	10.98	1000
920	1.5	4.1	179039	12.36	1000
921	1.5	4.1	179049	12.36	1000
922	1.5	5.1	179059	12.36	1000
923	1.5	6.1	179069	13.37	1000
924	2.5	3.1	179079	13.37	1000
925	2.5	3.6	179089	13.37	1000
926	2.5	4.1	179099	13.60	1000
927	2.5	5.1	179109	13.60	1000
928	2.5	6.1	179119	13.60	1000
929	4-6	4.1	179129	20.10	500

jainson

COPPER RING TONGUE FORK TERMINAL ENDS (“U” CUT M.R.)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
930	4-6	4.1	179139	22.87	500
931	4-6	5.1	179149	22.87	500
932	4-6	5.1	179159	24.92	500
933	4-6	6.1	179169	24.92	500
934	10	4.1	179179	29.14	300
935	10	5.1	179189	29.14	300
936	10	6.1	179199	30.53	300
937	10	8.1	179209	34.58	300
938	16	5.1	179219	41.73	200
939	16	6.1	179229	73.02	200
940	16	8.1	179239	74.92	200
941	16	8.1	179249	78.48	200

jainson

COPPER FORK TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
942	1.0	3.5	FT-SPL	4.84	1000
943	1.5	3.0	180559	6.18	1000
944	1.5	5.1	172149	9.05	1000
945	1.5	3.5	172499	3.54	1000
946	1.5	3.1	172509	5.34	1000
947	2.5	3.5	172519	4.01	1000
948	2.5	5.1	172809	10.36	1000
949	4-6	3.1	172529	6.95	1000
950	4-6	3.5	172539	6.80	1000
951	10	6.5	172549	19.92	500
952	10	8.5	172559	19.50	500
953	16	4.4	101319	24.45	500
954	1.5	2.8	JFT-900	4.87	1000
955	2.5	4.1	185159	10.41	1000



Jainson

COPPER FORK TERMINAL ENDS
(INSULATED)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
956	1.0	3.5	FT-SPL(I)	6.55	1000
957	1.5	5.1	179259	10.78	1000
958	1.5	3.5	179269	4.82	1000
959	1.5	3.1	179279	7.17	1000
960	2.5	3.5	179289	5.66	1000
961	2.5	5.1	179299	11.52	1000
962	4-6	3.1	179309	9.47	500
963	4-6	3.5	179319	9.27	500
964	10	6.5	179329	23.68	300
965	10	8.2	179339	23.36	300

Jainson

COPPER FORK TERMINAL ENDS
(M.R.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
966	1.0	3.5	FT-SPL(R)	7.74	1000
967	1.5	5.1	179349	13.13	1000
968	1.5	3.5	179359	6.72	1000
969	1.5	3.1	179369	8.60	1000
970	2.5	3.5	179379	7.22	1000
971	2.5	5.0	179389	12.75	1000
972	4-6	3.1	179399	11.99	500
973	4-6	3.5	179409	11.89	500
974	10	6.5	179419	31.66	200
975	10	8.2	179429	31.49	200

Jainson

COPPER FORK TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
976	1.5	3.2	JFT-911	5.58	1000
977	1.5	3.7	JFT-912	5.37	1000
978	2.5	3.7	JFT-922	6.29	1000
979	4-6	5.2	JFT-940	10.42	1000
980	10	4.2	JFT-958	16.57	1000
981	1.0	4.2	JFT-908	8.90	1000
982	1.5	5.2	JFT-919	7.83	1000
983	4-6	6.4	JFT-943	14.35	1000
984	1.5	2.2	JFT-909	7.85	1000
985	1.5	5.2	JFT-918	5.61	1000

Jainson

COPPER FORK TYPE
TERMINAL ENDS

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
986	2.5	4.2	JFT-925	9.21	1000
987	2.5	5.2	JFT-926	9.21	1000
988	2.5	6.4	JFT-928	12.59	1000
989	2.5	12.7	JFT-938	15.66	1000
990	4-6	4.2	JFT-939	10.89	1000
991	4-6	8.2	JFT-948	15.70	1000
992	10	4.2	JFT-957	16.94	1000
993	10	5.2	JFT-959	16.36	1000
994	10	6.4	JFT-960	15.33	1000

Jainson

COPPER FORK TYPE
TERMINAL ENDS
(INSULATED)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
995	1.5	2.2	JFT-1009	7.50	1000
996	1.5	3.2	JFT-1011	7.06	1000
997	1.5	3.7	JFT-1012	7.06	1000
998	1.5	5.2	JFT-1018	7.97	1000
999	1.5	5.2	JFT-1019	9.21	1000
1000	2.5	3.7	JFT-1022	9.21	1000
1001	2.5	4.2	JFT-1025	11.22	1000
1002	2.5	5.2	JFT-1026	11.22	1000
1003	2.5	6.4	JFT-1028	14.25	1000
1004	2.5	12.7	JFT-1038	18.88	1000
1005	4-6	4.2	JFT-1039	15.19	500
1006	4-6	5.2	JFT-1040	15.19	500
1007	4-6	6.4	JFT-1043	18.23	500
1008	4-6	8.2	JFT-1048	20.21	500
1009	10	4.2	JFT-1057	24.54	500
1010	10	4.2	JFT-1058	25.70	500
1011	10	5.2	JFT-1059	25.24	500
1012	10	6.4	JFT-1060	25.24	500

Jainson

COPPER FORK TYPE
TERMINAL ENDS (M.R.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1013	1.5	2.2	JFT-1109	9.39	1000
1014	1.5	3.2	JFT-1111	9.23	1000
1015	1.5	3.7	JFT-1112	10.37	1000

Jainson

COPPER FORK TYPE
TERMINAL ENDS
(M.R.)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1016	1.5	5.2	JFT-1118	11.50	1000
1017	1.5	5.2	JFT-1119	12.85	1000
1018	2.5	3.7	JFT-1122	10.63	1000
1019	2.5	4.2	JFT-1125	13.62	1000
1020	2.5	5.2	JFT-1126	16.08	1000
1021	2.5	6.4	JFT-1128	16.08	1000
1022	2.5	12.7	JFT-1138	21.66	1000
1023	4-6	4.2	JFT-1139	21.66	500
1024	4-6	5.2	JFT-1140	21.66	500
1025	4-6	6.4	JFT-1143	21.66	500
1026	4-6	8.2	JFT-1148	23.93	500
1027	10	4.2	JFT-1157	35.45	400
1028	10	4.2	JFT-1158	35.45	400
1029	10	5.2	JFT-1159	35.45	400
1030	10	6.4	JFT-1160	35.45	400

Jainson

COPPER FORK HOOK
TERMINAL ENDS

ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1031	0.75	172799	9.29	1000
1032	1.5	172789	7.83	1000
1033	1.5	172659	7.83	1000
1034	1.5	172669	8.88	1000
1035	1.5	172569	8.88	1000
1036	1.5	172579	9.48	1000
1037	1.5	172709	11.01	1000
1038	1.5	172719	11.01	1000
1039	2.5	172589	11.01	1000
1040	2.5	172599	9.46	1000
1041	2.5	172609	9.56	1000
1042	2.5	172729	12.88	1000
1043	2.5	172739	12.88	1000
1044	4	172749	21.08	1000
1045	4	172759	21.08	1000
1046	4	172769	21.08	1000
1047	4	172779	21.08	1000
1048	4-6	172619	17.25	1000
1049	4-6	172629	17.25	1000
1050	4-6	172639	17.25	1000
1051	4-6	172689	14.70	1000
1052	4-6	172699	14.29	1000
1053	6	172649	17.25	1000
1054	6	172679	18.80	1000

jainson

COPPER FORK HOOK TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1055	0.75	179439	10.83	1000
1056	1.5	179449	11.94	1000
1057	1.5	179459	10.36	1000
1058	1.5	179469	10.36	1000
1059	1.5	179479	10.36	1000
1060	1.5	179489	9.89	1000
1061	1.5	179499	12.68	1000
1062	1.5	179509	12.36	1000
1063	2.5	179519	12.98	1000
1064	2.5	179529	11.52	1000
1065	2.5	179539	11.52	1000
1066	2.5	179549	14.98	1000
1067	2.5	179559	14.98	1000
1068	4	179569	23.75	1000
1069	4-6	179609	19.60	500
1070	4-6	179639	19.26	500
1071	4-6	179649	16.93	500

jainson

COPPER FORK HOOK TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
1072	4	5.1	179579	24.42	500
1073	4	8.1	179599	22.94	500
1074	4-6	5.1	179619	19.73	500
1075	4-6	5.1	179629	19.73	500
1076	6	4.1	179659	21.26	500
1077	6	4.1	179669	22.12	500

jainson

COPPER FORK HOOK TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1078	0.75	179679	14.09	1000
1079	1.5	179689	13.08	1000
1080	1.5	179699	13.08	1000
1081	1.5	179709	13.99	1000
1082	1.5	179719	13.99	1000
1083	1.5	179729	13.99	1000
1084	1.5	179739	16.07	1000

jainson

COPPER FORK HOOK TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1085	1.5	179749	16.07	1000
1086	2.5	179759	17.01	1000
1087	2.5	179769	15.70	1000
1088	2.5	179779	15.70	1000
1089	2.5	179789	19.16	1000
1090	2.5	179799	19.16	1000
1091	4	179809	30.85	500
1092	4-6	179849	25.29	500
1093	4-6	179859	25.29	500
1094	4-6	179879	21.63	500
1095	6	179889	21.63	500

jainson

COPPER FORK HOOK TERMINAL ENDS (M.R.)



ITEM NO.	AREA mm ²	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
1096	4	5.1	179819	30.13	500
1097	4	8.1	179829	30.13	500
1098	4	8.1	179839	27.76	500
1099	4-6	5.1	179869	24.10	500
1100	6	4.1	179899	28.67	500
1101	6	4.1	179909	29.12	500

jainson

COPPER PIN TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1102	1.0	316-0	4.81	1000
1103	1.5	316-9	3.80	1000
1104	1.5	316-35	4.33	1000
1105	1.5	316-38	10.46	1000
1106	2.5	316-1	4.06	1000
1107	2.5	316-2	3.93	1000
1108	4	316-3	8.48	1000
1109	4	316-4	13.94	1000
1110	6	316-5	8.80	1000
1111	6	316-6	14.31	1000
1112	10	316-7	13.99	1000
1113	16	316-8	25.02	500
1114	2.5	316-10	6.78	1000

jainson

COPPER PIN TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1115	2.5	316-11	6.78	1000
1116	4	316-12	12.65	1000
1117	4	316-13	13.27	1000
1118	6	316-14	14.26	1000
1119	6	316-15	14.26	1000
1120	10	316-16	20.80	1000
1121	25	316-125	62.12	300
1122	35	316-135	81.85	300
1123	50	316-150	108.94	150
1124	70	316-170	150.04	100
1125	95	316-195	210.70	100
1126	0.75	316-54	5.51	1000

jainson

COPPER PIN TYPE TERMINAL ENDS (INSULATED)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1127	1.0	316-0 (I)	6.45	1000
1128	1.0	316-45 (I)	13.57	1000
1129	1.5	316-17	5.07	1000
1130	1.5	316-40	6.55	1000
1131	1.5	316-38 (I)	12.26	1000
1132	1.5	316-42 (I)	13.57	1000
1133	1.5	316-51 (I)	9.32	1000
1134	2.5	316-18	5.44	1000
1135	2.5	316-19	5.78	1000
1136	4	316-20	11.10	500
1137	4	316-21	22.32	500
1138	6	316-22	22.22	500
1139	6	316-23	22.32	500
1140	10	316-24	35.82	500
1141	16	316-25	47.86	400

jainson

CABLE TERMINAL ENDS



jainson

COPPER PIN TYPE
TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1142	1.0	316-0 R	8.13	1000
1143	1.5	316-26	6.97	1000
1144	2.5	316-27	7.39	1000
1145	2.5	316-28	7.14	1000
1146	4	316-29	13.82	500
1147	4	316-30	30.13	500
1148	6	316-31	30.90	500
1149	6	316-32	30.90	500
1150	0.75	316-54R	7.42	1000
1151	2.5	316-52	18.37	1000
1152	10	316-33	42.49	400
1153	16	316-34	59.30	300
1154	1.5	316-35R	8.90	1000

jainson

COPPER PIN TYPE
TERMINAL ENDS




ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1155	2.5	316-101	16.55	1000
1156	2.5	316-102	20.03	1000
1157	6	316-103	33.89	1000
1158	6	316-104	28.20	1000

jainson

COPPER PIN TYPE
TERMINAL ENDS
(SPECIAL)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1159	16	316-105	46.95	500
1160	2.5	316-106	18.02	1000
1161	2.5	316- 2P2	14.33	1000
1162	2.5	T TYPE	15.01	1000
1163	4-6	T TYPE	18.29	1000



jainson

COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1164	0.75	JSP-01	4.47	1000
1165	0.75	JSF-02	4.23	1000
1166	0.75	JSR-03	4.33	1000
1167	0.75	JSP-04	4.80	1000
1168	1	JSP-05	5.14	1000
1169	1.5	JSP-06	5.59	1000
1170	1	JSR-07	5.35	1000
1171	1	JSR-08	5.35	1000
1172	1	JSR-09	5.48	1000
1173	1	JSR-10	5.14	1000
1174	1	JSR-11	5.64	1000
1175	1	JSR-12	5.48	1000
1176	1	JSR-13	6.01	1000
1177	1	JSR-14	6.01	1000
1178	1	JSR-15	6.45	1000

jainson

COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(INSULATED)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1179	0.75	JSP-01 (I)	7.29	1000
1180	0.75	JSF-02 (I)	7.08	1000
1181	0.75	JSR-03 (I)	7.08	1000
1182	0.75	JSP-04 (I)	7.29	1000
1183	1	JSP-05 (I)	8.17	1000
1184	1.5	JSP-06 (I)	8.36	1000
1185	1	JSR-07 (I)	8.17	1000
1186	1	JSR-08 (I)	8.17	1000
1187	1	JSR-09 (I)	8.17	1000
1188	1	JSR-10 (I)	7.49	1000
1189	1	JSR-11 (I)	8.36	1000
1190	1	JSR-12 (I)	8.17	1000
1191	1	JSR-13 (I)	9.01	1000
1192	1	JSR-14 (I)	8.90	1000
1193	1	JSR-15 (I)	9.61	1000



jainson

COPPER PIN TYPE, FORK TYPE,
RING TONGUE TERMINAL ENDS
(M.R.)



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1194	0.75	JSP-01 (R)	8.17	1000
1195	0.75	JSF-02 (R)	7.91	1000
1196	0.75	JSR-03 (R)	8.17	1000
1197	0.75	JSP-04 (R)	9.43	1000
1198	1	JSP-05 (R)	9.87	1000
1199	1.5	JSP-06 (R)	10.29	1000
1200	1	JSR-07 (R)	10.29	1000
1201	1	JSR-08 (R)	10.29	1000
1202	1	JSR-09 (R)	10.39	1000
1203	1	JSR-10 (R)	10.29	1000
1204	1	JSR-11 (R)	10.50	1000
1205	1	JSR-12 (R)	10.39	1000
1206	1	JSR-13 (R)	11.12	1000
1207	1	JSR-14 (R)	11.07	1000
1208	1	JSR-15 (R)	11.78	1000

jainson

COPPER REDUCER TYPE
TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1209	2.5	RPC-1	27.69	1000
1210	2.5	RPC-7	25.15	1000
1211	4	RPC-15	27.69	1000
1212	4	RPC-16	25.15	1000
1213	6	RPC-17	29.48	1000
1214	6	RPC-18	25.91	1000
1215	10	RPC-19	33.93	1000
1216	10	RPC-20	31.55	1000
1217	10	RPC-21	39.43	1000
1218	10	RPC-22	36.31	1000
1219	16	RPC-23	67.58	500
1220	16	RPC-24	67.58	500
1221	16	RPC-2	47.62	500
1222	25	RPC-25	78.04	400
1223	25	RPC-3	106.63	300
1224	35	RPC-4	103.89	300
1225	50	RPC-26	118.73	200
1226	50	RPC-5	258.58	100
1227	70	RPC-27	190.47	150
1228	70	RPC-6	238.99	100
1229	70	RPC-28	292.38	100
1230	95	RPC-29	277.99	75
1231	95	RPC-8	389.37	75
1232	95	RPC-31	259.34	100
1233	95	RPC-32	410.50	50

jainson

COPPER REDUCER TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1234	120	RPC-33	352.14	75
1235	120	RPC-34	349.42	50
1236	120	RPC-35	408.05	50
1237	120	RPC-36	546.19	50
1238	150	RPC-10	645.79	50
1239	150	RPC-37	501.22	50
1240	185	RPC-30	803.88	40
1241	185	RPC-38	668.29	50
1242	225	RPC-39	1044.20	25
1243	225	RPC-46	1307.35	25
1244	225	RPC-42	1282.28	25
1245	240	RPC-44	1336.58	25
1246	240	RPC-43	1023.00	25
1247	300	RPC-45	1286.44	20
1248	300	RPC-47	1356.51	20

jainson

COPPER REDUCER TYPE TERMINAL ENDS (SPECIAL ITEMS)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1249	4	RPC-51	46.71	1000
1250	10	RPC-52	62.16	500
1251	16	RPC-53	92.69	500
1252	25	RPC-54	125.12	300
1253	35	RPC-55	162.56	200
1254	50	RPC-56	175.33	150
1255	2.5	RPC-57	27.64	1000
1256	10	RPC-58	43.81	600
1257	25	RPC-59	116.88	400
1258	35	RPC-60	103.62	400
1259	50	RPC-61	121.13	200
1260	400	RPC-101	2445.59	10

jainson

ALUMINIUM CABLE SOCKETS

(CENTRAL PALM)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1261	70	JADC-25	38.00	100
1262	70	JADC-33	63.08	100
1263	120	JADC-26	73.58	50

jainson

COPPER REDUCER TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1264	1.5	JP-36	42.77	1000
1265	2.5	JP-37	39.90	1000
1266	4	JP-38	39.90	1000
1267	6	JP-39	42.33	1000
1268	10	JP-40	60.16	500
1269	10	JP-41	82.88	500
1270	16	JP-42	104.26	500
1271	25	JP-43	116.95	300
1272	35	JP-44	132.57	300
1273	50	JP-45	187.38	200
1274	70	JP-46	253.49	100

jainson

REDUCER TYPE SOLDERING TERMINAL ENDS

(Brass)



ITEM NO.	AREA Amps./mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1275	15	JE-40	40.51	1000
1276	30	JE-41	79.36	500
1277	60	JE-42	200.48	500
1278	100	JE-43	319.96	100
1279	150	JE-44	492.65	40
1280	200	JE-45	645.30	25
1281	300	JE-46	799.35	20
1282	50	JE-47	189.18	200
1283	70	JE-48	230.12	200
1284	150	JE-49	492.65	50
1285	50	JE-50	537.45	200
1286	300	JE-51	745.63	20
1287	300	JE-52	895.71	20
1288	300	JE-53	745.63	20
1289	400	JE-54	979.93	15

jainson

ALUMINIUM REDUCER TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1290	2.5	RPA-1	14.03	1000
1291	2.5	RPA-7	13.10	1000
1292	4	RPA-15	14.03	1000
1293	4	RPA-16	13.10	1000

jainson

ALUMINIUM REDUCER TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1294	6	RPA-17	15.91	1000
1295	6	RPA-18	13.17	1000
1296	10	RPA-19	17.28	1000
1297	10	RPA-20	15.91	1000
1298	10	RPA-21	19.44	1000
1299	10	RPA-22	18.82	1000
1300	16	RPA-23	36.43	500
1301	16	RPA-24	36.43	400
1302	16	RPA-2	24.33	500
1303	25	RPA-25	38.26	300
1304	25	RPA-3	50.33	300
1305	35	RPA-4	50.33	200
1306	50	RPA-26	57.99	150
1307	50	RPA-5	99.75	100
1308	70	RPA-27	87.64	100
1309	70	RPA-6	108.57	75
1310	70	RPA-28	134.25	75
1311	95	RPA-29	130.06	75
1312	95	RPA-8	174.54	75
1313	95	RPA-31	114.93	75
1314	95	RPA-32	189.57	75
1315	120	RPA-33	160.12	50
1316	120	RPA-34	160.12	50
1317	120	RPA-35	179.31	50
1318	120	RPA-36	246.34	50
1319	150	RPA-10	290.40	40
1320	150	RPA-37	232.55	50
1321	185	RPA-30	362.61	50
1322	185	RPA-38	293.75	40
1323	225	RPA-39	483.47	20
1324	225	RPA-46	686.18	20
1325	225	RPA-42	637.69	20
1326	240	RPA-44	623.32	20
1327	240	RPA-43	454.41	25
1328	300	RPA-45	581.39	15
1329	300	RPA-47	654.83	15

jainson

ALUMINIUM REDUCER TYPE TERMINAL ENDS

(SPECIAL)



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1330	6	RPA-51	22.28	1000
1331	10	RAP-52	23.16	1000
1332	25	RPA-53	30.94	300
1333	50	RPA-54	97.99	200

jainson

COPPER INSULATED FERRULES



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1334	○ 0.5	58 - 508 L6 (I)	2.20	1000
1335	○ 0.5	58 - 508 L8 (I)	2.59	1000
1336	○ 0.5	58 - 508 L10 (I)	2.77	1000
1337	● 0.75	58 - 509 L6 (I)	2.59	1000
1338	● 0.75	58 - 509 L8 (I)	2.67	1000
1339	● 0.75	58 - 509 L10 (I)	3.01	1000
1340	● 0.75	58 - 509 L12 (I)	3.16	1000
1341	● 1.0	58 - 510 L6 (I)	2.77	1000
1342	● 1.0	58 - 510 L8 (I)	2.82	1000
1343	● 1.0	58 - 511 L10 (I)	3.01	1000
1344	● 1.0	58 - 511 L12 (I)	3.45	1000
1345	● 1.5	58 - 512 L8 (I)	2.82	1000
1346	● 1.5	58 - 513 L10 (I)	2.91	1000
1347	● 1.5	58 - 513 L18 (I)	5.04	1000
1348	● 2.5	58 - 514 L8 (I)	3.40	1000
1349	● 2.5	58 - 515 L12 (I)	3.82	1000
1350	● 2.5	58 - 515 L18 (I)	5.04	1000
1351	● 4	58 - 516 L10 (I)	3.82	1000
1352	● 4	58 - 517 L12 (I)	4.43	1000
1353	● 4	58 - 517 L18 (I)	5.90	1000
1354	● 6	58 - 518 L10 (I)	4.28	1000
1355	● 6	58 - 519 L12 (I)	4.90	1000
1356	● 6	58 - 520 L15 (I)	5.83	1000
1357	● 6	58 - 520 L18 (I)	6.27	1000
1358	● 10	58 - 521 L12 (I)	7.20	500
1359	● 10	58 - 522 L15 (I)	7.81	500
1360	● 10	58 - 523 L18 (I)	9.79	500
1361	○ 16	58 - 524 L12 (I)	9.18	500
1362	○ 16	58 - 525 L15 (I)	9.79	500
1363	○ 16	58 - 526 L18 (I)	10.55	500
1364	● 25	58 - 527 L12 (I)	19.22	200
1365	● 25	58 - 527 L16 (I)	21.42	200
1366	● 25	58 - 527 L22 (I)	25.73	200
1367	● 35	58 - 528 L16 (I)	25.83	200
1368	● 35	58 - 528 L22 (I)	28.96	200
1369	● 35	58 - 528 L25 (I)	32.51	200
1370	● 50	58 - 529 L12 (I)	36.60	100
1371	● 50	58 - 529 L20 (I)	42.67	100
1372	● 50	58 - 529 L25 (I)	45.90	100
1373	● 70	58 - 530 L20 (I)	51.65	100
1374	● 70	58 - 530 L25 (I)	55.47	100
1375	● 95	58 - 531 L20 (I)	61.20	50
1376	● 95	58 - 531 L25 (I)	66.00	50



jainson

COPPER TWIN INSULATED FERRULES



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1377	○ 0.5	TW-508L8	6.71	1000
1378	○ 0.75	TW-509L8	7.22	1000
1379	○ 0.75	TW-509L10	7.74	1000
1380	● 1.0	TW-510L8	10.23	1000
1381	● 1.0	TW-511L10	10.55	1000
1382	● 1.5	TW-512L8	11.77	1000
1383	● 1.5	TW-513L12	12.24	1000
1384	● 2.5	TW-514L10	15.30	1000
1385	● 2.5	TW-515L12	15.86	1000
1386	○ 4.0	TW-517L12	20.42	1000
1387	○ 6.0	TW-520L14	22.72	500
1388	● 10.0	TW-522L14	24.99	500
1389	● 16.0	TW-525L14	28.15	500

jainson

SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1390	1.0	183689	6.96	1000
1391		183699	6.96	1000
1392		183709	6.96	1000
1393	1.5	183609	11.05	1000
1394	1.5	183619	13.86	1000
1395	1.5	183519	8.25	1000
1396	1.5	183519(I)	10.52	1000
1397	1.5	183529	11.57	1000
1398	1.5	183589	6.96	1000
1399	1.5	183599	9.46	1000
1400	1.5	183249	6.45	1000
1401	1.5	183259	8.60	1000
1402	1.5	183549	6.96	1000
1403	1.5	183559	8.76	1000
1404	1.5	181979	7.83	1000
1405	1.5	183369	6.80	1000
1406	1.5	183539	9.93	1000
1407	1.5	183569	6.96	1000
1408	1.5	183579	8.76	1000
1409	1.5	183629	9.30	1000
1410	1.5	183649	6.15	1000
1411	1.5	183679	22.97	1000
1412	1.5	186619	11.40	1000
1413	2.5	181789	12.62	1000
1414	1.5	182459	10.84	1000
1415	1.5	183319	11.68	1000
1416	2.5	183479	8.74	1000

jainson

SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1417	2.5	183479(I)	11.22	1000
1418	2.5	183489	12.57	1000
1419	2.5	183499	8.74	1000
1420	2.5	183509	12.57	1000
1421	2.5	183639	10.52	1000
1422	2.5	183659	14.72	1000
1423	2.5	183669	14.72	1000
1424	2.5	184739	16.66	1000
1425	2.5	184749	20.68	500
1426	2.5	184759	20.68	500
1427	2.5	184779	27.18	500
1428		182149	13.32	1000
1429		183469	14.91	1000
1430	1.2	186939	6.31	1000
1431	1.2	186949	4.91	1000
1432	1.2	186959	4.44	1000
1433	1.2	186979	2.99	1000
1434	4	184769(R)	16.47	500
1435	4	184769 I	13.58	500
1436	4	184769 PLAIN	11.66	1000

jainson

SNAP-ON TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²		 CAT. No.	PRICE EACH	STD PKG
1437	2.5		189609	9.35	1000
1438	2.5		189619	11.49	1000
1439	4		189629	24.43	1000
1440	1-2.5	6.3 X 0.8	119609	6.88	1000
1441	4-6	6.3 X 0.8	110119	9.55	1000
1442	0.5-1.25	6.3 X 0.8	119619	5.56	1000
1443	0.5-2	4.8 X 0.5	119659	4.24	1000
1444	0.5-2	4.8 X 0.5	119689	5.31	1000
1445	0.5-1.0	4.8 X 0.5	118609	5.31	1000
1446	0.5-1.5	6.3 X 0.8	119679	6.61	1000
1447	2.6	6.3 X 0.8	110129	8.05	1000
1448	0.5-2	4.8 X 0.5	119759	3.94	1000
1449	0.5-2	4.8 X 0.8	119789	4.69	1000
1450	0.25	2.8 X 0.5	118069	3.94	1000
1451	1-0	2.8 X 0.5	116969	6.93	1000
1452	1-0	2.8 X 0.8	116989	8.80	1000

jainson

SNAP ON TABS



ITEM NO.	TAB SIZE	jainson CAT. No.	PRICE EACH	STD PKG
1453	6.3	T- TOP I	12.62	1000
1454		C- CLIP II	12.80	1000

jainson SNAP ON TYPE TABS

TYPE



ITEM NO.	AREA mm ²	jainson CAT. No.	PRICE EACH	STD PKG
1455	1.5	150849 (VI)	11.91	1000
1456	2.5	150859 (VI)	12.19	1000
1457	6	150249 (VI)	14.28	1000
1458	...	150449 (IV)	7.97	1000
1459	...	150459 (IV)	8.97	1000
1460	1.2	150689 (I)	10.59	1000
1461	1.2	150729 (I)	10.59	1000
1462	1.5	150659 (VI)	11.42	1000
1463	2.0	150669 (VI)	11.42	1000
1464	2.0	150739 (I)	11.61	1000
1465	2.0	150769 (I)	14.83	1000
1466		150479 (IV)	9.30	1000
1467		150499 (II)	10.59	1000
1468		150509 (IV)	8.45	1000
1469		150799 (IV)	9.30	1000
1470		150819 (V)	7.30	1000
1471	2.5	151219 (I)	14.28	1000
1472	6	151059 (I)	16.28	1000
1473	1.2	150679 (I)	14.21	1000
1474		100019 (VI)	5.18	1000
1475		100029 (III)	5.18	1000
1476		100039 (VII)	6.36	1000
1477		100049 (V)	9.55	1000
1478		100059 (VI)	10.32	1000
1479		100069	10.59	1000
1480		150239	13.66	1000
1481		151019	16.82	1000
1482		150619	6.33	1000
1483		150519	8.45	1000
1484		150229	14.56	1000
1485		150349	12.46	1000
1486	6.3 X 0.8	100079	13.78	1000
1487	6.3 X 0.8	100089 IV	6.43	1000
1488	6.3 X 0.8	100099 IV	7.10	1000
1489	6.3 X 0.8	100109 IV	7.10	1000
1490	6.3 X 0.8	100119 II	8.97	1000
1491	6.3 X 0.8	110129 V	8.05	1000



SNAP ON TYPE TABS

jainson BI-METAL CABLE LUGS SUITABLE FOR 1.1 KV & ABOVE FOR R. CORE XLPE ALUMINIUM LT /HT CABLE



ITEM NO.	AL-CABLE SIZE Sq.mm-φE stud size	jainson CAT. No.	PRICE EACH	STD PKG
1492	16Sq mm-M8 16Sq mm-M10	JB1-16M 8 JB1-16M 10	438.79	200
1493	25Sq mm-M8 25Sq mm-M10	JB1-25M 8 JB1-25M 10	463.63	200
1494	35Sq mm-M8 35Sq mm-M10	JB1-35M 8 JB1-35M 10	463.63	200
1495	50Sq mm-M8 50Sq mm-M10 50Sq mm-M12	JB1-50M 8 JB1-50M 10 JB1-50M 12	516.61	100
1496	70Sq mm-M8 70Sq mm-M10 70Sq mm-M12	JB1-70M 8 JB1-70M 10 JB1-70M 12	521.58	100
1497	95Sq mm-M8 95Sq mm-M10 95Sq mm-M12	JB1-95M 8 JB1-95M 10 JB1-95M 12	521.58	75
1498	120Sq mm-M10 120Sq mm-M12	JB1-120M 10 JB1-120M 12	861.02	50
1499	150Sq mm-M10 150Sq mm-M12	JB1-150M 10 JB1-150M 12	869.30	50
1500	185Sq mm-M10 185Sq mm-M12 185Sq mm-M16	JB1-185M 10 JB1-185M 12 JB1-185M 16	1283.25	25
1501	240Sq mm-M10 240Sq mm-M12 240Sq mm-M16	JB1-240M 10 JB1-240M 12 JB1-240M 16	1308.09	25
1502	300Sq mm-M10 300Sq mm-M12 300Sq mm-M16	JB1-300M 10 JB1-300M 12 JB1-300M 16	1324.65	25
1503	400Sq mm-M12 400Sq mm-M14 400Sq mm-M16	JB1-400M 12 JB1-400M 14 JB1-400M 16	1589.58	20
1504	500Sq mm-M12 500Sq mm-M16 500Sq mm-M20	JB1-500M 12 JB1-500M 16 JB1-500M 20	6101.65	15
1505	630Sq mm-M12 630Sq mm-M16 630Sq mm-M20	JB1-630M 12 JB1-630M 16 JB1-630M 20	6316.91	15

jainson CABLE TERMINAL ENDS

Product Range 0.5mm² To 1000mm²

Jainson
COMPRESSION TYPE
ALUMINIUM TUBULAR
TERMINAL FOR
ALUMINIUM
CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1506	2.5	3.2	119-151	4.15	2000
1507	2.5	3.7	119-309	4.15	2000
1508	4	4.2	119-155	4.15	2000
1509	4	5.2	119-317	4.40	2000
1510	6	5.2	119-158	4.40	2000
1511	6	6.5	119-313	4.40	2000
1512	10	4.2	119-159	5.10	1000
1513	10	6.4	119-214	5.95	1000
1514	10	8.2	119-215	5.95	1000
1515	16	6.4	119-252	6.60	1000
1516	16	8.2	119-216	6.60	1000
1517	16	10.2	119-217	6.60	1000
1518	25	6.4	119-253	8.85	500
1519	25	8.2	119-218	8.85	500
1520	25	10.2	119-219	8.85	500
1521	25	12.7	119-220	8.85	500
1522	35	6.4	119-254	11.60	500
1523	35	8.2	119-221	11.60	500
1524	35	10.2	119-222	11.60	500
1525	50	8.2	119-255	17.45	250
1526	50	10.2	119-312	17.45	250
1527	50	12.7	119-224	17.45	250
1528	70	8.2	119-256	27.55	200
1529	70	10.2	119-225	27.55	200
1530	70	12.7	119-226	27.55	200
1531	95	10.2	119-227	31.25	150
1532	95	12.7	119-228	31.25	150
1533	95	16.2	119-229	31.25	150
1534	120	10.2	119-257	43.80	100
1535	120	12.7	119-230	43.80	100
1536	120	16.2	119-231	43.80	100
1537	150	10.2	119-258	58.00	80
1538	150	12.7	119-232	58.00	80
1539	150	16.2	119-233	58.00	80
1540	185	10.2	119-311	74.80	75
1541	185	12.7	119-234	74.80	75
1542	185	16.2	119-235	74.80	75
1543	225	12.7	119-320	98.70	40
1544	240	12.7	119-236	124.80	40
1545	240	16.2	119-237	124.80	40
1546	300	16.2	119-300	166.90	30
1547	300	20.3	119-259	166.90	30
1548	400	20.3	119-260	261.15	20
1549	500	20.3	119-296	356.15	15
1550	630	20.3	119-261	464.20	10
1551	800	W/E	119-318	726.00	4
1552	1000	W/E	119-319	1272.70	4

Jainson
ALUMINIUM TUBULAR
TERMINAL ENDS WITH
LONG BARREL FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1553	2.5	3.2	119-551	4.95	2000
1554	2.5	3.7	119-509	4.95	2000
1555	4	4.2	119-555	4.95	2000
1556	4	5.1	119-517	5.85	2000
1557	6	5.2	119-558	5.85	2000
1558	6	6.4	119-513	5.85	2000
1559	10	4.2	119-514	7.25	800
1560	10	6.4	119-515	7.25	800
1561	16	6.4	119-552	8.70	800
1562	16	8.2	119-516	8.70	800
1563	16	10.2	119-617	8.70	800
1564	25	8.2	119-518	10.20	500
1565	25	10.2	119-519	10.20	500
1566	25	12.7	119-520	10.20	500
1567	35	8.2	119-521	14.55	400
1568	35	10.2	119-522	14.55	400
1569	50	8.2	119-655	22.45	200
1570	50	10.2	119-512	22.45	200
1571	50	12.7	119-524	22.45	200
1572	70	8.2	119-556	36.30	125
1573	70	10.2	119-525	36.30	125
1574	70	12.7	119-526	36.30	125
1575	95	10.2	119-527	39.95	100
1576	95	12.7	119-528	39.95	100
1577	95	16.2	119-529	39.95	100
1578	120	10.2	119-557	54.15	80
1579	120	12.7	119-530	54.15	80
1580	120	16.2	119-531	54.15	80
1581	150	10.2	119-658	73.90	60
1582	150	12.7	119-532	73.90	60
1583	150	16.2	119-533	73.90	60
1584	185	10.2	119-511	96.00	50
1585	185	12.7	119-534	96.00	50
1586	185	16.2	119-535	96.00	50
1587	225	12.7	119-620	138.50	30
1588	240	12.7	119-536	155.25	30
1589	240	16.2	119-537	155.25	30
1590	300	16.2	119-500	203.65	25
1591	300	20.3	119-559	203.65	25
1592	400	20.3	119-560	320.55	12
1593	500	20.3	119-596	464.45	10
1594	630	20.3	119-561	609.40	8
1595	800		119-618	952.30	4
1596	1000		119-619	1766.60	4

G. J METAL INDUSTRIES

Mumbai - 400064 | Mob. : 9820534847
December - 2025

Jainson
COMPRESSION TYPE
ALUMINIUM TUBULAR
IN-LINE CONNECTORS FOR
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	PRICE EACH	STD PKG
1597	2.5	119-145	3.05	2000
1598	2.5	119-6	3.05	2000
1599	4	119-5	3.05	2000
1600	6	119-13	3.05	2000
1601	10	119-146	3.55	1000
1602	10	119-14	3.95	1000
1603	16	119-4	5.30	1000
1604	25	119-3	7.55	500
1605	35	119-2	9.80	500
1606	50	119-12	13.85	250
1607	70	119-1	26.15	200
1608	95	119-15	28.40	150
1609	120	119-9	37.80	100
1610	150	119-10	45.70	80
1611	185	119-11	62.40	75
1612	225	119-147	105.55	40
1613	240	119-16	104.25	40
1614	300	119-17	152.95	30
1615	400	119-18	232.15	20
1616	500	119-19	311.30	15
1617	625	119-20	402.30	10
1618	800	119-148	837.60	4
1619	1000	119-149	1081.50	4

Jainson
ALUMINIUM TERMINALS
FOR ALUMINIUM XLPE
CONDUCTORS.



ITEM NO.	AREA mm ² - E	Jainson CAT. No.	PRICE EACH
1620	25 - 8	JAXL-17	15.25
1621	35 - 8	JAXL-18	20.80
1622	50 - 10	JAXL-19	33.00
1623	70 - 10	JAXL-20	44.30
1624	95 - 12	JAXL-21	68.75
1625	120 - 12	JAXL-22	87.80
1626	150 - 12	JAXL-23	127.10
1627	185 - 12	JAXL-24	168.30
1628	225 - 12	JAXL-25	208.95
1629	240 - 12	JAXL-26	232.15
1630	300 - 20	JAXL-27	303.40
1631	400 - 20	JAXL-28	482.75
1632	500 - 20	JAXL-29	671.35
1633	630 - 20	JAXL-30	960.20
1634	800 - 20	JAXL-31	1297.85
1635	1000 - 20	JAXL-32	2763.10

PRICE-LIST
01.08.2026



jainson
CABLE GLANDS

jainson

SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND



ITEM NO.	Core Size sq. mm	mm	Inch	Jainson CAT. No.	PRICE EACH	STD PKG
1	1.5 X 2	10	3/8"	JC-3/8"	72.26	200
2	1.5 X 3	12	1/2"	JC-1/2"L	69.22	150
3	1.5 X 3	12	1/2"	JC-1/2"M	82.30	150
4	1.5 X 3	12	1/2"	JC-1/2"H	97.40	100
5	2.5 X 3	16	5/8"	JC-5/8"L	69.11	150
6	1.5 X 4			JC-5/8"M	91.43	150
7				JC-5/8"H	112.28	100
8	1.5 X 5,6,7			JC-3/4"L	84.33	100
9	2.5 X 4	19	3/4"	JC-3/4"M	104.28	100
10				JC-3/4"H	143.29	100
11	4 X 6			JC-7/8"L	105.75	100
12	6 X 4	22	7/8"	JC-7/8"M	121.98	100
13				JC-7/8"H	154.22	100
14	2.5 X 7,10,12			JC-1"L	131.22	50
15	10 X 4	25	1"	JC-1"M	152.76	50
16				JC-1"H	205.29	50
17				JC-1"SP	218.82	40
18	16 X 3,4	28	1.1/8"	JC-1.1/8"	289.23	50
19				JC-1.1/8"L	222.76	50
20	25 X 3.5,4			JC-1.1/4"	345.21	30
21	35 X 3.5,4	32	1.1/4"	JC-1.1/4"L	281.10	30
22	50 X 3.5,4	35	1.3/8"	JC-1.3/8"	437.26	35
23				JC-1.3/8"L	350.99	40
24	70 X 3,3.5			JC-1.1/2"	488.65	25
25	95 X 3	38	1.1/2"	JC-1.1/2"L	408.03	25
26	95 X 3.5			JC-1 3/4"	615.11	16
27	120 X 3.5	45	1.3/4"	JC-1 3/4"L	473.09	20
28	150 X 3.5			JC-2"	789.19	12
29	185 X 3	50	2"	JC-2"L	721.54	14
30	185 X 3.5	57	2.1/4"	JC-2 1/4"	910.70	12
31				JC-2 1/4"L	761.14	12
32	240 X 3,3.5	63	2.1/2"	JC-2 1/2"	1092.80	7
33				JC-2 1/2"L	833.27	8
34	300 X 3,3.5	70	2.3/4"	JC-2 3/4"	1254.50	6
35				JC-2 3/4"L	1084.55	7
36	400 X 3	75	3"	JC-3"	1522.87	6
37				JC-3"L	1279.72	6
38	400 X 3.5	82	3.1/4"	JC-3 1/4"	1687.05	5
39				JC-3.1/4"L	1419.62	5
40	500 X 3.5	88	3.1/2"	JC-3.1/2"	2630.40	3
41				JC-3.1/2L	2228.26	3
42	625 X 3.5	100	4"	JC-4"	3225.59	1
43	625 X 3.5	115	4.1/2"	JC-4.1/2"	4901.45	1

jainson

SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND SIBG
(HEAVY DUTY)



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA ABOVE	UPTO	NIPPLE	Jainson CAT. No.	PRICE EACH	STD PKG
44	9.0	12.0	1/2"	1612	130.94	150
45	9.0	16.0	5/8"	1616	183.27	100
46	10.0	16.0	3/4"	1619	199.54	100
47	14.0	20.0	3/4"	2119	237.61	60
48	14.0	20.0	1"	2125	256.58	40
49	20.0	26.0	1"	2925	374.79	30
50	24.0	29.0	1-1/4"	2932	432.66	30
51	24.0	29.0	1-1/2"	2938	432.66	20
52	31.0	37.0	1-1/2"	3638	672.39	12
53	42.0	45.0	2"	4251	1045.30	12
54	44.0	50.0	2"	5451	1188.50	8
55	44.0	50.0	2-1/2"	5463	1221.97	8
56	54.0	60.0	2-1/2"	6063	1613.27	8
57	60.0	66.0	3"	6675	1835.20	4
58	70.0	77.0	3-1/4"	7882	2432.51	4
59	79.0	84.0	3-1/2"	8490	3509.87	2

jainson

SINGLE COMPRESSION SIEMENS TYPE
BRASS CABLE GLAND
(LONG NIPPLE)



ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
60	1.5 X 3	12	JC-1/2"L.N.	110.55	150
61	2.5 X 3	1.5X4 16	JC-5/8"L.N.	114.32	150
62	1.5 X 5,6,7	2.5X4 16	JC-3/4"L.N.	154.40	100
63	4.0 X 6	6X4 22	JC-7/8"L.N.	165.95	100
64	2.5 X 7,10,12		JC-1"L.N.	220.16	50
65	10 X 4	25	JC-1"SP L.N.	248.21	75
66	16 X 3,4	28	JC-1.1/8"L.N.	316.34	50
67	25-35 X 3.5,4	32	JC-1.1/4"L.N.	388.23	30
68	50 X 3.5,4	35	JC-1.3/8"L.N.	496.43	30
69	70 X 3,3.5	38	JC-1.1/2"L.N.	613.82	25
70	95 X 3.5	120 X 3.5 45	JC-1.3/4"L.N.	649.41	16
71	150 X 3.5	50	JC-2"L.N.	812.41	12



YASH TRADING CO. MUMBAI-67

This Price-List cancels all our previous Price Lists.

Be Passionate & Bold, Always keep learning. You stop doing useful things if you don't learn. – SATYA NADELLA

jainson**DOUBLE COMPRESSION FLAME
PROOF TYPE BRASS CABLE GLAND
(LIGHT DUTY)**

ITEM NO.	Core Size sq. mm	mm	jainson CAT. No.	PRICE EACH	STD PKG
72	1.5 X 2	10	JPFL-3/8"	295.93	50
73	1.5 X 3	12	JPFL-1/2"	295.93	50
74	2.5 X 2 1.5 X 4	16	JPFL-5/8"	312.50	40
75	1.5 X 5,6,7 2.5 X 4	19	JPFL-3/4"	348.45	40
76	4 X 6 1.5 X 10	22	JPFL-7/8"	444.00	30
77	2.5 X 10,12 10 X 4	25	JPFL-1"	558.93	20
78	25 X 3.5 1.5 X 24	28	JPFL-1.1/8"	695.38	12
79	50-35 X 3.5	32	JPFL-1.1/4"	892.96	12
80	50 X 3.5,4	35	JPFL-1.3/8"	1052.01	12
81	70-95 X 3	38	JPFL-1.1/2"	1304.03	9
82	95-120 X 3.5	45	JPFL-1.3/4"	1525.50	7
83	150 X 3.5 185 X 3	50	JPFL-2"	1944.32	7
84	185 X 3.5	57	JPFL-2.1/4"	2169.88	6
85	240 X 3.5	63	JPFL-2.1/2"	3007.09	2
86	300 X 3.5	70	JPFL-2.3/4"	3408.70	2
87	400 X 3,3.5	75	JPFL-3"	4417.88	2
88			JPFL-3.1/4"	6165.05	2
89	500 X 3.5	88	JPFL-3.1/2"	7975.51	2
90	625 X 3.5	100	JPFL-4"	11151.33	1

jainson**DOUBLE COMPRESSION FLAME PROOF
BRASS CABLE GLAND**

ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
91	10.5	15.0	3/4"	JPF-01S	487.36	30
92	13.5	18.5	3/4"	JPF-01	543.61	25
93	13.5	18.5	1"	JPF-01A	618.92	25
94	14.0	20.0	1"	JPF-02	695.69	20
95	14.0	20.0	3/4"	JPF-02A	762.43	20
96	17.0	23.0	1"	JPF-03	770.44	20
97	20.0	26.0	1"	JPF-04	965.81	12
98	20.0	26.0	1.1/4"	JPF-04A	1104.47	12
99	24.0	30.0	1.1/4"	JPF-05	1194.21	12
100	24.0	30.0	1.1/2"	JPF-05A	1356.21	12
101	27.0	33.0	1.1/2"	JPF-06	1667.70	12
102	27.0	33.0	1.1/4"	JPF-06A	1834.66	12
103	30.0	37.0	1.1/2"	JPF-07	1927.22	10
104	35.0	41.0	2"	JPF-08	2384.25	7
105	40.0	46.0	2"	JPF-09	2712.42	7
106	46.0	52.0	2"	JPF-010	3120.52	6
107	46.0	52.0	2.1/2"	JPF-010A	3588.72	5
108	54.0	60.0	2.1/2"	JPF-011	4296.36	2
109	60.0	67.0	3"	JPF-012	5376.37	2
110	72.0	78.0	3.1/4"	JPF-013	6775.75	2
111	66.0	72.0	3"	JPF-013A	7792.07	2
112	78.0	84.0	3.1/2"	JPF-014	8000.40	2
113	88.0	94.0	4"	JPF-015	11746.61	1
114	98.0	105.0	4.1/2"	JPF-016	13347.46	1

jainson**DOUBLE COMPRESSION WEATHER
PROOF BRASS CABLE GLAND
(HEAVY DUTY)**

ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
115	8.0	14.0	3/4"	JPW-001	314.65	50
116	10.5	15.0	3/4"	JPW-01S	429.30	30
117	13.5	18.5	3/4"	JPW-01	462.67	30
118	13.5	18.5	1"	JPW-01A	512.27	25
119	14.0	20.0	1"	JPW-02	614.41	20
120	14.0	20.0	3/4"	JPW-02A	627.71	20
121	17.0	23.0	1"	JPW-03	659.73	20
122	20.0	26.0	1"	JPW-04	842.81	12
123	20.0	26.0	1.1/4"	JPW-04A	969.53	12
124	24.0	30.0	1.1/4"	JPW-05	1105.49	12
125	24.0	30.0	1.1/2"	JPW-05A	1238.74	12
126	27.0	33.0	1.1/2"	JPW-06	1456.32	12
127	27.0	33.0	1.1/4"	JPW-06A	1527.91	12
128	30.0	37.0	1.1/2"	JPW-07	1736.58	10
129	35.0	41.0	2"	JPW-08	2035.89	7
130	40.0	46.0	2"	JPW-09	2266.66	7
131	46.0	52.0	2"	JPW-010	2713.55	6
132	46.0	52.0	2.1/2"	JPW-010A	3256.71	5
133	54.0	60.0	2.1/2"	JPW-011	3903.14	2
134	60.0	67.0	3"	JPW-012	4713.03	2
135	72.0	78.0	3.1/4"	JPW-013	6045.79	2
136	66.0	72.0	3"	JPW-013A	6329.66	2
137	78.0	84.0	3.1/2"	JPW-014	6729.87	2
138	88.0	94.0	4"	JPW-015	9824.24	1
139	98.0	105.0	4.1/2"	JPW-016	11865.66	1
140	88.0	105.0	4"	JPW-017	12279.62	1

jainson**FLANGE TYPE BRASS CABLE GLAND**

ITEM NO.	Core Size sq. mm	mm	jainson CAT. No.	PRICE EACH	STD PKG
141	1.5 X 2,3,4 2.5 X 2,3	16	JF 5	200.60	75
142	2.5 X 4 4-6 X 2,3,4	19	JF 4	275.56	50
143	10 X 2,3 6 X 4	22	JF 3	319.17	50
144	16 X 2,3,4 10 X 4	25	JF 2	433.96	40
145	25 X 2,3,3.5	28	JF 1SP	608.63	35
146	35 X 2,3,3.5	32	JF 1	571.97	35
147	50 X 3,3.5	35	JF 11	653.42	20
148	70 X 3.5 95 X 3	38	JF 0	665.44	20
149	70 X 3.5	38	JF 00	686.18	20
150	95 X 3.5 120 X 3	45	JF 38	837.28	16
151	150 X 3,3.5 120 X 3.5	45	JF 001	1035.99	12
152	185 X 3,3.5	50	JF 002	1112.25	12
153	225 X 3,3.5	57	JF 003	1363.88	8
154	300 X 3,3.5 240 X 3.5	63	JF 0033	1596.06	6
155	400 X 3.5	75	JF 004	2208.70	6
156	500 X 3.5	100	JF 005	3315.64	2

Jainson CABLE GLAND SELECTION CHART



CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE			
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.	

AYY (ARMoured & UNARMoured SINGLE CORE POWER CABLES) 650/1100V

			Armoured	Unarmoured	Armoured	Unarmoured	Armoured Unarmoured	Armoured Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured
1 x 4	12.3	9.5	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-1/2"	JC-1/2"	1616	1616	1613	1609
1 x 6	12.8	10.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-5/8"	JC-1/2"	1616	1616	1613	1611
1 x 10	13.5	11.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619, 1619		1613	1611
1 x 16	15.5	12.5	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619 1619		1615	1613
1 x 25	16.5	14.0	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2116	1613
1 x 35	17.0	15.0	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2118	1615
1 x 50	18.5	16.5	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-3/4"	JF-4	JC-1"	JC-3/4"	2125	1619	2118	1615
1 x 70	21.0	19.0	JPW-02	JPW-01	JPF-02	JPF-01	JPFL-7/8"	JF-3	JC-1"	JC-1"	2125	2125	2120	2118
1 x 95	23.0	21.0	JPW-03	JPW-02	JPF-03	JPF-02	JPFL-1"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932 2125		2923	2120
1 x 120	25.0	23.0	JPW-04	JPW-03	JPF-04	JPF-03	JPFL-1.1/8"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932 2925		2925	2923
1 x 150	26.0	24.5	JPW-04	JPW-04	JPF-04	JPF-04	JPFL-1.1/8"	JF-1	JC-1.1/8"	JC-1.1/4"	2925,2932 2925,2932		2925	2925
1 x 185	29.0	27.0	JPW-05	JPW-04	JPF-05	JPF-04	JPFL-1.1/4"	JF-1	JC-1.1/4"	JC-1.1/4"	2932	2925,2932	2929	2927
1 x 225	31.5	29.5	JPW-06	JPW-05	JPF-06	JPF-05	JPFL-1.1/4"	JF-11	JC-1.3/8"	JC-1.3/8"	3638	2932,2938	3631	2929
1 x 240	33.5	32.0	JPW-06	JPW-06	JPF-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	JC-1.1/2"	3638	3638	3633	3633
1 x 300	36.0	39.0	JPW-07	JPW-07	JPF-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	JC-1.3/4"	3638	3638	3637	3637
1 x 400	41.0	39.0	JPW-08	JPW-08	JPF-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	JC-2"	4251	4251	4240	4240
1 x 500	43.0	42.0	JPW-09	JPW-09	JPF-09	JPF-09	JPFL-1.3/4"	JF-001	JC-2"	JC-2"	4251	4251	4242	4242
1 x 625	49.0	47.0	JPW-010	JPW-09	JPF-010	JPF-09	JPFL-2"	JF-002	JC-2.1/4"	JC-2"	5451	5451,5463	5448	5448
1 x 800	54.0	52.0	JPW-011	JPW-010	JPF-011	JPF-010	JPFL-2.1/4"	JF-003	JC-2.1/4"	JC-2.1/4"	6063	5463	6055	5450
1 x 1000	59.0	57.0	JPW-011	JPW-011	JPF-011	JPF-011	JPFL-2.1/2"	JF-003	JC-2.1/2"	JC-2.1/2"	6063	6063	6060	6060

AYWY (ARMoured TWIN CORE POWER CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF-01S	JPFL-1/2"	JF-5	JC-1/2"	1616	1615
2 x 2.5	16.0	9.0	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616,1619	1615
2 x 4	17.5	10.5	JPW-01	JPF-01	JPFL-5/8"	JF-4	JC-3/4"	1616,1619,	1615
2 x 6	18.5	11.5	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-7/8"	2119,2125	2118
2 x 10	20.5	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-1"	2119,2125	2120
2 x 16	22.5	16.5	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
2 x 25	25.0	19.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1.1/8"	2925,2932	2925
2 x 35	27.5	22.0	JPW-05	JPF-05	JPFL-1.1/8"	JF-1	JC-1.1/4"	2932,2938	2927
2 x 50	29.0	23.5	JPW-05	JPF-05	JPFL-1.1/4"	JF-11	JC-1.1/4"	2932,2938	2927
2 x 70	31.0	25.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.1/4"	2938	2929
2 x 95	33.0	27.0	JPW-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	2938	2929
2 x 120	34.0	28.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.3/8"	3638	3633
2 x 150	38.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
2 x 185	41.0	35.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
2 x 240	46.0	40.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-002	JC-2"	5451	5446
2 x 300	51.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-003	JC-2.1/4"	5463	5450
2 x 400	57.0	50.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6060

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMOURED THREE CORE POWER CABLES) 650/1100V

3 X 1.5	15.5	8.5	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 X 2.5	17.0	10.5	JPW-01S	JPF-01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
3 X 4	18.0	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2116
3 X 6	19.5	12.5	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
3 X 10	20.5	14.5	JPW-03	JPF-03	JPFL-1"	JF-3	JC-1"	2119, 2125	2120
3 X 16	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2925, 2932	2923
3 X 25	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2932, 2938	2923
3 X 35	25.5	20.0	JPW-04	JPF-04	JPFL-1-1/4"	JF-1	JC-1-1/8"	2932, 2938	2925
3 X 50	29.0	23.0	JPW-05	JPF-05	JPFL-1-3/8"	JF-1	JC-1-1/4"	2932, 2938	2929
3 X 70	33.0	27.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-0	JC-1-3/8"	3638	3633
3 X 95	37.0	31.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
3 X 120	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3 X 150	44.0	38.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3 X 185	49.0	42.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5448
3 X 225	54.0	47.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	6063	6053
3 X 240	56.0	49.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/2"	6063	6055
3 X 300	62.0	54.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-3/4"	6063	6060
3 X 400	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-3"	7882	7868
3 X 500	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

AYFY (ARMOURED MULTI CORE POWER CABLES) 650/1100V

3.5 X 25/16	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2925, 2932	2925
3.5 X 35/16	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
3.5 X 50/25	32.0	26.0	JPW-06	JPF-06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
3.5 X 70/35	35.0	29.0	JPW-07	JPF-07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3635
3.5 X 95/50	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3.5 X 120/70	43.0	37.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3.5 X 150/70	48.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3.5 X 185/95	52.0	45.0	JPW-010	JPF-010	JPFL-2-1/4"	JF-002	JC-2-1/4"	5463	5450
3.5 X 225/120	58.0	50.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-003	JC-2-1/2"	6063	6058
3.5 X 240/120	61.0	53.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
3.5 X 300/150	66.0	58.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-0033	JC-2-3/4"	6675	6664
3.5 X 400/185	74.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874
3.5 X 500/240	82.0	72.0	JPW-014	JPF-014	JPFL-3-1/2"	JF-005	JC-3-1/2"	8490	8482

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 1.5	16.5	10.0	JPW-01S	JPF-01S	JPFL-5/8"	JF-5	JC-3/4"	1616, 1619	1615
4 X 2.5	17.5	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
4 X 4	19.5	13.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
4 X 6	20.0	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2125	2120
4 X 10	21.5	16.0	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
4 X 16	25.5	20.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1-1/8"	2925, 2932	2925
4 X 25	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
4 X 35	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/8"	JF-1	JC-1-3/8"	2938	2927
4 X 50	33.0	26.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-11	JC-1-3/8"	2938	2929

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 70	37.0	30.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
4 X 95	42.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4242
4 X 120	45.0	36.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	5451	5446
4 X 150	50.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5463	5450
4 X 185	55.0	48.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	5463	5450
4 X 240	62.0	54.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
4 X 300	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-2-3/4"	6675	6664
4 X 400	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF -01S	JPFL-3/8"	JF-5	JC-1/2"	1616	1613
3 x 1.5	15.5	8.5	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-1/2"	1616, 1619	1615
4 x 1.5	16.5	9.5	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
5 x 1.5	17.0	10.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
6 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
7 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
10 x 1.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
12 x 1.5	20.5	14.0	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
14 x 1.5	21.0	15.0	JPW-03	JPF -03	JPFL-7/8"	JF-2	JC-1"	2125	2120
16 X 1.5	21.5	15.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
19 x 1.5	22.5	16.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
24 x 1.5	25.5	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
27 x 1.5	26.0	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
30 x 1.5	27.0	21.5	JPW-05	JPF -05	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
37 x 1.5	29.0	23.0	JPW-05	JPF -05	JPFL-1.1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
44 x 1.5	33.0	26.0	JPW-06	JPF -06	JPFL-1.3/8"	JF-11	JC-1-3/8"	3638	3631
52 x 1.5	34.0	27.0	JPW-07	JPF -07	JPFL-1.3/8"	JF-0	JC-1-1/2"	3638	3633
61 x 1.5	36.0	29.0	JPW-07	JPF -07	JPFL-1.1/2"	JF-00	JC-1-1/2"	3638	3635

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 2.5	16.0	10.0	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 x 2.5	17.0	11.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
4 x 2.5	17.5	11.5	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
5 x 2.5	19.0	12.5	JPW-02	JPF -02	JPFL-7/8"	JF-4	JC-7/8"	2119, 2125	2118
6 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
7 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
10 x 2.5	22.0	16.5	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
12 x 2.5	22.5	17.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
14 x 2.5	23.5	17.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925	2923
16 X 2.5	24.5	18.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925, 2932	2923
19 x 2.5	25.5	19.0	JPW-04	JPF -04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
24 x 2.5	29.5	22.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
27 x 2.5	30.0	23.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2929
30 x 2.5	32.0	25.0	JPW-06	JPF -06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
37 x 2.5	34.0	28.0	JPW-07	JPF -07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3633
44 x 2.5	38.0	31.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
52 x 2.5	39.0	32.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-38	JC-1-3/4"	4251	4238
61 x 2.5	42.0	35.0	JPW-09	JPF -09	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMoured THREE CORE POWER CABLES) 1900 /3300V

3 X 25	29.0	21.0	JPW-05	JPF-05	JPFL-1.1/4"	JF-1	JC-1.1/4"	2932, 2938	2927
3 X 35	31.0	24.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.3/8"	2932, 2938	2929
3 X 50	34.0	26.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.1/2"	3638	3633
3 X 70	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 95	41.0	33.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4238
3 X 120	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 150	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 185	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 225	55.0	46.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 240	56.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6055
3 X 300	62.0	52.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6063	6060
3 X 400	69.0	59.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-3"	7882	7868
3 X 500	77.0	66.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMoured THREE CORE POWER CABLES) 3800/6600V

3 X 25	35.0	27.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-0	JC-1.1/2"	3638	3635
3 X 35	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 50	40.0	32.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4240
3 X 70	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 95	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 120	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 150	54.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 185	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 225	61.0	51.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6060
3 X 240	63.0	53.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 300	67.0	57.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	7882	7870
3 X 400	73.0	63.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	79.0	68.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMoured THREE CORE POWER CABLES) 6600V(UE GRADE)

3 X 25	38.0	30.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
3 X 35	40.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-38	JC-1.3/4"	4251	4240
3 X 50	43.0	34.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4240
3 X 70	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 95	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 120	52.0	43.0	JPW-010	JPF-010	JPFL-2.1/4"	JF-002	JC-2.1/4"	6063	6053
3 X 150	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 185	60.0	50.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6058
3 X 225	64.0	54.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 240	66.0	56.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	6675	6664
3 X 300	71.0	61.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-2.3/4"	7882	7870
3 X 400	76.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	83.0	71.0	JPW-014	JPF-014	JPFL-3.1/2"	JF-005	JC-3.1/2"	8490	8482

**PRICES ARE SUBJECT TO CHANGE
WITHOUT PRIOR NOTICE.**

NOTE : For selection of Cable Glands please ask for our glands Dimensional catalogue.
Entire range of PVC shrouds, earth tag & reducer available.
WE MAKE SPECIAL TYPE OF GLANDS AS PER SAMPLE OR DRAWING.

PRODUCT RANGE OF **jainson** GROUP



S. J. METAL INDUSTRIES
Cable Terminal Ends



YASH TRADING COMPANY
Cable Glands

Plot no 58/C, Kandivali Co-op. Indl. Estate Ltd, Kandivali West, Mumbai 400067.

Mobiles : +91 99875 86779 | +91 93222 29523

E-mail: jainsongroup@hotmail.com | info@jainsongroup.co.in

web: www.jainsongroup.co.in