

# **PLA COMPONENTS**


PLA HOUSE, (THAKOR ESTATE), KURLA-KIROL ROAD, VIDHYAVIHAR (W), MUMBAI - 400 086

Tel: +91 22 4601 6799 / 91526 26104 Mob: +91 70454 59530

Email:- sales@plarelays.com Web:- www.plarelays.com

## PRICE LIST (w.e.f. 12th February 2026)

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (± 10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
<b>1 MPC V1 : PLUG-IN TYPE RELAYS 6 Amps Resistive @ 24VDC / 250VAC (100000 ops)</b>								
		1944	MPC 2C 6D 6 Amps L V1	6 VDC	40	20	85364100	303.00
		1945	MPC 2C 12D 6 Amps L V1	12 VDC	160	20	85364100	282.00
		1946	MPC 2C 18D 6 Amps L V1	18 VDC	350	20	85364100	320.00
		1947	MPC 2C 24D 6 Amps L V1	24 VDC	650	20	85364100	282.00
		1948	MPC 2C 30D 6 Amps L V1	30 VDC	1.0K	20	85364100	292.00
		1949	MPC 2C 48D 6 Amps L V1	48 VDC	2.6K	20	85364100	292.00
		1950	MPC 2C 110D 6 Amps L V1	110 VDC	11K	20	85364900	315.00
		1943	MPC 2C 220D 6 Amps L V1	220 VDC	54K	20	85364900	353.00
		1981	MPC 2C 6A 6 Amps L V1	6 VAC	12	20	85364100	312.00
		1971	MPC 2C 12A 6 Amps L V1	12 VAC	46	20	85364100	284.00
	1973	MPC 2C 24A 6 Amps L V1	24 VAC	180	20	85364100	296.00	
	1984	MPC 2C 48A 6 Amps L V1	48 VAC	735	20	85364100	298.00	
	1974	MPC 2C 110A 6 Amps L V1	110 VAC	4.4K	20	85364900	296.00	
	1975	MPC 2C 240A 6 Amps L V1	240 VAC	19K	20	85364900	342.00	
	1972	MPC 2C 415A 6 Amps L V1	415 VAC	54K	20	85364900	368.00	
		1957	MPC 3C 6D 6 Amps L V1	6 VDC	40	20	85364100	368.00
		1951	MPC 3C 12D 6 Amps L V1	12 VDC	160	20	85364100	356.00
		1952	MPC 3C 18D 6 Amps L V1	18 VDC	350	20	85364100	357.00
		1953	MPC 3C 24D 6 Amps L V1	24 VDC	650	20	85364100	356.00
		1954	MPC 3C 30D 6 Amps L V1	30 VDC	1.0K	20	85364100	383.00
		19401	MPC 3C 48D 6 Amps L V1	48 VDC	2.6K	20	85364100	383.00
		19403	MPC 3C 110D 6 Amps L V1	110 VDC	11K	20	85364900	396.00
		1956	MPC 3C 220D 6 Amps L V1	220 VDC	54K	20	85364900	515.00
		1982	MPC 3C 6A 6 Amps L V1	6 VAC	12	20	85364100	344.00
		1976	MPC 3C 12A 6 Amps L V1	12 VAC	46	20	85364100	342.00
	1977	MPC 3C 24A 6 Amps L V1	24 VAC	180	20	85364100	356.00	
	1983	MPC 3C 48A 6 Amps L V1	48 VAC	735	20	85364100	396.00	
	1978	MPC 3C 110A 6 Amps L V1	110 VAC	4.4K	20	85364900	396.00	
	1979	MPC 3C 240A 6 Amps L V1	240 VAC	19K	20	85364900	413.00	
	1980	MPC 3C 415A 6 Amps L V1	415 VAC	54K	20	85364900	515.00	
		6251	MPC 2C 6D 12 Amps L V1	6 VDC	40	20	85364100	372.00
		6252	MPC 2C 12D 12 Amps L V1	12 VDC	160	20	85364100	348.00
		6253	MPC 2C 18D 12 Amps L V1	18 VDC	350	20	85364100	391.00
		6254	MPC 2C 24D 12 Amps L V1	24 VDC	650	20	85364100	357.00
		6255	MPC 2C 30D 12 Amps L V1	30 VDC	1.0K	20	85364100	358.00
		6256	MPC 2C 48D 12 Amps L V1	48 VDC	2.6K	20	85364100	358.00
		6257	MPC 2C 110D 12 Amps L V1	110 VDC	11K	20	85364900	384.00
		6258	MPC 2C 220D 12 Amps L V1	220 VDC	54K	20	85364900	428.00
		6261	MPC 2C 6A 12 Amps L V1	6 VAC	12	20	85364100	365.00
		6262	MPC 2C 12A 12 Amps L V1	12 VAC	46	20	85364100	351.00
	6263	MPC 2C 24A 12 Amps L V1	24 VAC	180	20	85364100	360.00	
	6264	MPC 2C 110A 12 Amps L V1	110 VAC	4.4K	20	85364900	384.00	
	6265	MPC 2C 240A 12 Amps L V1	240 VAC	19K	20	85364900	417.00	
	6266	MPC 2C 415A 12 Amps L V1	415 VAC	54K	20	85364900	428.00	
		6271	MPC 3C 6D 12 Amps L V1	6 VDC	40	20	85364100	466.00
		6272	MPC 3C 12D 12 Amps L V1	12 VDC	160	20	85364100	460.00
		6273	MPC 3C 18D 12 Amps L V1	18 VDC	350	20	85364100	474.00
		6274	MPC 3C 24D 12 Amps L V1	24 VDC	650	20	85364100	468.00
		6275	MPC 3C 30D 12 Amps L V1	30 VDC	1.0K	20	85364100	479.00
		6276	MPC 3C 48D 12 Amps L V1	48 VDC	2.6K	20	85364100	479.00
		6277	MPC 3C 110D 12 Amps L V1	110 VDC	11K	20	85364900	495.00
		6278	MPC 3C 220D 12 Amps L V1	220 VDC	54K	20	85364900	625.00

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (±10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
		6281	MPC 3C 6A 12 Amps L V1	6 VAC	12	20	85364100	477.00
		6282	MPC 3C 12A 12 Amps L V1	12 VAC	46	20	85364100	476.00
		6283	MPC 3C 24A 12 Amps L V1	24 VAC	180	20	85364100	476.00
		6284	MPC 3C 110A 12 Amps L V1	110 VAC	4.4K	20	85364900	496.00
		6285	MPC 3C 240A 12 Amps L V1	240 VAC	19K	20	85364900	519.00
		6286	MPC 3C 415A 12 Amps L V1	415 VAC	54K	20	85364900	627.00

3

**MPC : PLUG-IN TYPE RELAYS 5 Amps** Resistive @ 24VDC / 250VAC (100000 ops)



544	MPC 2C 6D 5 Amps L	6 VDC	30	20	85364100	424.00
545	MPC 2C 12D 5 Amps L	12 VDC	200	20	85364100	373.00
546	MPC 2C 18D 5 Amps L	18 VDC	390	20	85364100	428.00
547	MPC 2C 24D 5 Amps L	24 VDC	500	20	85364100	383.00
54412	MPC 2C 30D 5 Amps L	30 VDC	750	20	85364100	430.00
54400	MPC 2C 48D 5 Amps L	48 VDC	2.25K	20	85364100	405.00
54402	MPC 2C 110D 5 Amps L	110 VDC	10K	20	85364900	417.00
543	MPC 2C 220D 5 Amps L	220 VDC	50K	20	85364900	470.00
54452	MPC 2C 250D 5 Amps L	250 VDC	54K	20	85364900	661.00



581	MPC 2C 6A 5 Amps L	6 VAC	7	20	85364100	398.00
571	MPC 2C 12A 5 Amps L	12 VAC	30	20	85364100	407.00
573	MPC 2C 24A 5 Amps L	24 VAC	110	20	85364100	394.00
584	MPC 2C 48A 5 Amps L	48 VAC	440	20	85364100	393.00
574	MPC 2C 110A 5 Amps L	110 VAC	2.4K	20	85364900	399.00
575	MPC 2C 240A 5 Amps L	240 VAC	9.5K	20	85364900	414.00
572	MPC 2C 400A 5 Amps L	400 VAC	27K	20	85364900	671.00



550	MPC 3C 6D 5 Amps L	6 VDC	30	20	85364100	594.00
551	MPC 3C 12D 5 Amps L	12 VDC	150	20	85364100	499.00
552	MPC 3C 18D 5 Amps L	18 VDC	390	20	85364100	511.00
553	MPC 3C 24D 5 Amps L	24 VDC	500	20	85364100	490.00
54411	MPC 3C 30D 5 Amps L	30 VDC	750	20	85364100	523.00
54401	MPC 3C 48D 5 Amps L	48 VDC	2.25K	20	85364100	517.00
54403	MPC 3C 110D 5 Amps L	110 VDC	10K	20	85364900	532.00
556	MPC 3C 220D 5 Amps L	220 VDC	50K	20	85364900	593.00

582	MPC 3C 6A 5 Amps L	6 VAC	7	20	85364100	486.00
576	MPC 3C 12A 5 Amps L	12 VAC	30	20	85364100	511.00
577	MPC 3C 24A 5 Amps L	24 VAC	110	20	85364100	503.00
54305	MPC 3C 48A 5 Amps L	48 VAC	440	20	85364100	490.00
578	MPC 3C 110A 5 Amps L	110 VAC	2.4K	20	85364900	509.00
579	MPC 3C 240A 5 Amps L	240 VAC	9.5K	20	85364900	517.00
580	MPC 3C 400A 5 Amps L	400 VAC	27K	20	85364900	712.00

4

**MPC : PLUG-IN TYPE RELAYS 10 Amps** Resistive @ 24VDC / 250VAC (100000 ops)



44	MPC 2C 6D 10 Amps L	6 VDC	30	20	85364100	499.00
45	MPC 2C 12D 10 Amps L	12 VDC	200	20	85364100	444.00
47	MPC 2C 24D 10 Amps L	24 VDC	500	20	85364100	450.00
4412	MPC 2C 30D 10 Amps L	30 VDC	750	20	85364100	505.00
4400	MPC 2C 48D 10 Amps L	48 VDC	2.25K	20	85364100	491.00
4402	MPC 2C 110D 10 Amps L	110 VDC	10K	20	85364900	512.00
15043	MPC 2C 220D 10 Amps L	220 VDC	50K	20	85364900	538.00
4455	MPC 2C 250D 10 Amps L	250 VDC	54K	20	85364900	708.00



81	MPC 2C 6A 10 Amps L	6 VAC	7	20	85364100	479.00
71	MPC 2C 12A 10 Amps L	12 VAC	30	20	85364100	480.00
73	MPC 2C 24A 10 Amps L	24 VAC	110	20	85364100	473.00
74	MPC 2C 110A 10 Amps L	110 VAC	2.4K	20	85364900	474.00
75	MPC 2C 240A 10 Amps L	240 VAC	9.5K	20	85364900	494.00
72	MPC 2C 400A 10 Amps L	400 VAC	27K	20	85364900	718.00

51	MPC 3C 12D 10 Amps L	12 VDC	150	20	85364100	593.00
53	MPC 3C 24D 10 Amps L	24 VDC	500	20	85364100	592.00
4411	MPC 3C 30D 10 Amps L	30 VDC	750	20	85364100	617.00
4401	MPC 3C 48D 10 Amps L	48 VDC	2.25K	20	85364100	619.00
4403	MPC 3C 110D 10 Amps L	110 VDC	10K	20	85364900	623.00
56	MPC 3C 220D 10 Amps L	220 VDC	50K	20	85364900	673.00

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (± 10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
		82	MPC 3C 6A 10 Amps L	6 VAC	7	20	85364100	641.00
		76	MPC 3C 12A 10 Amps L	12 VAC	30	20	85364100	654.00
		77	MPC 3C 24A 10 Amps L	24 VAC	110	20	85364100	619.00
		78	MPC 3C 110A 10 Amps L	110 VAC	2.4K	20	85364900	640.00
		79	MPC 3C 240A 10 Amps L	240 VAC	9.5K	20	85364900	618.00
		80	MPC 3C 400A 10 Amps L	400 VAC	27K	20	85364900	841.00

**Note:-** 1) Relays with DIODE can be supplied at an additional charge of Rs. 9.00 on MRP  
2) Relays with ARC SUPPRESSOR (HMPC / HMPC V1 RELAYS) are available only in 2C  
3) Prices of equivalent HMPC / HMPC V1 Relays can be worked out by the formula: equivalent MPC + Rs. 100/-  
4) Prices of 12 Amps Relays (HPC) can be worked as : equivalent 10 Amps + Rs. 25.00/- = MPC 12 Amp

5

**PMY: PLUG-IN / SOLDERABLE TYPE RELAYS WITH LED 6 Amps** Resistive @ 30VDC / 250VAC (100000 ops).



4615	PMY F 2C 12D 6 Amps	12 VDC	160	20	85364100	261.00
4617	PMY F 2C 24D 6 Amps	24 VDC	650	20	85364100	261.00
4621	PMY F 2C 30D 6 Amps	30 VDC	1.0K	20	85364100	266.00
4618	PMY F 2C 48D 6 Amps	48 VDC	2.6K	20	85364100	266.00
4619	PMY F 2C 110D 6 Amps	110 VDC	11K	20	85364900	272.00
4620	PMY F 2C 220D 6 Amps	220 VDC	54K	20	85364900	384.00



4661	PMY F 2C 12A 6 Amps	12 VAC	46	20	85364100	266.00
4662	PMY F 2C 24A 6 Amps	24 VAC	180	20	85364100	269.00
4632	PMY F 2C 48A 6 Amps	48 VAC	735	20	85364100	275.00
4664	PMY F 2C 110A 6 Amps	110 VAC	4.4K	20	85364900	275.00
4665	PMY F 2C 240A 6 Amps	240 VAC	19K	20	85364900	318.00



5551	PMY F 3C 12D 6 Amps	12 VDC	160	20	85364100	333.00
5552	PMY F 3C 24D 6 Amps	24 VDC	650	20	85364100	339.00
5556	PMY F 3C 30D 6 Amps	30 VDC	1.0K	20	85364100	347.00
5553	PMY F 3C 48D 6 Amps	48 VDC	2.6K	20	85364100	348.00
5554	PMY F 3C 110D 6 Amps	110 VDC	11K	20	85364900	378.00
5555	PMY F 3C 220D 6 Amps	220 VDC	54K	20	85364900	430.00



5560	PMY F 3C 12A 6 Amps	12 VAC	46	20	85364100	354.00
5561	PMY F 3C 24A 6 Amps	24 VAC	180	20	85364100	363.00
5563	PMY F 3C 110A 6 Amps	110 VAC	4.4K	20	85364900	358.00
5564	PMY F 3C 240A 6 Amps	240 VAC	19K	20	85364900	402.00

4600	PMY F 4C 12D 6 Amps	12 VDC	160	20	85364100	288.00
4601	PMY F 4C 24D 6 Amps	24 VDC	650	20	85364100	291.00
4608	PMY F 4C 30D 6 Amps	30 VDC	1.0K	20	85364100	300.00
4603	PMY F 4C 48D 6 Amps	48 VDC	2.6K	20	85364100	304.00
4602	PMY F 4C 110D 6 Amps	110 VDC	11K	20	85364900	307.00
4607	PMY F 4C 220D 6 Amps	220 VDC	54K	20	85364900	386.00

4647	PMY F 4C 12A 6 Amps	12 VAC	46	20	85364100	296.00
4648	PMY F 4C 24A 6 Amps	24 VAC	180	20	85364100	297.00
4628	PMY F 4C 48A 6 Amps	48 VAC	735	20	85364100	414.00
4649	PMY F 4C 110A 6 Amps	110 VAC	4.4K	20	85364900	300.00
4650	PMY F 4C 240A 6 Amps	240 VAC	19K	20	85364900	311.00

6

**PMY: PLUG-IN / SOLDERABLE TYPE RELAYS WITH LED 12 Amps** Resistive @ 24VDC / 250VAC (100000 ops).






5001	PMY F 2C 12D 12 Amps	12 VDC	160	20	85364100	328.00
5002	PMY F 2C 24D 12 Amps	24 VDC	650	20	85364100	328.00
5006	PMY F 2C 30D 12 Amps	30 VDC	1.0K	20	85364100	343.00
5003	PMY F 2C 48D 12 Amps	48 VDC	2.6K	20	85364100	343.00
5004	PMY F 2C 110D 12 Amps	110 VDC	11K	20	85364900	359.00
5005	PMY F 2C 220D 12 Amps	220 VDC	54K	20	85364900	414.00



5010	PMY F 2C 12A 12 Amps	12 VAC	46	20	85364100	349.00
5011	PMY F 2C 24A 12 Amps	24 VAC	180	20	85364100	341.00
5012	PMY F 2C 110A 12 Amps	110 VAC	4.4K	20	85364900	348.00
5013	PMY F 2C 240A 12 Amps	240 VAC	19K	20	85364900	385.00

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms ( $\pm 10\%$ )	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
		5571	PMY F 3C 12D 12 Amps	12 VDC	160	20	85364100	476.00
		5572	PMY F 3C 24D 12 Amps	24 VDC	650	20	85364100	476.00
		5576	PMY F 3C 30D 12 Amps	30 VDC	1.0K	20	85364100	506.00
		5573	PMY F 3C 48D 12 Amps	48 VDC	2.6K	20	85364100	510.00
		5574	PMY F 3C 110D 12 Amps	110 VDC	11K	20	85364900	506.00
		5575	PMY F 3C 220D 12 Amps	220 VDC	54K	20	85364900	566.00
		5580	PMY F 3C 12A 12 Amps	12 VAC	46	20	85364100	506.00
		5581	PMY F 3C 24A 12 Amps	24 VAC	180	20	85364100	513.00
		5582	PMY F 3C 110A 12 Amps	110 VAC	4.4K	20	85364900	521.00
		5583	PMY F 3C 240A 12 Amps	240 VAC	19K	20	85364900	574.00
7		<b>PLY : PLUG-IN TYPE RELAYS WITH LED 10 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)						
		5225	PLY 4C 12D 10 Amps	12 VDC	100	20	85364100	532.00
		5226	PLY 4C 24D 10 Amps	24 VDC	350	20	85364100	532.00
		5232	PLY 4C 240A 10 Amps	240 VAC	8K	20	85364900	542.00
8		<b>MPCN : PLUG-IN TYPE RELAYS 12 Amps</b> Resistive @ 30VDC / 250VAC (100000 ops)						
		4925	MPCN 1C 12D 12 Amps	12 VDC	270	10	85364100	297.00
		4926	MPCN 1C 24D 12 Amps	24 VDC	1.1K	20	85364100	306.00
		4927	MPCN 1C 240A 12 Amps	240 VAC	23K	20	85364900	345.00
9		<b>MPCN : PLUG-IN TYPE RELAYS 7 Amps</b> Resistive @ 30VDC / 250VAC (100000 ops)						
		4900	MPCN 2C 12D 7 Amps	12 VDC	270	10	85364100	306.00
		4901	MPCN 2C 24D 7 Amps	24 VDC	1.1K	20	85364100	313.00
		4905	MPCN 2C 240A 7 Amps	240 VAC	23K	10	85364900	362.00
10		<b>PMCM : PLUG-IN TYPE RELAYS 12 / 16 Amps</b> Resistive @ 30VDC / 250 VAC (100000 ops)						
		6076	PMCM 1C 12D 12 Amps (5 Pin)	12 VDC	270	20	85364100	193.00
		6077	PMCM 1C 24D 12 Amps (5 Pin)	24 VDC	1.05K	20	85364100	193.00
		6080	PMCM 1C 12D 16 Amps (8 Pin)	12 VDC	270	20	85364100	269.00
		6081	PMCM 1C 24D 16 Amps (8 Pin)	24 VDC	1.05K	20	85364100	269.00
11		<b>PMCM : PLUG-IN TYPE RELAYS 8 Amps</b> Resistive @ 30VDC / 250VAC (100000 ops)						
		6085	PMCM 2C 12D 8 Amps (8 Pin)	12 VDC	270	20	85364100	241.00
		6086	PMCM 2C 24D 8 Amps (8 Pin)	24 VDC	1.05K	20	85364100	241.00
12		<b>SMP : PLUG-IN / PCB MOUNT TYPE RELAYS 6 Amps</b> Resistive @ 30VDC / 250VAC (100000 ops)						
		5250	SMP 1C 12D 6 Amps	12 VDC	848	20	85364100	174.00
		5251	SMP 1C 24D 6 Amps	24 VDC	3.39K	20	85364100	174.00
13		<b>'ON' &amp; 'OFF' : TYPE RELAYS FOR TEXTILE APPLICATION 10 AMP</b> Resistive @ 24VDC / 250VAC (100000 ops)						
		112	ON RELAY	6 VDC	50	20	85364100	750.00
		111	OFF RELAY	6 VDC	50	20	85364100	750.00
14		<b>HPCC : PLUG-IN, LUGS TYPE RELAYS 20 Amps</b> Resistive @ 220VDC (100000 ops) (Relays with ARC SUPPRESSOR)						
		10006	HPCC 2C 12D 20 Amps	12 VDC	74	10	85364100	1190.00
		10007	HPCC 2C 24D 20 Amps	24 VDC	260	10	85364100	1241.00
		10008	HPCC 2C 110D 20 Amps	110 VDC	5.5K	10	85364900	1184.00
		10010	HPCC 2C 115A 20 Amps	115 VAC	1.3K	10	85364900	1168.00
		10011	HPCC 2C 240A 20 Amps	240 VAC	4.7K	10	85364900	1186.00

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (± 10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)		
15		<b>MCC V1 : SOLDERABLE TYPE RELAYS 6 Amps</b> Resistive @ 30VDC / 250VAC (100000 ops) (METAL BASE PLATE). MCC-V1 (with reverse baseplate available on special request)								
		5520	MCC 1C 6D 6 Amps V1	6 VDC	52	20	85364100	232.00		
		5521	MCC 1C 12D 6 Amps V1	12 VDC	160	20	85364100	185.00		
		5524	MCC 1C 24D 6 Amps V1	24 VDC	650	20	85364100	192.00		
		5530	MCC 2C 6D 6 Amps V1	6 VDC	30	20	85364100	316.00		
		5525	MCC 2C 12D 6 Amps V1	12 VDC	160	20	85364100	262.00		
		5527	MCC 2C 24D 6 Amps V1	24 VDC	650	20	85364100	259.00		
		5528	MCC 2C 48D 6 Amps V1	48 VDC	2.6K	20	85364100	276.00		
		5529	MCC 2C 110D 6 Amps V1	110 VDC	11K	20	85364900	284.00		
		5541	MCC 2C 110A 6 Amps V1	110 VAC	4.4K	20	85364900	275.00		
		5542	MCC 2C 240A 6 Amps V1	240 VAC	19K	20	85364900	317.00		
		5536	MCC 3C 6D 6 Amps V1	6 VDC	30	20	85364100	438.00		
		5531	MCC 3C 12D 6 Amps V1	12 VDC	160	20	85364100	351.00		
		5533	MCC 3C 24D 6 Amps V1	24 VDC	650	20	85364100	359.00		
		5534	MCC 3C 48D 6 Amps V1	48 VDC	2.6K	20	85364100	366.00		
		5537	MCC 3C 110D 6 Amps V1	110 VDC	11K	20	85364900	374.00		
		5543	MCC 3C 110A 6 Amps V1	110 VAC	4.4K	20	85364900	351.00		
		5545	MCC 3C 240A 6 Amps V1	240 VAC	19K	20	85364900	401.00		
		<b>* MCC V1 3C REVERSE BASE PLATE</b>								
		5535	MCC 3C 110D 6 Amps V1 *	110 VDC	11K	20	85364900	374.00		
		5544	MCC 3C 240A 6 Amps V1 *	240 VAC	19K	20	85364900	401.00		
		16		<b>MCC V1 : SOLDERABLE TYPE RELAYS 12 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops) (METAL BASE PLATE)						
				1020	MCC 1C 6D 12 Amps V1	6 VDC	52	20	85364100	262.00
1021	MCC 1C 12D 12 Amps V1			12 VDC	160	20	85364100	209.00		
1024	MCC 1C 24D 12 Amps V1			24 VDC	650	20	85364100	217.00		
1030	MCC 2C 6D 12 Amps V1			6 VDC	30	20	85364100	368.00		
1025	MCC 2C 12D 12 Amps V1			12 VDC	160	20	85364100	307.00		
1027	MCC 2C 24D 12 Amps V1			24 VDC	650	20	85364100	315.00		
1028	MCC 2C 48D 12 Amps V1			48 VDC	2.6K	20	85364100	320.00		
1029	MCC 2C 110D 12 Amps V1			110 VDC	11K	20	85364900	327.00		
1041	MCC 2C 110A 12 Amps V1			110 VAC	4.4K	20	85364900	328.00		
1042	MCC 2C 240A 12 Amps V1			240 VAC	19K	20	85364900	363.00		
1036	MCC 3C 6D 12 Amps V1			6 VDC	30	20	85364100	562.00		
1031	MCC 3C 12D 12 Amps V1			12 VDC	160	20	85364100	449.00		
1033	MCC 3C 24D 12 Amps V1			24 VDC	650	20	85364100	458.00		
1034	MCC 3C 48D 12 Amps V1			48 VDC	2.6K	20	85364100	466.00		
1035	MCC 3C 110D 12 Amps V1			110 VDC	11K	20	85364900	473.00		
1043	MCC 3C 110A 12 Amps V1			110 VAC	4.4K	20	85364900	477.00		
1044	MCC 3C 240A 12 Amps V1			240 VAC	19K	20	85364900	539.00		
17				<b>MCC : SOLDERABLE TYPE RELAYS 5 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops) (POLYCARBONATE BASE PLATE)						
				520	MCC 1C 6D 5 Amps	6 VDC	52	20	85364100	252.00
		521	MCC 1C 12D 5 Amps	12 VDC	200	20	85364100	221.00		
		54104	MCC 1C 18D 5 Amps	18 VDC	500	20	85364100	263.00		
		4116	MCC 1C 18D 5 Amps 390 Ohms	18 VDC	390	20	85364100	274.00		
		524	MCC 1C 24D 5 Amps	24 VDC	600	20	85364100	229.00		
		530	MCC 2C 6D 5 Amps	6 VDC	30	20	85364100	355.00		
		525	MCC 2C 12D 5 Amps	12 VDC	200	20	85364100	322.00		
		526	MCC 2C 18D 5 Amps	18 VDC	390	20	85364100	355.00		
		527	MCC 2C 24D 5 Amps	24 VDC	500	20	85364100	330.00		
		54100	MCC 2C 48D 5 Amps	48 VDC	2.25K	20	85364100	348.00		
		54102	MCC 2C 110D 5 Amps	110 VDC	10K	20	85364900	363.00		
		560	MCC 2C 110A 5 Amps	110 VAC	2.4K	20	85364900	369.00		
		565	MCC 2C 240A 5 Amps	240 VAC	9.5K	20	85364900	354.00		
		536	MCC 3C 6D 5 Amps	6 VDC	30	20	85364100	430.00		
		531	MCC 3C 12D 5 Amps	12 VDC	150	20	85364100	437.00		
		532	MCC 3C 18D 5 Amps	18 VDC	390	20	85364100	425.00		
		533	MCC 3C 24D 5 Amps	24 VDC	500	20	85364100	416.00		
		54101	MCC 3C 48D 5 Amps	48 VDC	2.25K	20	85364100	458.00		
54103	MCC 3C 110D 5 Amps	110 VDC	10K	20	85364900	455.00				
5562	MCC 3C 110A 5 Amps	110 VAC	2.4K	20	85364900	476.00				
563	MCC 3C 240A 5 Amps	240 VAC	9.5K	20	85364900	452.00				

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
<b>18</b>		<b>MCC : SOLDERABLE TYPE RELAYS 5 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops) <b>(METAL BASE PLATE)</b>						
		<b>* MCC 1C without BASE PLATE</b>						
		<b>7520</b>	MCC 1C 6D 5 Amps WB	6 VDC	52	20	85364100	250.00
		<b>7521</b>	MCC 1C 12D 5 Amps WB	12 VDC	200	20	85364100	222.00
		<b>754104</b>	MCC 1C 18D 5 Amps WB	18 VDC	500	20	85364100	256.00
		<b>7524</b>	MCC 1C 24D 5 Amps WB	24 VDC	600	20	85364100	229.00
		<b>7530</b>	MCC 2C 6D 5 Amps	6 VDC	30	20	85364100	366.00
		<b>7525</b>	MCC 2C 12D 5 Amps	12 VDC	200	20	85364100	334.00
		<b>7526</b>	MCC 2C 18D 5 Amps	18 VDC	390	20	85364100	367.00
		<b>7527</b>	MCC 2C 24D 5 Amps	24 VDC	500	20	85364100	339.00
		<b>754100</b>	MCC 2C 48D 5 Amps	48 VDC	2.25K	20	85364100	358.00
		<b>754102</b>	MCC 2C 110D 5 Amps	110 VDC	10K	20	85364900	363.00
		<b>7536</b>	MCC 3C 6D 5 Amps	6 VDC	30	20	85364100	431.00
		<b>7531</b>	MCC 3C 12D 5 Amps	12 VDC	150	20	85364100	430.00
		<b>7532</b>	MCC 3C 18D 5 Amps	18 VDC	390	20	85364100	442.00
		<b>7533</b>	MCC 3C 24D 5 Amps	24 VDC	500	20	85364100	426.00
		<b>754101</b>	MCC 3C 48D 5 Amps	48 VDC	2.25K	20	85364100	450.00
		<b>754103</b>	MCC 3C 110D 5 Amps	110 VDC	10K	20	85364900	453.00
<b>19</b>		<b>MCC - O / OLC : SOLDERABLE TYPE RELAYS 10 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)						
		<b>3715</b>	MCC - O / OLC 3C 9.5D 10 Amps	9.5 VDC	100	20	85364100	532.00
		<b>3702</b>	MCC - O / OLC 3C 12D 10 Amps	12 VDC	150	20	85364100	534.00
		<b>3703</b>	MCC - O / OLC 3C 24D 10 Amps	24 VDC	500	20	85364100	528.00
		<b>3709</b>	MCC - O / OLC 3C 110D 10 Amps	110 VDC	10K	20	85364900	720.00
		<b>3711</b>	MCC - O / OLC 3C 12A 10 Amps	12 VAC	30	20	85364100	592.00
		<b>3712</b>	MCC - O / OLC 3C 115A 10 Amps	115 VAC	2.4K	20	85364900	631.00
		<b>3713</b>	MCC - O / OLC 3C 240A 10 Amps	240 VAC	9.5K	20	85364900	720.00
<b>20</b>		<b>MCC - P / PCB : PCB MOUNT TYPE RELAYS 6 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)						
		<b>96</b>	PCB 2C 12D 6 Amps	12 VDC	200	20	85364100	361.00
		<b>97</b>	PCB 2C 24D 6 Amps	24 VDC	500	20	85364100	378.00
		<b>102</b>	PCB 3C 12D 6 Amps	12 VDC	150	20	85364100	486.00
		<b>103</b>	PCB 3C 24D 6 Amps	24 VDC	500	20	85364100	461.00
		<b>105</b>	PCB 3C 48D 6 Amps	48 VDC	2.25K	20	85364100	490.00
		<b>106</b>	PCB 3C 110D 6 Amps	110 VDC	10K	20	85364900	513.00
		<b>110</b>	PCB 3C 240A 6 Amps	240 VAC	9.5K	20	85364900	531.00
<b>21</b>		<b>HCC : SOLDERABLE TYPE RELAYS 12 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)						
		<b>353</b>	HCC 1C 12D 12 Amps	12 VDC	120	20	85364100	267.00
		<b>354</b>	HCC 1C 18D 12 Amps	18 VDC	270	20	85364100	278.00
		<b>355</b>	HCC 1C 24D 12 Amps	24 VDC	480	20	85364100	278.00
		<b>400</b>	HCC 1C 240A 12 Amps	240 VAC	9.5K	20	85364900	389.00
		<b>357</b>	HCC 2C 12D 12 Amps	12 VDC	120	20	85364100	385.00
		<b>358</b>	HCC 2C 18D 12 Amps	18 VDC	270	20	85364100	410.00
		<b>359</b>	HCC 2C 24D 12 Amps	24 VDC	480	20	85364100	376.00
		<b>401</b>	HCC 2C 240A 12 Amps	240 VAC	9.5K	20	85364900	458.00
		<b>363</b>	HCC 3C 12D 12 Amps	12 VDC	120	20	85364100	509.00
		<b>364</b>	HCC 3C 18D 12 Amps	18 VDC	270	20	85364100	495.00
	<b>365</b>	HCC 3C 24D 12 Amps	24 VDC	480	20	85364100	487.00	
	<b>403</b>	HCC 3C 240A 12 Amps	240 VAC	9.5K	20	85364900	570.00	

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms ( $\pm 10\%$ )	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)		
22		<b>HCC / MPR : SOLDERABLE TYPE RELAYS 16 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops) Note:- HCC 16 Amps formerly known as MPR Relays								
		1602	HCC 1C 12D 16 Amps	12 VDC	120	20	85364100	277.00		
		1603	HCC 1C 18D 16 Amps	18 VDC	270	20	85364100	304.00		
		1604	HCC 1C 24D 16 Amps	24 VDC	480	20	85364100	304.00		
		5054	HCC 1C 240A 16 Amps	240 VAC	9.5K	20	85364900	461.00		
		1612	HCC 2C 12D 16 Amps	12 VDC	120	20	85364100	385.00		
		1613	HCC 2C 18D 16 Amps	18 VDC	270	20	85364100	395.00		
		1614	HCC 2C 24D 16 Amps	24 VDC	480	20	85364100	395.00		
		1661	HCC 2C 240A 16 Amps	240 VAC	9.5K	20	85364900	474.00		
		1622	HCC 3C 12D 16 Amps	12 VDC	120	20	85364100	518.00		
		1623	HCC 3C 18D 16 Amps	18 VDC	270	20	85364100	497.00		
		1624	HCC 3C 24D 16 Amps	24 VDC	480	20	85364100	475.00		
		1662	HCC 3C 240A 16 Amps	240 VAC	9.5K	20	85364900	628.00		
		23		<b>LPR40 MB V1 : POWER RELAYS SCREW TERMINALS 40 Amps</b> Resistive @ 24VDC / 250VAC (50000 ops)						
				4826	LPR40 1C 12D MB V1	12 VDC	74	10	85364100	456.00
4827	LPR40 1C 24D MB V1			24 VDC	260	10	85364100	450.00		
24		<b>LPR60 MB V1 : POWER RELAYS SCREW TERMINALS 60 Amps</b> Resistive @ 24VDC / 250VAC (50000 ops)								
		3450	LPR60 1C 12D MB V1	12 VDC	74	10	85364100	506.00		
		3451	LPR60 1C 24D MB V1	24 VDC	260	10	85364100	500.00		
25		<b>LPR30E : POWER RELAYS, SOLDERABLE, LUGS 30 Amps</b> Resistive @ 24VDC / 250VAC (50000 ops)								
		3903	LPR30E 1C 12D	12 VDC	120	20	85364100	430.00		
		3904	LPR30E 1C 24D	24 VDC	480	20	85364100	430.00		
		3905	LPR30E 1C 240A	240 VAC	9.5K	20	85364900	490.00		
26		<b>LPR30 / PCC : POWER RELAYS, PLUG-IN / SOLDERABLE, LUGS 30 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)								
		3125	LPR30 / PCC 1A 12D	12 VDC	120	10	85364100	389.00		
		3126	LPR30 / PCC 1A 24D	24 VDC	480	10	85364100	400.00		
		3100	LPR30 / PCC 1C 12D	12 VDC	120	10	85364100	628.00		
		3101	LPR30 / PCC 1C 24D	24 VDC	480	10	85364100	632.00		
		3102	LPR30 / PCC 1C 240A	240 VAC	4.7K	10	85364900	680.00		
		3130	LPR30 / PCC 2A 12D	12 VDC	74	10	85364100	521.00		
		3131	LPR30 / PCC 2A 24D	24 VDC	260	10	85364100	531.00		
		3103	LPR30 / PCC 2C 12D	12 VDC	74	10	85364100	1031.00		
		3104	LPR30 / PCC 2C 24D	24 VDC	260	10	85364100	1039.00		
		3105	LPR30 / PCC 2C 240A	240 VAC	4.7K	10	85364900	1116.00		
		3135	LPR30 / PCC 3A 12D	12 VDC	74	10	85364100	683.00		
		3136	LPR30 / PCC 3A 24D	24 VDC	260	10	85364100	683.00		
		3109	LPR30 / PCC 3C 12D	12 VDC	74	10	85364100	1454.00		
		3113	LPR30 / PCC 3C 24D	24 VDC	260	10	85364100	1454.00		
3158	LPR30 / PCC 3C 240A	240 VAC	4.7K	10	85364900	1494.00				
27		<b>LPR40 MB : POWER RELAYS PLUG-IN / SCREW TERMINALS 40 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)								
		4800	LPR40 1C 12D MB	12 VDC	74	10	85364100	550.00		
		4804	LPR40 1C 18D MB	18 VDC	150	10	85364100	643.00		
		4801	LPR40 1C 24D MB	24 VDC	260	10	85364100	550.00		
		4802	LPR40 1C 48D MB	48 VDC	1.2K	10	85364100	629.00		
		4803	LPR40 1C 110D MB	110 VDC	5.5K	10	85364900	706.00		
		4807	LPR40 1C 240A MB	240 VAC	4.7K	10	85364900	644.00		

SR	PHOTO	SRO	PRODUCT / DESCRIPTION	COIL	COIL	PER BOX	HSN	UNIT MRP
NO.		NO.		VOLTAGE	Ohms (± 10%)	(In Nos.)	CODE	(In INR)
28			<b>LPR40 / HP40 : POWER RELAYS, SCREW TERMINALS 40 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)					
		3211	LPR40 1C 12D	12 VDC	74	10	85364100	528.00
		3214	LPR40 1C 18D	18 VDC	150	10	85364100	617.00
		3212	LPR40 1C 24D	24 VDC	260	10	85364100	528.00
		3216	LPR40 1C 48D	48 VDC	1.2K	10	85364100	604.00
		3215	LPR40 1C 110D	110 VDC	5.5K	10	85364900	678.00
		3213	LPR40 1C 240A	240 VAC	4.7K	10	85364900	618.00
29			<b>LPR40 : POWER RELAYS PLUG-IN / LUGS TERMINALS 40 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)					
		3250	LPR40 2C 12D	12 VDC	74	10	85364100	935.00
		3251	LPR40 2C 24D	24 VDC	260	10	85364100	915.00
		3255	LPR40 2C 240A	240 VAC	4.7K	10	85364900	957.00
		3275	LPR40 3C 12D	12 VDC	74	10	85364100	1307.00
		3276	LPR40 3C 24D	24 VDC	260	10	85364100	1280.00
		3277	LPR40 3C 48D	48 VDC	1.2K	10	85364100	1365.00
		3280	LPR40 3C 240A	240 VAC	4.7K	10	85364900	1323.00
30			<b>LPR60 : POWER RELAYS, SCREW - LUGS TERMINALS 60 Amps</b> Resistive @ 24VDC / 250VAC (100000 ops)					
		3350	LPR60 1C 12D L	12 VDC	74	10	85364100	647.00
		3351	LPR60 1C 24D L	24 VDC	260	10	85364100	647.00
		3360	LPR60 1C 240A L	240 VAC	4.7k	10	85364900	773.00
		3353	LPR60 1C 12D T	12 VDC	74	10	85364100	647.00
		3354	LPR60 1C 24D T	24 VDC	260	10	85364100	647.00
		3355	LPR60 1C 240A T	240 VAC	4.7k	10	85364900	773.00
31			<b>LPR80 : POWER RELAYS, SCREW - LUGS TERMINALS 80 Amps</b> Resistive @ 24VDC / 250VAC (10000 ops)					
		3926	LPR80 1C 12D	12 VDC	48	2	85364100	773.00
		3927	LPR80 1C 24D	24 VDC	192	2	85364100	773.00
		3928	LPR80 1C 240A	240 VAC	4.7k	2	85364900	940.00
32			<b>LPR100 : POWER RELAYS, SCREW - LUGS TERMINALS 100 Amps</b> Resistive @ 24VDC / 250VAC (10000 ops)					
		3930	LPR100 1C 12D	12 VDC	48	1	85364100	945.00
		3931	LPR100 1C 24D	24 VDC	192	1	85364100	945.00
		3932	LPR100 1C 240A	240 VAC	4.7k	1	85364900	1101.00
33			<b>PAC 40 : SOLDERABLE / LUGS, AUTOMOTIVE TYPE RELAYS 40 Amps</b> Resistive @ 14VDC (100000 ops)					
		3800	PAC 40 1A 12D	12 VDC	90	25	85364100	200.00
34			<b>PAC 80 : SOLDERABLE / LUGS, AUTOMOTIVE TYPE RELAYS 80 Amps</b> Resistive @ 14VDC (100000 ops)					
		3821	PAC 80 1A 12D	12 VDC	80	20	85364100	277.00
35			<b>DIP : PCB MOUNT, REED TYPE RELAYS (10000000 ops)</b> (At Optimum Load Conditions)					
		601	DIP 1N/O 5D	5 VDC	200	20	85364100	155.00
		602	DIP 1N/O 12D	12 VDC	500	20	85364100	153.00
		603	DIP 1N/O 24D	24 VDC	2.1K	20	85364100	171.00
		621	DIP 1C/O 5D	5 VDC	200	20	85364100	447.00
		622	DIP 1C/O 12D	12 VDC	500	20	85364100	447.00
		623	DIP 1C/O 24D	24 VDC	2.1K	20	85364100	447.00
		606	DIP 2N/O 5D	5 VDC	100	20	85364100	208.00
		607	DIP 2N/O 12D	12 VDC	275	20	85364100	226.00
		608	DIP 2N/O 24D	24 VDC	1.1K	20	85364100	256.00
		626	DIP 2C/O 5D	5 VDC	100	20	85364100	803.00
		627	DIP 2C/O 12D	12 VDC	275	20	85364100	785.00
		628	DIP 2C/O 24D	24 VDC	1.1K	20	85364100	838.00

Note:- DIP : 10W, 0.5A, 200V FOR N/O & 3W,0.25A , 100V FOR C/O

SR NO.	PHOTO	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL Ohms (± 10%)	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)
36		<b>SIP : PCB MOUNT, REED TYPE RELAYS (10000000 ops) (At Optimum Load Conditions)</b>						
		691	SIP 1A 05M**	5 VDC	500	20	85364100	112.00
		692	SIP 1A 12M**	12 VDC	2K	20	85364100	116.00
**M=Molded Version Note:- SIP : 10W, 0.5A, 200V FOR N/O.								
37		<b>PROXIMITY SWITCHES 'RA-2' (10W, 0.5A, 100V): &amp; MAGNET ASSEMBLY 'MA-2'</b>						
		696	RA2			50	85365090	65.00
		699	MA2			20	85365090	60.00
7056	RA2 & MA2			100	85365090	120.00		
<b><u>SOCKETS &amp; ACCESSORIES</u></b>								
38		<b>DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR MPC TYPE RELAYS</b>						
		15094	MPCS 8 16A			50	85389000	56.00
		15092	MPCS 11 12A			50	85389000	77.00
11002	Retaining Clip (MPC SPRING)			100	85389000	16.00		
39		<b>DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR PMY TYPE SERIES RELAYS</b>						
		11035	PMYS DR 8 12A			50	85389000	100.00
		11043	PMYS DR 11 12A			50	85389000	125.00
15095	PMYS DR 14 10A			50	85389000	101.00		
11039	Retaining Clip			100	85389000	10.00		
40		<b>PCB MOUNT SOCKET FOR PMY TYPE SERIES RELAYS</b>						
		11038	PMYS PCB 8 12A			40	85389000	43.00
		11032	PMYS PCB 14 10A			40	85389000	44.00
41		<b>DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR PLY TYPE SERIES RELAYS</b>						
		11041	PLYS DR 8 10A			50	85389000	115.00
		11029	PLYS DR 14 10A			30	85389000	222.00
42		<b>DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR MPCN TYPE RELAYS</b>						
		4912	MPCNS 5 12A (RSU-5 12A)			20	85389000	193.00
		4911	MPCNS 8 10A			20	85389000	194.00
4913	MPCNS 5 V1 12A (RSU-5 12A)			20	85389000	146.00		
4914	MPCNS 8 V1 10A			20	85389000	146.00		
43		<b>DIN RAIL MOUNT SOCKET FOR PMCM SERIES RELAYS WITH LED MODULE</b>						
		6091	PMCMS 5 12A (WITH LED MODULE)			20	85389000	256.00
		6092	PMCMS 8 16A (WITH LED MODULE)			20	85389000	284.00
44		<b>PCB MOUNT SOCKET FOR PMCM SERIES RELAYS</b>						
		11027	SPCB PMC 5 PIN			100	85389000	31.00
		11028	SPCB PMC 8 PIN			100	85389000	31.00
45		<b>DIN RAIL MOUNT SOCKET (WITH SCREW TERMINAL) FOR POWER RELAYS, FOR LPR30, PCC, LPR40 (2C &amp; 3C) / HPCC</b>						
		11037	PRS S1 40A			20	85389000	224.00
46		<b>DIN RAIL MOUNT SOCKET MODULAR WITH LED &amp; DIODE FOR SMP TYPE SERIES RELAYS</b>						
		11040	SMPS 6A			20	85389000	181.00
<b>Note :- Images are only for representational purpose</b>								
<b>TERMS &amp; CONDITIONS :</b>								
a) Unit MRP Price is inclusive of all Taxes etc.								
b) Payment : 100% Advance Prior to Dispatch with CD (only if applicable)								
c) Availability: Ex-Stock available, Subject to prior to sales, otherwise 3/4 weeks from the date of receipt of confirmed P.O.								
d) Delivery : F.O.R. Mumbai								
e) P.O. should be in line with MOQ and /or in Multiple of MOQ								
f) Customize relays can be developed as per client requirement								
g) Any Techno Commercial Change/s is/are prerogative of manufacturer / management, of the company which can be without any notice								
h) Prices are subject to change without any notice								
i) This supercedes all previous price lists								
j) Any dispute, subject to Mumbai Jurisdiction								